

## Author Index Volume 56 (2014)

Abdo, I.S., see Zhou, J.	273–284
Aksoy, F., see Erdogan, D.	219–229
Aleksi, A., see Alhejily, W.	265–271
Alhejily, W., A. Aleksi, B.-J. Martin and T.J. Anderson, The effect of ischemia-reperfusion injury on measures of vascular function	265–271
Alis, R., see Romagnoli, M.	111–117
Alis, R., see Vayá, A.	153–159
Alis, R., see Vayá, A.	259–264
Alis, R., see Vayá, A.	83–85
An, S.S.A., see Cho, C.H.	67–74
Anderson, T.J. see Alhejily, W.	265–271
Aranda, R., see Romagnoli, M.	111–117
Arbel, Y., Y. Szekely, S. Berliner, H. Hallevi, A. Halkin, I. Herz, G. Keren, S. Bazan, N. Bornstein, S. Banai and A. Finkelstein, Lack of correlation between coronary blood flow and carotid intima media thickness	371–381
Awan, Z.A., see Wester, T.	119–131
Bagno, A., see Martini, R.	347–358
Banai, S., see Arbel, Y.	371–381
Banha, J., see Oliveira, R.	175–185
Barcelos, F., see Oliveira, R.	175–185
Bautista, D., see Vayá, A.	83–85
Bazan, S., see Arbel, Y.	371–381
Becker, C., see Brandt, M.	145–152
Berliner, S., see Arbel, Y.	371–381
Bettencourt, A., see Oliveira, R.	175–185
Bonetti, P.O., see Reinhart, S.A.	161–173
Bor-Kucukatay, M., see Kursunluoglu-Akcilar, R.	75–82
Bornstein, N., see Arbel, Y.	371–381
Botor, D., see Papp, J.	1–12
Botor, D., see Toth, A.	13–23
Brandt, M., T. Schönfelder, M. Schwenk, C. Becker, S. Jäckel, C. Reinhardt, K. Stark, S. Massberg, T. Münzel, M.-L. von Brühl and P. Wenzel, Deep vein thrombus formation induced by flow reduction in mice is determined by venous side branches	145–152
Caimi, G., E. Hopps, M. Montana, C. Carollo, V. Calandrino, E. Incalcaterra, B. Canino and R.L. Presti, Nitric oxide metabolites (nitrite and nitrate) in several clinical condition	359–369
Calado, A., see de Almeida, V.V.	47–56
Calandrino, V., see Caimi, G.	359–369
Calvo, J., see Vayá, A.	153–159

Calvo, J., see Vayá, A.	259–264
Canino, B., see Caimi, G.	359–369
Carmo, M.M., see Napoleão, P.	57–66
Carollo, C., see Caimi, G.	359–369
Cerny, V., see Zhou, J.	273–284
Ceyhan, B.M., see Erdogan, D.	219–229
Chang, J.K., see Cho, C.H.	67–74
Cho, C.H., J.Y. Kim, A.E. Nyeck, C.S. Lim, D.S. Hur, C. Chung, J.K. Chang, S.S.A. An and S. Shin, Measurement of RBC agglutination with microscopic cell image analysis in a microchannel chip	67–74
Chung, C., see Cho, C.H.	67–74
Collado, S., see Vayá, A.	153–159
Connes, P., see Pichon, A.	41–46
Costa, L., see Oliveira, R.	175–185
Cseplo, P., see Papp, J.	1–12
Cwynar, M., see Fornal, M.	325–335
Czopf, L., see Toth, A.	13–23
da Silva, B.M., see Oliveira, R.	175–185
Daly, A., J.S. Raval, J.H. Waters, M.H. Yazer and M.V. Kameneva, Effect of blood bank storage on the rheological properties of male and female donor red blood cells	337–345
de Almeida, V.V., A. Calado, A.S. Silva-Herdade, H.S. Rosário and C. Saldanha, An <i>in vitro</i> study on the modulation of the neutrophil adhesive behavior by soluble fibrinogen	47–56
de Isla, N., see Kadi, A.	231–246
Detterich, J.A. see Rabai, M.	87–99
Dobrakowski, M., see Kasperczyk, A.	187–195
Erdogan, D., B.A. Uysal, F. Aksoy, S. Kaya, A. Icli, B.M. Ceyhan and M. Ozaydin, Strict heart rate control attenuates prothrombotic state and platelet activity in patients with non-valvular permanent atrial fibrillation	219–229
Ferreira, R.C., see Napoleão, P.	57–66
Finkelstein, A., see Arbel, Y.	371–381
Fornal, M., B. Wizner, M. Cwynar, J. Królczyk, A. Kwater, R.A. Korbut and T. Grodzicki, Association of red blood cell distribution width, inflammation markers and morphological as well as rheological erythrocyte parameters with target organ damage in hypertension	325–335
Freixo, C., see Napoleão, P.	57–66
Gehmert, S., see Lang, S.A.	287–299
Geissler, E.K., see Lang, S.A.	287–299
Glück, M., see Wiewiora, M.	101–109
Gómez-Cabrera, M.-C., see Romagnoli, M.	111–117
Grodzicki, T., see Fornal, M.	325–335
Guerci, P., N. Tran, P. Menu, M.-R. Losser, C. Meistelman and D. Longrois, Impact of fluid resuscitation with hypertonic-hydroxyethyl starch versus lactated ringer on hemorheology and microcirculation in hemorrhagic shock	301–317
Hackl, C., see Lang, S.A.	287–299
Halkin, A., see Arbel, Y.	371–381
Hallevi, H., see Arbel, Y.	371–381
Hao, Q., see You, Y.	205–217
Hernandez, J.L., see Vayá, A.	319–324
Herz, I., see Arbel, Y.	371–381
Hopps, E., see Caimi, G.	359–369
Horvath, Z., see Toth, A.	13–23

- Huang, L., see You, Y. 205–217
- Hung, O., see Zhou, J. 273–284
- Hur, D.S., see Cho, C.H. 67–74
- Icli, A., see Erdogan, D. 219–229
- Incalcaterra, E., see Caimi, G. 359–369
- Jäckel, S., see Brandt, M. 145–152
- Jia, B., see Zheng, Q. 25–40
- Jin, F., see Zheng, Q. 25–40
- Jung, E.M., see Lang, S.A. 287–299
- Juricskay, I., see Papp, J. 1–12
- Juricskay, I., see Toth, A. 13–23
- Juricskay, I., see Toth, A. 197–204
- Kadi, A., N. de Isla, V. Moby, P. Lacolley, P. Labrude, J.F. Stoltz and P. Menu, The Nebivolol action on vascular tone is dependent on actin cytoskeleton polymerization and Rho-A activity into ECs and SMCs 231–246
- Kameneva, M.V., see Daly, A. 337–345
- Kasperekzyk, A., L. Słowińska-Łożyńska, M. Dobrakowski, J. Zalejska-Fiolka and S. Kasperekzyk, The effect of lead-induced oxidative stress on blood viscosity and rheological properties of erythrocytes in lead exposed humans 187–195
- Kasperekzyk, S., see Kasperekzyk, A. 187–195
- Kaya, S., see Erdogan, D. 219–229
- Kenyeres, P., see Papp, J. 1–12
- Kenyeres, P., see Toth, A. 13–23
- Kenyeres, P., see Toth, A. 197–204
- Keren, G., see Arbel, Y. 371–381
- Kern, H., see Zhou, J. 273–284
- Kesmarky, G., see Toth, A. 197–204
- Kilic-Erkek, O., see Kursunluoglu-Akcilar, R. 75–82
- Kilic-Toprak, E., see Kursunluoglu-Akcilar, R. 75–82
- Kim, J.Y., see Cho, C.H. 67–74
- Koller, A., see Papp, J. 1–12
- Korbut, R.A., see Fornal, M. 325–335
- Królczyk, J., see Fornal, M. 325–335
- Kultti, A., see Sallisalmi, M. 133–144
- Kursunluoglu-Akcilar, R., E. Kilic-Toprak, O. Kilic-Erkek, S. Turgut and M. Bor-Kucukatay, Apelin-induced hemorheological alterations in DOCA-salt hypertensive rats 75–82
- Kvernebo, K., see Wester, T. 119–131
- Kvernebo, T.S., see Wester, T. 119–131
- Kwater, A., see Fornal, M. 325–335
- Labrude, P., see Kadi, A. 231–246
- Lacolley, P., see Kadi, A. 231–246
- Laiz, B., see Vayá, A. 319–324
- Laiz, B., see Vayá, A. 83–85
- Lamarre, Y., see Pichon, A. 41–46
- Lang, S.A., C. Moser, S. Gehmert, K. Pfister, C. Hackl, A.A. Schnitzbauer, C. Stroszczynski, H.J. Schlitt, E.K. Geissler and E.M. Jung, Contrast-enhanced ultrasound (CEUS) detects effects of vascular-disrupting therapy in an experimental model of gastric cancer 287–299
- Lehmann, C., see Zhou, J. 273–284
- Li, L., see Zheng, Q. 25–40
- Li, Y., see You, Y. 205–217
- Liao, F., see You, Y. 205–217

- Lim, C.S., see Cho, C.H. 67–74  
 Long, J., see Zheng, Q. 25–40  
 Longrois, D., see Guerci, P. 301–317  
 Losser, M.-R., see Guerci, P. 301–317  
 Marchant, D., see Pichon, A. 41–46  
 Martin, B.-J., see Alhejily, W. 265–271  
 Martinez-Bello, V., see Romagnoli, M. 111–117  
 Martini, R., V. Ticcinelli and A. Bagno, Changes of the cutaneous flowmotion pattern after limb revascularization in patients with critical ischemia 347–358  
 Marton, Z., see Toth, A. 197–204  
 Massberg, S., see Brandt, M. 145–152  
 Masur, S., see Zhou, J. 273–284  
 Meiselman, H.J., see Rabai, M. 87–99  
 Meiselman, H.J., see Toth, A. 197–204  
 Meistelman, C., see Guerci, P. 301–317  
 Menu, P., see Guerci, P. 301–317  
 Menu, P., see Kadi, A. 231–246  
 Mezosi, E., see Papp, J. 1–12  
 Moby, V., see Kadi, A. 231–246  
 Monkos, K., see Wiewiora, M. 101–109  
 Montana, M., see Caimi, G. 359–369  
 Moser, C., see Lang, S.A. 287–299  
 Münz, T., see Brandt, M. 145–152  
 Munzel, T., see Ostad, M.A. 247–257  
 Napoleão, P., M. Selas, C. Freixo, M.M. Carmo, A.M. Viegas-Crespo, R.C. Ferreira and T. Pinheiro, T lymphocytes alterations are associated with oxidized LDL, troponin T, white blood cells and C-reactive protein during acute myocardial infarction 57–66  
 Napoleão, P., see Oliveira, R. 175–185  
 Nyck, A.E., see Cho, C.H. 67–74  
 Oliveira, R., P. Napoleão, J. Banha, E. Paixão, A. Bettencourt, B.M. da Silva, D. Pereira, F. Barcelos, A. Teixeira, J.V. Patto, A.M. Viegas-Crespo and L. Costa, Crosstalk between inflammation, iron metabolism and endothelial function in Behçet's disease 175–185  
 Ostad, M.A., P.S. Wild, B. Schnorbus, A. Schulz, T. Munzel and A. Warnholtz, Predictive value of brachial reactive hyperemia and flow-mediated dilation in stable coronary artery disease 247–257  
 Ozaydin, M., see Erdogan, D. 219–229  
 Paixão, E., see Oliveira, R. 175–185  
 Papp, J., B. Sandor, Z. Vamos, D. Botor, A. Toth, M. Rabai, P. Kenyeres, P. Cseplo, I. Juricskay, E. Mezosi, A. Koller and K. Toth, Antiplatelet effect of acetylsalicylic acid, metamizole and their combination - *in vitro* and *in vivo* comparisons 1–12  
 Papp, J., see Toth, A. 13–23  
 Papp, J., see Toth, A. 197–204  
 Patto, J.V., see Oliveira, R. 175–185  
 Pavlovic, D., see Zhou, J. 273–284  
 Pereira, D., see Oliveira, R. 175–185  
 Pettilä, V., see Sallialmi, M. 133–144  
 Pfister, K., see Lang, S.A. 287–299  
 Pichon, A., Y. Lamarre, N. Voituron, D. Marchant, J. Vilar, J.-P. Richalet and P. Connes, Redblood cell deformability is very slightly decreased in erythropoietin deficient mice 41–46  
 Piecuch, J., see Wiewiora, M. 101–109

- Pinheiro, T., see Napoleão, P. 57–66  
 Presti, R.L., see Caimi, G. 359–369  
 Rabai, M., J.A. Detterich, R.B. Wenby, K. Toth and H.J. Meiselman, Effects of ethanol on red blood cell rheological behavior 87–99  
 Rabai, M., see Papp, J. 1–12  
 Rabai, M., see Toth, A. 13–23  
 Rabai, M., see Toth, A. 197–204  
 Raval, J.S., see Daly, A. 337–345  
 Reinhardt, C., see Brandt, M. 145–152  
 Reinhart, S.A., T. Schulzki, P.O. Bonetti and W.H. Reinhart, Studies on metabolically depleted erythrocytes 161–173  
 Reinhart, W.H., see Reinhart, S.A. 161–173  
 Ricart, J.M., see Vayá, A. 153–159  
 Ricart, J.M., see Vayá, A. 259–264  
 Ricart, J.M., see Vayá, A. 319–324  
 Richalet, J.-P., see Pichon, A. 41–46  
 Rivera, L., see Vayá, A. 319–324  
 Romagnoli, M., R. Alis, V. Martínez-Bello, F. Sanchis-Gomar, R. Aranda and M.-C. Gómez-Cabrera, Blood rheology effect of submaximal exercise on young subjects 111–117  
 Romagnoli, M., see Vayá, A. 259–264  
 Rosário, H.S., see de Almeida, V.V. 47–56  
 Rüb, J., see Zhou, J. 273–284  
 Saldanha, C., see de Almeida, V.V. 47–56  
 Salerud, G., see Wester, T. 119–131  
 Sallisalmi, M., J. Tenhunen, A. Kultti, M. Tammi and V. Pettilä, Plasma hyaluronan and hemorheology in patients with septic shock: A clinical and experimental study 133–144  
 Sánchez, F., see Vayá, A. 153–159  
 Sanchis-Gomar, F., see Romagnoli, M. 111–117  
 Sandor, B., see Papp, J. 1–12  
 Sandor, B., see Toth, A. 13–23  
 Schlitt, H.J., see Lang, S.A. 287–299  
 Schnitzbauer, A.A., see Lang, S.A. 287–299  
 Schnorbus, B., see Ostad, M.A. 247–257  
 Schönfelder, T., see Brandt, M. 145–152  
 Schulz, A., see Ostad, M.A. 247–257  
 Schulzki, T., see Reinhart, S.A. 161–173  
 Schwenk, M., see Brandt, M. 145–152  
 Selas, M., see Napoleão, P. 57–66  
 Shin, S., see Cho, C.H. 67–74  
 Shukla, R., see Zhou, J. 273–284  
 Silva-Herdade, A.S., see de Almeida, V.V. 47–56  
 Słowińska-Łożyńska, L., see Kasperczyk, A. 187–195  
 Slowinska-Lozynska, L., see Wiewiora, M. 101–109  
 Sosada, K., see Wiewiora, M. 101–109  
 Spassov, A., see Zhou, J. 273–284  
 Stark, K., see Brandt, M. 145–152  
 Stoltz, J.F., see Kadi, A. 231–246  
 Stroszczynski, C., see Lang, S.A. 287–299  
 Szekely, Y., see Arbel, Y. 371–381  
 Tammi, M., see Sallisalmi, M. 133–144

- Teixeira, A., see Oliveira, R. 175–185  
 Tenhunen, J., see Sallisalmi, M. 133–144  
 Ticcinelli, V., see Martini, R. 347–358  
 Todolí, J., see Vayá, A. 153–159  
 Todolí, J., see Vayá, A. 259–264  
 Todolí, J., see Vayá, A. 319–324  
 Tong, Y., see You, Y. 205–217  
 Toth, A., B. Sandor, J. Papp, M. Rabai, D. Botor, Z. Horvath, P. Kenyeres, I. Juricskay, K. Toth and L. Czopf, Moderate red wine consumption improves hemorheological parameters in healthy volunteers 13–23  
 Toth, A., J. Papp, M. Rabai, P. Kenyeres, Z. Marton, G. Kesmarky, I. Juricskay, H.J. Meiselman and K. Toth, The role of hemorheological factors in cardiovascular medicine 197–204  
 Toth, A., see Papp, J. 1–12  
 Toth, K., see Rabai, M. 87–99  
 Toth, K., see Papp, J. 1–12  
 Toth, K., see Toth, A. 13–23  
 Toth, K., see Toth, A. 197–204  
 Tran, N., see Guerci, P. 301–317  
 Turgut, S., see Kursunluoglu-Akcilar, R. 75–82  
 Uysal, B.A., see Erdogan, D. 219–229  
 Vamos, Z., see Papp, J. 1–12  
 Vayá, A., F. Sánchez, J. Todolí, J. Calvo, R. Alis, S. Collado and J.M. Ricart, Homocysteine levels in patients with primary and secondary Raynaud's phenomenon. Its association with microangiopathy severity 153–159  
 Vayá, A., L. Rivera, J. Todolí, J.L. Hernandez, B. Laiz and J.M. Ricart, Haematological, biochemical and inflammatory parameters in inactive Behçet's disease. Its association with red blood cell distribution width 319–324  
 Vayá, A., R. Alis, D. Bautista and B. Laiz, Are abdominal obesity and body mass index independent predictors of hemorheological parameters? 83–85  
 Vayá, A., R. Alis, M. Romagnoli, J. Todolí, J. Calvo and J.M. Ricart, Hemorheological profile in primary and secondary Raynaud's phenomenon. Influence of microangiopathy 259–264  
 Viegas-Crespo, A.M., see Napoleão, P. 57–66  
 Viegas-Crespo, A.M., see Oliveira, R. 175–185  
 Vilar, J., see Pichon, A. 41–46  
 Voituron, N., see Pichon, A. 41–46  
 von Brühl, M.-L., see Brandt, M. 145–152  
 Wang, J., see You, Y. 205–217  
 Warnholtz, A., see Ostad, M.A. 247–257  
 Waters, J.H., see Daly, A. 337–345  
 Wen, Z., see Zheng, Q. 25–40  
 Wenby, R.B., see Rabai, M. 87–99  
 Wenzel, P., see Brandt, M. 145–152  
 Wester, T., Z.A. Awan, T.S. Kvernebo, G. Salerud and K. Kvernebo, Skin microvascular morphology and hemodynamics during treatment with veno-arterial extra-corporeal membrane oxygenation 119–131  
 Whynot, S., see Zhou, J. 273–284  
 Wiewiora, M., L. Slowinska-Lozynska, M. Glück, J. Piecuch, K. Sosada and K. Monkos, Association between hemorheological alteration and clinical diagnosis of metabolic syndrome among patients qualified for bariatric surgery 101–109  
 Wild, P.S., see Ostad, M.A. 247–257  
 Wizner, B., see Fornal, M. 325–335

- Xu, X., see Zheng, Q. 25–40  
Yang, H., see You, Y. 205–217  
Yao, W., see Zheng, Q. 25–40  
Yazer, M.H., see Daly, A. 337–345  
You, Y., J. Wang, Y. Tong, Q. Hao, Y. Li, H. Yang, L. Huang and F. Liao, Anti-inflammatory effect of acetylharpagide demonstrated by its influence on leukocyte adhesion and transmigration in endothelial cells under controlled shear stress 205–217  
Zalejska-Fiolka, J., see Kasperczyk, A. 187–195  
Zeng, Z., see Zheng, Q. 25–40  
Zhang, C., see Zheng, Q. 25–40  
Zheng, Q., J. Long, B. Jia, X. Xu, C. Zhang, L. Li, Z. Wen, F. Jin, W. Yao and Z. Zeng, Transforming growth factor- $\beta_1$  deteriorates microrheological characteristics and motility of mature dendritic cells in concentration-dependent fashion 25–40  
Zhou, J., D. Pavlovic, J. Rüb, S. Masur, A. Spassov, S. Whynot, O. Hung, H. Kern, I.S. Abdo, R. Shukla, V. Cerny and C. Lehmann, Physostigmine reverses disturbances of the intestinal microcirculation during experimental endotoxemia 273–284