

Author Index

- Abboud, S., see Levy-Tzedek, S. (4) 313–323
Åberg, J., see Nordblom, J. (2) 91–102
Abrignani, S., see Bottai, D. (1) 55–68
Adamchic, I., see Tass, P.A. (2) 137–159
Adami, R., see Bottai, D. (1) 55–68
Alkan, T., see Ozyener, F. (5) 435–444
Allendorfer, J.B., J.M. Storrs and J.P. Szaflarski, Changes in white matter integrity follow excitatory rTMS treatment of post-stroke aphasia (2) 103–113
Amedi, A., see Levy-Tzedek, S. (4) 313–323
Angelov, D.N., see Ozsoy, O. (5) 363–381
Angelova, S., see Ozsoy, O. (5) 363–381
Ankerne, J., see Ozsoy, O. (5) 363–381
Antal, A. see Schade, S. (3) 191–198
Antal, A., G. Kovács, L. Chaieb, C. Cziraki, W. Paulus and M.W. Greenlee, Cathodal stimulation of human MT+ leads to elevated fMRI signal: A tDCS-fMRI study (3) 255–263
Arabkheradmand, J. see Mohammad-Gharibani, P. (6) 511–525
Araújo, J.F., see Guzen, F.P. (3) 265–275
Ashrafi, M., see Ozsoy, O. (5) 363–381
Assenza, G., see Di Pino, G. (5) 407–418
Assenza, G., see Pellegrino, G. (6) 497–510

Baek, S.-R., see Yang, E.J. (4) 303–311
Barghi, A., see Rickards, T. (5) 355–361
Bashir, S., M. Vernet, W.-K. Yoo, I. Mizrahi, H. Theoret and A. Pascual-Leone, Changes in cortical plasticity after mild traumatic brain injury (4) 277–282
Bhatt, V.H., see Cekic, M. (2) 115–126
Bianco, G., M. Feurra, L. Fadiga, A. Rossi and S. Rossi, Bi-hemispheric effects on corticospinal excitability induced by repeated sessions of imagery versus observation of actions (6) 481–489
Bintz, B., see Tornøe, J. (3) 225–236
Blom, H., see Nordblom, J. (2) 91–102
Borich, M.R. and T.J. Kimberley, Using actigraphy and transcranial magnetic stimulation to assess the relationship between sleep and visuomotor skill learning (2) 81–90
Bottai, D., D. Cigognini, E. Nicora, M. Moro, M.G. Grimoldi, R. Adami, S. Abrignani, A.M. Marconi, A.M. Di Giulio and A. Gorio, Third trimester amniotic fluid cells with the capacity to develop neural phenotypes and with heterogeneity among sub-populations (1) 55–68
Bravi, M., see Pellegrino, G. (6) 497–510
Brismar, H., see Nordblom, J. (2) 91–102
Brundin, L., see Nordblom, J. (2) 91–102

Caliandro, P., M. Masciullo, L. Padua, C. Simbolotti, G. Di Sante, G. Russo, C. Garattini, G. Silvestri and P.M. Rossini, Prefrontal cortex controls human balance during overground ataxic gait (5) 397–405
Calvo, A.C., see Moreno-Igoa, M. (1) 69–80
Cavalcante, J.C., see Guzen, F.P. (3) 265–275
Cavallo, G., see Pellegrino, G. (6) 497–510
Cekic, M., S.J. Johnson, V.H. Bhatt and D.G. Stein, Progesterone treatment alters neurotrophin/proneurotrophin balance and receptor expression in rats with traumatic brain injury (2) 115–126
Cervantes, M., see Moralí, G. (1) 1–8
Çetinkaya, M., see Ozyener, F. (5) 435–444
Chaieb, L., see Antal, A. (3) 255–263
Chang, W.H., Y.-H. Kim, W.-K. Yoo, K.-H. Goo, C.-h. Park, S.T. Kim and A. Pascual-Leone, rTMS with motor training modulates cortico-basal ganglia-thalamocortical circuits in stroke patients (3) 179–189
Chen, H., S. Dzitoyeva and H. Manev, Effect of aging on 5-hydroxymethylcytosine in the mouse hippocampus (3) 237–245
Christel, M.I., see Platz, T. (3) 199–211
Cigognini, D., see Bottai, D. (1) 55–68
Ciriza, J., see Moreno-Igoa, M. (1) 69–80
Crane, A.T., K.D. Fink and J.S. Smith, The effects of acute voluntary wheel running on recovery of function following medial frontal cortical contusions in rats (4) 325–333
Cziraki, C., see Antal, A. (3) 255–263

de Souza Cavalcante, J., see Guzen, F.P. (3) 265–275
Dhammu, T.S., see Sakakima, H. (5) 383–396
Di Giulio, A.M. see Bottai, D. (1) 55–68
Di Pino, G., C. Porcaro, M. Tombini, G. Assenza, G. Pellegrino, F. Tecchio and P.M. Rossini, A neurally-interfaced hand prosthesis tuned inter-hemispheric communication (5) 407–418
Di Sante, G., see Caliandro, P. (5) 397–405

- Doppl, K., see Platz, T. (3) 213–224
- Duecker, F., see Platz, T. (3) 199–211
- Dunlop, S.A., see Ozsoy, O. (5) 363–381
- Dzitoyeva, S., see Chen, H. (3) 237–245
- Elbrønd-Bek, H., see Wellejus, A. (1) 21–38
- Emerich, D.F., see Tornøe, J. (3) 225–236
- Emery, M.A., see Haar, C.V. (4) 291–302
- Engqvist, H., see Nordblom, J. (2) 91–102
- Fadiga, L., see Bianco, G. (6) 481–489
- Fansa, H., see Keilhoff, G. (6) 463–479
- Feng, G.-D., see Liu, L. (4) 335–343
- Feurra, M., see Bianco, G. (6) 481–489
- Fink, K.D., see Crane, A.T. (4) 325–333
- Finklestein, S.P., see Menniti, F.S. (4) 283–289
- Fjord-Larsen, L., see Tornøe, J. (3) 225–236
- Forsberg-Nilsson, K., see Wallenquist, U. (1) 9–19
- Freund, H.-J., see Tass, P.A. (2) 137–159
- Frostell, A., see Nordblom, J. (2) 91–102
- Fukushima, M., see Saito, F. (2) 127–136
- Garattini, C., see Caliandro, P. (5) 397–405
- Giacobbe, V., see Pellegrino, G. (6) 497–510
- González-Burgos, I., see Moralí, G. (1) 1–8
- Goo, K.-H., see Chang, W.H. (3) 179–189
- Gören, B., see Ozyener, F. (5) 435–444
- Gorio, A. see Bottai, D. (1) 55–68
- Graham, M.J., see Rickards, T. (5) 355–361
- Greenberg, D.A., see Sun, F. (6) 491–495
- Greenlee, M.W., see Antal, A. (3) 255–263
- Grimoldi, M.G., see Bottai, D. (1) 55–68
- Guglielmelli, E., see Pellegrino, G. (6) 497–510
- Guzen, F.P., J.G. Soares, L. Moura de Freitas, J.R. Lopes de Paiva Cavalcanti, F.G. Oliveira, J.F. Araújo, J. de Souza Cavalcante, J.C. Cavalcante, E. Silva do Nascimento Jr and M.S. Maris de Oliveira Costa, Sciatic nerve grafting and inoculation of FGF-2 promotes improvement of motor behavior and fiber regrowth in rats with spinal cord transaction (3) 265–275
- Haar, C.V., M.A. Emery and M.R. Hoane, Chronic folic acid administration confers no treatment effects in either a high or low dose following unilateral controlled cortical impact injury in the rat (4) 291–302
- Hammond, G., see Vallence, A.-M. (4) 345–354
- Hanassy, S., see Levy-Tzedek, S. (4) 313–323
- Hånell, A., see Wallenquist, U. (1) 9–19
- Hauptmann, C., see Tass, P.A. (2) 137–159
- Hill, J., see Sun, F. (6) 491–495
- Hillered, L., see Wallenquist, U. (1) 9–19
- Hoane, M.R., see Haar, C.V. (4) 291–302
- Holmqvist, K., see Wallenquist, U. (1) 9–19
- Huber, W., see Jungblut, M. (1) 39–53
- Ide, C., see Saito, F. (2) 127–136 127–136
- Irintchev, A., see Ozsoy, O. (5) 363–381
- Iwase, M., see Saito, F. (2) 127–136
- Jaminet, P., see Ozsoy, O. (5) 363–381
- Jang, H.J., see Yang, E.J. (4) 303–311
- Jiao, X.-Y., see Liu, L. (4) 335–343
- Jin, K., see Sun, F. (6) 491–495
- Johnson, S.J., see Cekic, M. (2) 115–126
- Jørgensen, J.R., see Tornøe, J. (3) 225–236
- Jørgensen, S.H., see Wellejus, A. (1) 21–38
- Josephson, A., see Nordblom, J. (2) 91–102
- Ju, G. see Liu, L. (4) 335–343
- Jungblut, M., W. Huber, M. Pustelnik and R. Schnitker, The impact of rhythm complexity on brain activation during simple singing: An event-related fMRI study (1) 39–53
- Kafa, I.M., see Ozyener, F. (5) 435–444
- Kazemi, H., see Mohammad-Gharibani, P. (6) 511–525
- Keilhoff, G., S. Wiegand and H. Fansa, Vav deficiency impedes peripheral nerve regeneration in mice (6) 463–479
- Kelly, N.M., see Wellejus, A. (1) 21–38
- Khan, M., see Sakakima, H. (5) 383–396
- Kim, S.T. see Chang, W.H. (3) 179–189
- Kim, Y.-H., see Chang, W.H. (3) 179–189
- Kim, Y.K., see Yang, E.J. (4) 303–311
- Kimberley, T.J. and K.A. Pickett, Differential activation in the primary motor cortex during individual digit movement in focal hand dystonia vs. healthy (3) 247–254
- Kimberley, T.J., see Borich, M.R. (2) 81–90
- Koksal, N., see Ozyener, F. (5) 435–444
- Kovács, G., see Antal, A. (3) 255–263
- Kurt, M.A., see Ozyener, F. (5) 435–444
- Lehmann, K., K.-F. Schmidt and S. Löwel, Vision and visual plasticity in ageing mice (2) 161–178
- Levy-Tzedek, S., S. Hanassy, S. Abboud, S. Maidenbaum and A. Amedi, Fast, accurate reaching movements with a visual-to-auditory sensory substitution device (4) 313–323
- Li, Y., see Shi, X.-f.F. (6) 445–462

- Lim, J.Y., see Yang, E.J. (4) 303–311
- Liu, L., X.-H. Qian, G.-D. Feng, M.-M. Wu, A.-A. Yang, X.-Y. Jiao, S.-W. You and G. Ju, Different neuroprotection and therapeutic time windows by two specific diazepam regimens on retinal ganglion cells after optic nerve transection in adult rats (4) 335–343
- Lopes de Paiva Cavalcanti, J.R., see Guzen, F.P. (3) 265–275
- Lotze, M., see Platz, T. (3) 213–224
- Löwel, S., see Lehmann, K. (2) 161–178
- Maeda, Y., see Saito, F. (2) 127–136
- Maidenbaum, S., see Levy-Tzedek, S. (4) 313–323
- Manev, H.S., see Chen, H. (3) 237–245
- Mao, X., see Sun, F. (6) 491–495
- Marconi, A.M., see Bottai, D. (1) 55–68
- Maris de Oliveira Costa, M.S., see Guzen, F.P. (3) 265–275
- Markc, V.W. see Rickards, T. (5) 355–361
- Marklund, N., see Wallenquist, U. (1) 9–19
- Masciullo, M., see Caliandro, P. (5) 397–405
- Mattsson, P., see Nordblom, J. (2) 91–102
- Menniti, F.S., J. Ren, D.K. Sietsma, A. Som, F.R. Nelson, D.T. Stephenson, B.A. Tate and S.P. Finklestein, A non-brain penetrant PDE5A inhibitor improves functional recovery after stroke in rats (4) 283–289
- Mesbah-Namin, S.A., see Mohammad-Gharibani, P. (6) 511–525
- Mizrahi, I., see Bashir, S. (4) 277–282
- Mohammad-Gharibani, P., T. Tiraihi, S.A. Mesbah-Namin, J. Arabkheradmand and H. Kazemi, Induction of bone marrow stromal cells into GABAergic neuronal phenotype using creatine as inducer (6) 511–525
- Moliadze, V., see Schade, S. (3) 191–198
- Montes, P., see Moralí, G. (1) 1–8
- Moralí, G., P. Montes, I. González-Burgos, D.A. Velázquez-Zamora and M. Cervantes, Cytoarchitectural characteristics of hippocampal CA1 pyramidal neurons of rats, four months after global cerebral ischemia and progesterone treatment (1) 1–8
- Moreno-Igoa, M., A.C. Calvo, J. Ciriza, M.J. Muñoz, P. Zaragoza and R. Osta, Non-viral gene delivery of the GDNF, either alone or fused to the C-fragment of tetanus toxin protein, prolongs survival in a mouse ALS model (1) 69–80
- Moro, M., see Bottai, D. (1) 55–68
- Moura de Freitas, L., see Guzen, F.P. (3) 265–275
- Muñoz, M.J., see Moreno-Igoa, M. (1) 69–80
- Murao, Y., see Saito, F. (2) 127–136
- Nakatani, T., see Saito, F. (2) 127–136
- Nelson, F.R., see Menniti, F.S. (4) 283–289
- Nicora, E., see Bottai, D. (1) 55–68
- Nordblom, J., J.K.E. Persson, J. Åberg, H. Blom, H. Engqvist, H. Brismar, J. Sjödahl, A. Josephson, A. Frostell, S. Thams, L. Brundin, M. Svensson and P. Mattsson, FGF1 containing biodegradable device with peripheral nerve grafts induces corticospinal tract regeneration and motor evoked potentials after spinal cord resection (2) 91–102
- Oliveira, F.G., see Guzen, F.P. (3) 265–275
- Osta, R., see Moreno-Igoa, M. (1) 69–80
- Ozsoy, O., U. Ozsoy, G. Stein, O. Semler, E. Skouras, G. Schempf, K. Wellmann, F. Wirth, S. Angelova, J. Ankerne, M. Ashrafi, E. Schönau, T. Papamitsou-Sidoropolou, P. Jaminet, L. Sarikcioglu, A. Irinchev, S.A. Dunlop and D.N. Angelov, Functional deficits and morphological changes in the neurogenic bladder match the severity of spinal cord compression (5) 363–381
- Ozsoy, U., see Ozsoy, O. (5) 363–381
- Ozyener, F., M. Çetinkaya, T. Alkan, B. Gören, I.M. Kafa, M.A. Kurt and N. Koksal, Neuroprotective effects of melatonin administered alone or in combination with topiramate in neonatal hypoxic-ischemic rat model (5) 435–444
- Padua, L., see Caliandro, P. (5) 397–405
- Paik, N.-J., see Yang, E.J. (4) 303–311
- Papamitsou-Sidoropolou, T., see Ozsoy, O. (5) 363–381
- Park, C.-h., see Chang, W.H. (3) 179–189
- Pascual-Leone, A., see Bashir, S. (4) 277–282
- Pascual-Leone, A., see Chang, W.H. (3) 179–189
- Paulus, W., see Schade, S. (3) 191–198
- Paulus, W., see Antal, A. (3) 255–263
- Pellegrino, G., L. Tomasevic, M. Tombini, G. Assenza, M. Bravi, S. Sterzi, V. Giacobbe, L. Zollo, E. Guglielmelli, G. Cavallo, F. Vernieri and F. Tecchio, Inter-hemispheric coupling changes associate with motor improvements after robotic stroke rehabilitation (6) 497–510
- Pellegrino, G., see Di Pino, G. (5) 407–418
- Persson, J.K.E., see Nordblom, J. (2) 91–102
- Pickett, K.A., see Kimberley, T.J. (3) 247–254
- Platz, T., S. Roschka, K. Doppl, C. Roth, M. Lotze, A.T. Sack and J.C. Rothwell, Prolonged motor skill

- learning – a combined behavioural training and theta burst TMS study (3) 213–224
- Platz, T., S. Roschka, M.I. Christel, F. Duecker, J.C. Rothwell and A. Sack, Early stages of motor skill learning and the specific relevance of the cortical motor system – a combined behavioural training and theta burst TMS study (3) 199–211
- Porcaro, C., see Di Pino, G. (5) 407–418
- Pustelnik, M. see Jungblut, M. (1) 39–53
- Qian, X.-H., see Liu, L. (4) 335–343
- Reilly, K., see Vallence, A.-M. (4) 345–354
- Ren, J., see Menniti, F.S. (4) 283–289
- Rickards, T., E. Taub, C. Sterling, M.J. Graham, A. Barghi, G. Usnatte and V.W. Markc, Brain parenchymal fraction predicts motor improvement following intensive task-oriented motor rehabilitation for chronic stroke (5) 355–361
- Roschka, S., see Platz, T. (3) 213–224
- Roschka, S., see Platz, T. (3) 199–211
- Rossi, A., see Bianco, G. (6) 481–489
- Rossi, S., see Bianco, G. (6) 481–489
- Rossini, P.M., see Caliandro, P. (5) 397–405
- Rossini, P.M., see Di Pino, G. (5) 407–418
- Roth, C., see Platz, T. (3) 213–224
- Rothwell, J.C., see Platz, T. (3) 213–224
- Rothwell, J.C., see Platz, T. (3) 199–211
- Russo, G., see Caliandro, P. (5) 397–405
- Sabel, B.A., see Shi, X.-f.F. (6) 445–462
- Sack, A., see Platz, T. (3) 199–211
- Sack, A.T., see Platz, T. (3) 213–224
- Saito, F., T. Nakatani, M. Iwase, Y. Maeda, Y. Murao, Y. Suzuki, M. Fukushima and C. Ide, Administration of cultured autologous bone marrow stromal cells into cerebrospinal fluid in spinal injury patients: A pilot study (2) 127–136
- Sakakima, H., M. Khan, T.S. Dhammu, A. Shunmugavel, Y. Yoshida, I. Singh and A.K. Singh, Stimulation of functional recovery via the mechanisms of neurorepair by S-nitrosoglutathione and motor exercise in a rat model of transient cerebral ischemia and reperfusion (5) 383–396
- Sarikcioglu, L., see Ozsoy, O. (5) 363–381
- Schade, S., V. Moliadze, W. Paulus and A. Antal, Modulating neuronal excitability in the motor cortex with tDCS shows moderate hemispheric asymmetry due to subjects' handedness: A pilot study (3) 191–198
- Schempf, G., see Ozsoy, O. (5) 363–381
- Schmidt, K.-F., see Lehmann, K. (2) 161–178
- Schnitker, R., see Jungblut, M. (1) 39–53
- Schönau, E., see Ozsoy, O. (5) 363–381
- Semler, O., see Ozsoy, O. (5) 363–381
- Shi, X.-f.F., L.-m. Xu, Y. Li, T. Wang, K.-x. Zhao and B.A. Sabel, Fixational saccadic eye movements are altered in anisometropic amblyopia (6) 445–462
- Shin, J., see Yang, E.J. (4) 303–311
- Shunmugavel, A., see Sakakima, H. (5) 383–396
- Sietsma, D.K., see Menniti, F.S. (4) 283–289
- Silva do Nascimento Jr, E., see Guzen, F.P. (3) 265–275
- Silvestri, G., see Caliandro, P. (5) 397–405
- Simbolotti, C., see Caliandro, P. (5) 397–405
- Singh, A.K., see Sakakima, H. (5) 383–396
- Singh, I., see Sakakima, H. (5) 383–396
- Sjödahl, J., see Nordblom, J. (2) 91–102
- Skolimowska, J. See Szelag, E. (5) 419–434
- Skouras, E., see Ozsoy, O. (5) 363–381
- Smith, J.S., see Crane, A.T. (4) 325–333
- Soares, J.G., see Guzen, F.P. (3) 265–275
- Som, A., see Menniti, F.S. (4) 283–289
- Stein, D.G., see Cekic, M. (2) 115–126
- Stein, G., see Ozsoy, O. (5) 363–381
- Stephenson, D.T., see Menniti, F.S. (4) 283–289
- Sterling, C., see Rickards, T. (5) 355–361
- Sterzi, S., see Pellegrino, G. (6) 497–510
- Storrs, J.M. see Allendorfer, J.B. (2) 103–113
- Sun, F., L. Xie, X. Mao, J. Hill, D.A. Greenberg and K. Jin, Effect of a contralateral lesion on neurological recovery from stroke in rats (6) 491–495
- Suzuki, Y., see Saito, F. (2) 127–136
- Svensson, M., see Nordblom, J. (2) 91–102
- Szaflarski, J.P. see Allendorfer, J.B. (2) 103–113
- Szelag, E. and J. Skolimowska, Cognitive function in elderly can be ameliorated by training in temporal information processing (5) 419–434
- Tass, P.A., I. Adamchic, H.-J. Freund, T. von Stackelberg and C. Hauptmann, Counteracting tinnitus by acoustic coordinated reset neuromodulation (2) 137–159
- Tate, B.A., see Menniti, F.S. (4) 283–289
- Taub, E., see Rickards, T. (5) 355–361
- Tecchio, F., see Di Pino, G. (5) 407–418
- Tecchio, F., see Pellegrino, G. (6) 497–510
- Thams, S., see Nordblom, J. (2) 91–102
- Thanos, C., see Tornøe, J. (3) 225–236
- Theoret, H., see Bashir, S. (4) 277–282
- Tiraihi, T., see Mohammad-Gharibani, P. (6) 511–525
- Tomasevic, L., see Pellegrino, G. (6) 497–510

- Tombini, M., see Di Pino, G. (5) 407–418
Tombini, M., see Pellegrino, G. (6) 497–510
Tornøe, J., M. Torp, J.R. Jørgensen, D.F. Emerich, C. Thanos, B. Bintz, L. Fjord-Larsen and L.U. Wahlberg, Encapsulated cell-based biodelivery of Meteorin is neuroprotective in the quinolinic acid rat model of neurodegenerative disease (3) 225–236
Torp, M., see Tornøe, J. (3) 225–236
- Uswatte, G., see Rickards, T. (5) 355–361
- Vallence, A.-M., K. Reilly and G. Hammond, Excitability of intracortical inhibitory and facilitatory circuits during ischemic nerve block (4) 345–354
Velázquez-Zamora, D.A., see Moralí, G. (1) 1–8
Vernet, M., see Bashir, S. (4) 277–282
Vernieri, F., see Pellegrino, G. (6) 497–510
von Stackelberg, T., see Tass, P.A. (2) 137–159
- Wahlberg, L.U., see Tornøe, J. (3) 225–236
Wallenquist, U., K. Holmqvist, A. Hånell, N. Marklund, L. Hillered and K. Forsberg-Nilsson, Ibuprofen attenuates the inflammatory response and allows formation of migratory neuroblasts from grafted stem cells after traumatic brain injury (1) 9–19
- Wang, T., see Shi, X.-f.F. (6) 445–462
Weidner, M.S., see Wellejus, A. (1) 21–38
Wellejus, A., H. Elbrønd-Bek, N.M. Kelly, M.S. Weidner and S.H. Jørgensen, 4-iodophenyl isothiocyanate: A neuroprotective compound (1) 21–38
Wellmann, K., see Ozsoy, O. (5) 363–381
Wiegand, S., see Keilhoff, G. (6) 463–479
Wirth, F., see Ozsoy, O. (5) 363–381
Wu, M.-M., see Liu, L. (4) 335–343
- Xie, L., see Sun, F. (6) 491–495
Xu, L.-m., see Shi, X.-f.F. (6) 445–462
- Yang, A.-A., see Liu, L. (4) 335–343
Yang, E.J., S.-R. Baek, J. Shin, J.Y. Lim, H.J. Jang, Y.K. Kim and N.-J. Paik, Effects of transcranial direct current stimulation (tDCS) on post-stroke dysphagia (4) 303–311
Yoo, W.-K., see Bashir, S. (4) 277–282
Yoo, W.-K., see Chang, W.H. (3) 179–189
Yoshida, Y., see Sakakima, H. (5) 383–396
You, S.-W., see Liu, L. (4) 335–343
- Zaragoza, P., see Moreno-Igoa, M. (1) 69–80
Zhao, K.-x., see Shi, X.-f.F. (6) 445–462
Zollo, L., see Pellegrino, G. (6) 497–510