

Author Index Volume 43 (2013)

Abd-El-Hafiz, S.K., see Dly, A.A.	(1,2)	85– 91
Ahmad, F., see Shah, N.A.	(4)	379–387
Aleksić, S.R., see Vučković, A.N.	(4)	311–323
Amiri, N., K. Forooraghi and Z. Atlasbaf, Broadband and compact double negative composite metamaterials with low losses	(3)	271–281
Angiulli, G., D. De Carlo and T. Isernia, A sensitivity study for microwave breast cancer detection using the Contrast-Source Integral Equation and realistic anthropomorphic numerical 3-D phantoms	(3)	207–214
Aris, I., see Iqbal, A.K.M.	(4)	365–378
Atlasbaf, Z., see Amiri, N.	(3)	271–281
Belli, Z. and M.R. Mekideche, Investigation of eddy current losses reduction in permanent magnets machines with slots skew optimization and demagnetization effect analysis	(4)	337–346
Benabou, A., see Ramarotafika, R.	(1,2)	151–159
Bracikowski, N., M. Rossi, M. Hecquet, F. Gillon and P. Brochet, Multi-physics design rules using lumped models for a permanent magnet synchronous machine	(1,2)	13– 23
Brochet, P., see Bracikowski, N.	(1,2)	13– 23
Budinger, M., see Giraud, X.	(1,2)	37– 49
Carrasco, M., F. Mancilla-David, F.R. Fulginei, A. Laudani and A. Salvini, A neural networks-based maximum power point tracker with improved dynamics for variable dc-link grid-connected photovoltaic power plants	(1,2)	127–135
Chen, Z., see Zhang, D.	(3)	293–300
Chereches, R., P. Di Barba, V. Topa, M. Purcar and S. Wiak, Optimal shape design of electrostatic microactuators: A multiobjective formulation	(1,2)	65– 76
Chiariello, A.G., A. Formisano and R. Martone, Optimization of coils for field map synthesis	(1,2)	185–193
Clenet, S., see Ramarotafika, R.	(1,2)	151–159
Costa, F., see Vasic, D.	(3)	237–255
Coulomb, J.-L., see Pham-Quang, P.	(1,2)	103–113
De Carlo, D., see Angiulli, G.	(3)	207–214
De Grève, Z., C. Versèle, O. Deblecker and J. Lobry, Comparison of the influence of Si and SiC semiconductor devices on power loss and weight of multiobjective optimal designed power converters	(1,2)	51– 64
Deblecker, O., see De Grève, Z.	(1,2)	51– 64
Delinchant, B., see Pham-Quang, P.	(1,2)	103–113

- Di Barba, P., see Chereches, R. (1,2) 65– 76
- Dly, A.A. and S.K. Abd-El-Hafiz, Active electromagnetic suspension system design using hybrid neural-swarm optimization (1,2) 85– 91
- dos S. Coelho, L., see Zavarez Barbosa, L. (1,2) 137–149
- Fang, J., see Wang, C. (4) 389–401
- Feng, C., see Sun, T. (3) 283–292
- Feng, W.J. and Q.H. Li, Exponent model for stress distributions in a superconducting cylinder with a concentric elliptic hole (3) 301–309
- Formisano, A., see Chiariello, A.G. (1,2) 185–193
- Forooraghi, K., see Amiri, N. (3) 271–281
- Fulginei, F.R., see Carrasco, M. (1,2) 127–135
- Gerbaud, L., see Reinbold, V. (1,2) 115–126
- Gillon, F., see Bracikowski, N. (1,2) 13– 23
- Giraud, X., M. Sartor, X. Roboam, B. Sareni, H. Piquet, M. Budinger and S. Vial, Load allocation problem for optimal design of aircraft electrical power system (1,2) 37– 49
- Harada, H., see Li, J. (4) 323–335
- Hecquet, M., see Bracikowski, N. (1,2) 13– 23
- Hu, C., Y. Sun, Z. Wang, C. Tang and Q. Xiong, Design of magnetic coupler for EVs' wireless charging (3) 195–205
- Igarashi, H., see Miyamoto, T. (1,2) 3– 11
- Igarashi, H., see Watanabe, Y. (1,2) 77– 84
- Ilić, S.S., see Vučković, A.N. (4) 311–323
- Iqbal, A.K.M., I. Aris and M. Norhisam, Design and development of a slot-less permanent magnet linear motor using permeance analysis method for spray application (4) 365–378
- Isernia, T., see Angiulli, G. (3) 207–214
- Joshi, H., see Raval, F. (3) 227–235
- Ju, P., see Ma, H. (3) 215–226
- Kim, Y.H., see Lee, J.H. (1,2) 25– 36
- Kosta, Y.P., see Raval, F. (3) 227–235
- Koziel, S. and S. Ogurtsov, Antenna design using variable-fidelity electromagnetic simulations (1,2) 169–183
- Laudani, A., see Carrasco, M. (1,2) 127–135
- Lebensztajn, L., see Zavarez Barbosa, L. (1,2) 137–149
- Lee, J.H. and Y.H. Kim, Optimum design for CW-SynRM with loss and efficiency evaluations, using coupled Preisach model and FEM and experimentation (1,2) 25– 36
- Li, J. and H. Harada, Modeling of an SMA actuator based on the Liang and Rogers model (4) 323–335
- Li, J., see Sun, T. (3) 283–292

Li, Q.H., see Feng, W.J.	(3)	301–309
Liao, C., see Zhao, P.	(3)	257–269
Lin, W., see Zhao, P.	(3)	257–269
Lobry, J., see De Grève, Z.	(1,2)	51– 64
Lopato, P., Estimation of layered materials dielectric parameters using pulsed terahertz technique	(1,2)	161–168
Ma, H., Q. Wang and P. Ju, Study of the load reduction for hydro-generator bearing by hybrid magnetic levitation	(3)	215–226
Mancilla-David, F., see Carrasco, M.	(1,2)	127–135
Martone, R., see Chiariello, A.G.	(1,2)	185–193
Matsutomo, S., see Miyamoto, T.	(1,2)	3– 11
Mekideche, M.R., see Belli, Z.	(4)	337–346
Miyamoto, T., S. Matsutomo, N. Terauchi, S. Noguchi and H. Igarashi, Clarification of the rational solution obtained from game theory in multipurposed optimisation problem	(1,2)	3– 11
Naqvi, Q.A., see Shah, N.A.	(4)	379–387
Noguchi, S., see Miyamoto, T.	(1,2)	3– 11
Norhisam, M., see Iqbal, A.K.M.	(4)	365–378
Ogurtsov, S., see Koziel, S.	(1,2)	169–183
Peng, X., see Sun, T.	(3)	283–292
Pham-Quang, P., B. Delinchant and J.-L. Coulomb, Reliability-based design optimization using local sensitivity with application to magnetic nano switch	(1,2)	103–113
Piątek, Ł. and M. Rudnicki, Hierarchical fair competition algorithm for optimization of reliability of complex electric power networks	(1,2)	93–102
Piquet, H., see Giraud, X.	(1,2)	37– 49
Purcar, M., see Chereches, R.	(1,2)	65– 76
Raičević, N.B., see Vučković, A.N.	(4)	311–323
Ramarotafika, R., A. Benabou and S. Clenet, Stochastic modeling of anhysteretic magnetic curve using random inter-dependant coefficients	(1,2)	151–159
Rani, S. and A.P. Singh, Design and optimization of new hybrid fractal tree antenna	(4)	403–415
Raval, F., Y.P. Kosta and H. Joshi, Dual-band patch antenna with complementary split ring resonators loaded modified ground plane	(3)	227–235
Reinbold, V., E. Vinot and L. Gerbaud, Global optimization of a parallel hybrid vehicle using optimal energy management	(1,2)	115–126
Roboam, X., see Giraud, X.	(1,2)	37– 49
Rossi, M., see Bracikowski, N.	(1,2)	13– 23
Rudnicki, M., see Piątek, Ł.	(1,2)	93–102
Salvini, A., see Carrasco, M.	(1,2)	127–135
Sareni, B., see Giraud, X.	(1,2)	37– 49

- Sartor, M., see Giraud, X. (1,2) 37– 49
- Shah, N.A., F. Ahmad, A.A. Syed and Q.A. Naqvi, Effects on reflected and transmitted powers of planar stratified structures involving chiral nihility meta-materials (4) 379–387
- Singh, A.P., see Rani, S. (4) 403–415
- Sun, J., see Wang, C. (4) 389–401
- Sun, T., Thermoelectric coupling model for asphalt mixtures based on microwave heating (4) 353–363
- Sun, T., X. Peng, J. Li and C. Feng, Testing device and experimental investigation to influencing factors of Magnetorheological fluid (3) 283–292
- Sun, Y., see Hu, C. (3) 195–205
- Syed, A.A., see Shah, N.A. (4) 379–387
- Tang, C., see Hu, C. (3) 195–205
- Tang, J., see Wang, C. (4) 389–401
- Terauchi, N., see Miyamoto, T. (1,2) 3– 11
- Topa, V., see Chereches, R. (1,2) 65– 76
- Vasic, D. and F. Costa, Modeling of piezoelectric energy harvester with multi-mode dynamic magnifier with matrix representation (3) 237–255
- Versèle, C., see De Grève, Z. (1,2) 51– 64
- Vial, S., see Giraud, X. (1,2) 37– 49
- Vinot, E., see Reinbold, V. (1,2) 115–126
- Vučković, A.N., N.B. Raičević, S.S. Ilić and S.R. Aleksić, Interaction magnetic force calculation of radial passive magnetic bearing using magnetization charges and discretization technique (4) 311–323
- Wang, C., J. Fang, J. Tang and J. Sun, Structure and coupling analysis of a novel 3-DOF conical magnetic bearing (4) 389–401
- Wang, Q., see Ma, H. (3) 215–226
- Wang, Z., see Hu, C. (3) 195–205
- Wang, Z., see Zhang, D. (3) 293–300
- Watanabe, Y. and H. Igarashi, Robust optimization of patch antennas considering non-linear circuit for UHF-band passive RFID (1,2) 77– 84
- Wiak, S., see Chereches, R. (1,2) 65– 76
- Wu, M., see Zhang, D. (3) 293–300
- Xiong, Q., see Hu, C. (3) 195–205
- Yang, F., Boussinesq contact of transversely isotropic piezoelectric materials (4) 347–352
- Zavarez Barbosa, L., L. dos S. Coelho and L. Lebensztajn, Particle Swarm Optimization and strength Pareto to solve multiobjective optimization problems (1,2) 137–149
- Zhang, D., M. Wu, Z. Wang and Z. Chen, A thickness measuring strategy for coating in hemispherical steel shells with EC-laser combined sensors (3) 293–300
- Zhao, P., C. Liao and W. Lin, Propagation of high-power microwave pulses in air-SF₆ mixtures at high pressure (3) 257–269