

Erratum

The article *Concentric Isokinetic Test-Retest Reliability and Testing Interval*, which appeared in Volume 3, Number 1 of *Isokinetics and Exercise Science*, was published as the result of a series of mistakes by this editor. The study was authored by two students, Connie R. Shelley and Lisa M. Paulus, from the Department of Physical Therapy, College of Arts and Sciences, Andrews University, Berrien Springs, Michigan, as a part of their formal work for a masters degree. An error occurred in that the article was published without the receipt of a formal release from the authors by myself as the designated consulting editor. This error was my mistake and responsibility. A further error occurred in that the names of the two collaborating faculty members, Robert Baker, PhD, PT, and A. Lynn Millar, PhD, PT, failed to appear as a part of the authorship of this paper while my name appeared with the designation of consulting editor. This error was also my mistake and responsibility.

When errors of this nature and magnitude occur, the appropriate course of action is clear: the complete authorship will be given its proper credit, as follows:

CONCENTRIC ISOKINETICS TEST-RETEST
RELIABILITY AND TESTING INTERVAL

Connie R. Shelley ■ Lisa M. Paulus,
Robert Baker, PhD, PT ■ A. Lynn Millar, PhD, PT

Department of Physical Therapy
College of Arts and Sciences
Andrews University
Berrien Springs, Michigan

Also, because of my mistakes, another course of action is also clear: my resignation as an editor of *Isokinetics and Exercise Science*. I apologize to the authors and to the readership for any inconveniences related to this matter.

Respectfully submitted,

Kent E. Timm, PhD, PT, ATC, FACSM