

## ■ Author Index

- Altchek, D.W.: *See* Kennedy, K., 155
- Barrow, L.A.: *See* Franklin, M.E., 68
- Bemben, M.G. and Johnson, D.A.: Reliability of the Biodex B-2000 Isokinetic Dynamometer and the Evaluation of a Sport-Specific Determination for the Angle of Peak Torque During Knee Extension, 164
- Bisbee, L.: *See* Kramer, J. F., 195
- Bohannon, R.W.: Comparability of Force Measurements Obtained with Different Hand-Held Dynamometers from Older Adults, 148; *See also* Puharic, T., 202
- Boley, S.: *See* Kramer, J.F., 195
- Brown, L.E., Whitehurst, M., Bryant, J.R., Buchalter, D.N.: Reliability of the Biodex System 2 Isokinetic Dynamometer Concentric Mode, 160
- Brown, L.J., Wiberg Parker, S.L., Chandler, J.M., Malone, T.R.: A Comparison of Concentric Knee Extension Performance Using the Cybex 6000 Non-powered and Powered Mode for Work and Peak Torque Values, 216
- Bryant, J.R.: *See* Brown, L.E., 160
- Buchalter, D.N.: *See* Brown, L.E., 160
- Burkholder, R.: *See* Guskiewicz, K., 111
- Byl, N.N. Sadowsky, H.S.: Intersite Reliability of Repeated Isokinetic Measurements: Cybex Back Systems Including Trunk Rotation, Trunk Extension-flexion, and Lifttask, 139; *See also* Harris, S., 181
- Cantafora, N.: *See* Checchia, G.A., 101
- Carzon, J.: *See* Duvall, A., 188
- Chamness, M.S.: *See* Franklin, M.E., 68
- Chandler, J.M.: *See* Brown, L.J., 216
- Checchia, G.A., Giannone, F., Miccoli, B., Cantafora, N., Gazzi, A.: Isokinetic Testing Of Muscular Function And Fatigue In Patients With Multiple Sclerosis, 101
- Chenier, T.C.: *See* Franklin, M.E., 68
- Chu, W-K.: *See* Housh, D.J., 133
- Dalpino, M.: *See* Olson, B., 57
- Davies, G.J.: *See* Forsman, N., 50
- Davies, G.J.: *See* Moening, D., 207
- Duvall, A., Kouassi, B.Y.L., Carzon, J., Rieu M.: Heart Rate During Functional Isokinetic Testing of Muscle, 188
- Forsman, N., Paine, R., Preston, C., Davies, G.J.: Biomechanical Analysis Of The Kinetron II, 50
- Franklin, M.E., Chamness, M.S., Chenier, T.C., Mosteller, G.C., Barrow, L.A.: A Comparison of Isokinetic Eccentric Exercise on Delayed-Onset Muscle Soreness and Creatine Kinase in the Quadriceps Versus the Hamstrings, 68
- Freedson, P.S., Gilliam, T.B., Mahoney, T., Maliszewski, A.F., Kastango, K.: Industrial Torque Levels by Age Group and Gender, 34
- Fry, A.C., Schmidt, R.J., Johnson, G.O., Tharp, G.D., Kraemer, W.J.: Recovery Heart Rate and Blood Pressure Responses to a Graded Exercise Test and Heavy Resistance Exercise, 74
- Fyke, D.: *See* Timm, K.E., 123
- Gazzi A.: *See* Checchia, G.A., 101
- Giannone, F.: *See* Checchia, G.A., 101
- Gilliam, T.B.: *See* Freedson, P.S., 34
- Glick, I.V.: *See* Kennedy, K., 155
- Guskiewicz, K., Lephart, S., Burkholder, R.: The Relationship between Sprint Speed and Hip Flexion/Extension Strength in Collegiate Athletes, 111
- Harris, S., Takiguchi, D., Byl, N.: Changes in Lifting Ability After a Training Program to Increase Knee Extensor Strength, 181
- Heitman, R.J.: *See* Kovaleski, J.E., 118
- Hellwig, E.V.: *See* Perrin, D.H., 85
- Hopkins, J., Sitler, M., Ryan, J.: The Effects of Hip Position and Angular Velocity on Quadriceps and Hamstring Eccentric Peak Torque and Ham/Quad Ratio, 27
- Housh, D.J., Housh, T.J., Johnson, G.O., Chu, W-K.: The Relationships Between Isokinetic Peak Torque and Cross-sectional Area of the Forearm Flexors and Extensors, 133
- Housh, T.J.: *See* Housh, D.J., 133
- Johnson, D.A.: *See* Bemben, M.G., 164
- Johnson, G.O.: *See* Housh, D.J., 133
- Johnson, G.O.: *See* Fry, A.C., 74
- Kastango, K.: *See* Freedson, P.S., 34
- Kemp, D.: *See* Kramer, J.F., 195
- Kennedy, K., Altchek, D.W., Glick, I.V.: Concentric and Eccentric Isokinetic Rotator Cuff Ratios in Skilled Tennis Players, 155
- Kouassi, B.Y.L.: *See* Duvall, A., 188
- Kovaleski, J.E., Heitman, R.J.: Interaction of Velocity and Progression Order During Isokinetic Velocity Spectrum Exercise, 118
- Kraemer, W.J.: *See* Fry, A.C., 74
- Kramer, J.F., Nusca, D., Bisbee, L., MacDermid, J., Kemp, D., Boley, S.: Isometric and Isokinetic Torques of the Forearm Pronators and Supinators: Reliability and Inter-relationships, 195
- Lephart, S.: *See* Guskiewicz, K., 111
- Lo, S.K.: *See* Pentland, W.E., 88
- MacDermid, J.: *See* Kramer, J.F., 195
- Mahoney, T.: *See* Freedson, P.S., 34
- Maliszewski, A.F.: *See* Freedson, P.S., 34
- Malone, T.: Editorial Comment, 117; *See also* Olson, B., 57, Brown, L.J., 216
- Mattacola, C.G. and Perrin, D.H.: Effects of Cold Water Application on Isokinetic Strength of the Plantar Flexors, 152
- Miccoli, B.: *See* Checchia, G.A., 101
- Moening, D., Scheidt, A., Shepardson, L., Davies, G.J.: Biomechanical Comparison of Water Running and Treadmill Running, 207
- Mosteller, G.C.: *See* Franklin, M.E., 68
- Nusca, D.: *See* Kramer, J.F., 195
- Nyland, J.: Relation Between Local Muscular Fatigue and the Electromyographic Signal with Emphasis on Power Spectrum Changes, 171
- Olson, B., Dalpino, M., Malone, T.: Strength Changes of the Quadriceps and Alterations in Vertical Leap Measurements after 6 Weeks of Training on the Shuttle 2000, 57
- Paine, R.: *See* Forsman, N., 50
- Paulus, L.M.: *See* Thompson, C.R., 44
- Pentland, W.E., Lo, S.K., Strauss, G.R.: Reliability of Upper Extremity Isokinetic Torque Measurements with the Kin-Com (II) Dynamometer, 88
- Perrin, D.H.: *See* Tis, L.L., 96
- Perrin, D.H.: *See* Mattacola, D.H., 152
- Perrin, D.H., Tis, L.L., Hellwig, E.V., Shenk, B.: Relationship

## AUTHOR INDEX

- Between Isokinetic Average Force, Peak Force, Average Torque, and Peak Torque of the Shoulder Internal and External Rotator Muscle Groups, 85
- Preston, C.: *See* Forsman, N., 50
- Puharic, T. and Bohannon, R.W.: Measurement of Forearm Pronation and Supination Strength with a Hand-held Dynamometer, 202
- Rieu, M.: *See* Duvallet, A., 188
- Ryan, J.: *See* Hopkins, J., 27
- Sadowsky, H.S.: *See* Byl, N.N., 139
- Scheidt, A.: *See* Moening, D., 207
- Schmidt, R.J.: *See* Fry, A.C., 74
- Shenk, B.: *See* Perrin, D.H., 85
- Shepardson, L.: *See* Moening, D., 207
- Sitler, M.: *See* Hopkins, J., 27
- Stokes, M.J.: Acoustic Myography: Applications and Considerations in Measuring Muscle Performance, 4
- Strauss, G.R.: *See* Pentland, W.E., 88
- Takiguchi, D.: *See* Harris, S., 181
- Tharp, G.D.: *See* Fry, A.C., 74
- Thompson, C.R., Paulus, L.M., Timm, K.: Concentric Isokinetic Test-Retest Reliability And Testing Interval, 44
- Timm, K.E., Fyke, D.: The Effect of test Speed Sequence on the Concentric Isokinetic Performance of the Knee Extensor Muscle Group, 123; *See also* Thompson, C.R., 44
- Tis, L.L. and Perrin, D.H.: Validity of Data Extraction Techniques on the Kinetic Communicator (Kin-Com) Isokinetic Device, 96; *See also* Perrin, D.H., 85
- Walmsley, R.P.: Movement of the Axis of Rotation of the Glenohumeral Joint While Working on the Cybex II Dynamometer. Part I. Flexion/Extension, 16; *See also* Movement of the Axis of Rotation of the Glenohumeral Joint While Working on the Cybex II Dynamometer. Part II. Abduction/Adduction, 21
- Whitehurst, M.: *See* Brown, L.E., 160
- Wiberg Parker, S.L.: *See* Brown, L.J., 216

### ■ Subject Index

- Abduction/adduction, 21
- Acoustic myography, 4
- Angular velocity, 27
- Assessment, 4
- Average force, 85
- Average power, 118
- Average torque, 85, 88, 118
- Axis of rotation, 16, 21
- Back lifting ability, 181
- Biochemical analysis, 50
- Biodex System 2, 160
- Blood pressure, 74
- Cold water (cryotherapy), 152
- Concentric assessment, 164
- Concentric/eccentric isokinetic ratio, 155
- Concentric knee extension, 216
- Concentric knee extensor torque, 123
- Correlation, 133
- Correlation, 148
- Creatine kinase, 68
- Cross-sectional area, 133
- Cybex 6000, powered mode, 216
- Cycle ergometry, 74
- Data extraction, 96
- Delayed onset muscle soreness, 68
- Eccentric exercise, 68
- Eccentric peak torque, 27
- Electromyographic signal, 171
- Fatigue rehabilitation, 101
- Flexion extension, 16
- Forearm flexors and extensors, 133
- Forearm, 195
- Functional concentric assessment, 111
- Hand held dynamometer, 148, 202
- Heart rate, 74, 188
- Hip flexor/extensor ratio, 111
- Hip position, 27
- Industrial workers, 34
- Isokinetic assessment, 34, 181
- Isokinetic concentric assessment, 152
- Isokinetic exercise, 118
- Isokinetic reliability, 165
- Isokinetics, 139, 195
- Isokinetic testing, 101
- Isometric, 195
- Isometric assessment, 148
- Kinatron II, 50
- Knee extension/flexion, 160
- Knee extensors, 164
- Knee extensor strength, 181
- Knee isokinetic tests, 188
- Knee flexors/extensors, 96
- Leg dominance, 165
- Local muscle fatigue, 171
- Magnetic resonance imaging (MRI), 133
- Measurement, 4
- Movement pattern, 16, 21
- Multiple Sclerosis, 101
- Multisite, 139
- Muscle activity, 4
- Muscle fatigue, 118
- Muscle soreness, 68
- Muscle sounds, 4
- Peak force, 85
- Peak isokinetic torque, 133
- Peak torque, 44, 85, 88, 216
- Planter flexors, 152
- Pronation, 202
- Pronation and supination strength, 195
- Quadriceps/hamstring musculature, 68
- Quadriceps/hamstring ratio, 27
- Quadriceps, 57
- Rate pressure product, 74
- Reliability, 44, 88, 139, 160, 195
- Resistance exercise, 74
- Rotator cuff, 155
- Screening, 34
- Shoulder rotators, 85
- Shuttle 2000, 57
- Specific torque angle, 88
- Spectral parameters, 171
- Sport-specific and speed-specific angle of peak torque, 164
- Sprint speed, 111
- Supination, 202
- Tennis players, 155
- Test speed sequence, 123
- Testing intervals, 44
- Total work, 44
- Treadmill running, 207
- Upper extremity, 88
- Validity, 96
- Vertical leap, 57
- Video analysis, 207
- Water running, 207
- Work, 216