

## Author Index Volume 12 (2013)

Al-Far, R., B.F. Ali and S.F. Haddad, A novel polymeric metal halide extended network lead(II)-bromido complex, [(2-amino-5-methylpyridinium) (PbBr <sub>3</sub> ) <sub>n</sub> ] (2)	105–112
Ali, B.F., see Al-Far, R. (2)	105–112
Ali, F.S., see Khalil, N.M. (4)	331–347
Aoun, R., see Naoufal, D. (1)	39–48
Asgari, P., see Saghatfroush, L. (4)	349–360
Barbarich, T.J., see Yang, J. (1)	49–56
Barron, A.R., see Jafry, H.R. (1)	67–86
Barron, A.R., see Yang, J. (1)	49–56
Boncukçu, E., F.T. Elmali and N. Demirhan, Synthesis of Pyridyloxycyclophosphazene and its Cu(I) Complex (4)	323–329
Budri, M.B., Z.A. Mangalgatti, M.B. Hullur, M.D. Meti, S.T. Nandibewoor and S.A. Chimatadar, Osmium(VIII) catalyzed oxidation of an antibiotic drug chloramphenicol by hexacyanoferrate(III) in aqueous alkaline medium: A mechanistic approach (1)	1–14
Çam, T., and G. İrez, Potentiometric studies of mixed ligand complexes of Sc(III), Y(III) and La(III) (4)	375–386
Chalabian, F., see Saghatfroush, L. (4)	349–360
Chimatadar, S.A., see Budri, M.B. (1)	1–14
Cülü, B., see Karipcin, F. (4)	307–322
Demirhan, N., see Boncukçu, E. (4)	323–329
Dhumwad, S.D., see Narayanachar. (1)	87–104
El-Bahnasawy, R.M., see El-Tabl, A.S. (3)	209–220
El-Didamony, A.M., M.Z. Saad and D.S. El-Shaprawy, Direct and indirect spectrophotometric determination of some selected antibiotics using potassium permanganate (2)	139–152
El-Fadl, N.A.A., see El-Tabl, A.S. (2)	153–168
Elmali, F.T., see Boncukçu, E. (4)	323–329
El-Raheem R. El-Shanshoury, A., see Kenawy, E.-R. (4)	293–306
El-Sadek, B.M., see Kenawy, E.-R. (4)	293–306
El-Seidy, A.M.A., see El-Tabl, A.S. (3)	209–220
El-Shaprawy, D.S., see El-Didamony, A.M. (2)	139–152
El-Tabl, A.S., M.M.A. El-Waheed, M.M.E. Shakdofa and N.A.A. El-Fadl, Synthesis, spectroscopic characterization and antitumor activity of new metal complexes of isonicotinoylhydrazide oxime (2)	153–168
El-Tabl, A.S., M.M.E. Shakdofa and B.M. Herash, Antibacterial activities and spectroscopic characterization of synthetic metal complexes of 4-(3-(hydroxyimino)-4-oxopentane-2-ylidene) amino)-1,5-dimethyl-2-phenyl-1H-pyrazol-3(2H)-one (3)	257–274

- El-Tabl, A.S., R.M. El-Bahnasawy, M.M.E. Shakdofa, A.M.A. El-Seidy and M.F. Faramawy, Synthesis, characterization of metal complexes of dehydroacetic-1,8- naphthaleimine. Study their effect on the larval mortality of *Parasarcophaga aegyptiaca* salem (3) 209–220
- El-Waheed, M.M.A., see El-Tabl, A.S. (2) 153–168
- Elzatahry, A., see Kenawy, E.-R. (4) 293–306
- Faramawy, M.F., see El-Tabl, A.S. (3) 209–220
- Gökçe, C., and R. Gup, Synthesis, characterization and DNA interaction of the transition metal complexes with 2-formyl furan-derived aroylhydrazones (1) 25–38
- Gomathi, V., and R. Selvameena, Synthesis, spectroscopic, electrochemical and biological studies of novel Schiff base complexes derived from 4-(3-ethoxy-2- hydroxybenzylideneamino)-N-(pyridin-2-yl)benzenesulfonamide (3) 275–284
- Gup, R., see Gökçe, C. (1) 25–38
- Haddad, S.F., see Al-Far, R. (2) 105–112
- Hamad, H., see Naoufal, D. (1) 39–48
- Hashemian, S., and M. Monshizadeh, Removal of methylene blue from aqueous solution by nano LaFeO<sub>3</sub> particles (2) 113–124
- Hashemian, S., H. Salehifar and A. Shamsi, Effect of calcination temperature on the structure of Cu<sub>x</sub>Co<sub>1-x</sub>Al<sub>2</sub>O<sub>4</sub> blue ceramic nano-pigment (2) 169–176
- Hassan, M.B., see Khalil, N.M. (4) 331–347
- Herash, B.M., see El-Tabl, A.S. (3) 257–274
- Huang, H.-S., Z.-M. Li, G.-T. Zhang, T.-L. Zhang, S.-T. Zhang, L. Yang, J.-G. Zhang and Z.-N. Zhou, Synthesis, structure, thermal behavior and energetic properties of a new 2D polymeric Ba(II) compound with tetrazole-1-acetic acid (3) 197–208
- Hugar, M.H., see Narayanachar. (1) 87–104
- Hullur, M.B., see Budri, M.B. (1) 1–14
- İrez, G., see Çam, T. (4) 375–386
- Ibbott, G., see Jafry, H.R. (1) 67–86
- Ibrahim, G., see Naoufal, D. (1) 39–48
- Ioannou, P.V., Dioxygen activation by Bi(III) compounds: Air oxidation of thiols to their disulfides (2) 125–138
- Ioannou, P.V., and E.E. Moushi, The crystal structure of tris(4-aminophenylthio)arsine, As(SC<sub>6</sub>H<sub>4</sub>-4-NH<sub>2</sub>)<sub>3</sub> (4) 285–292
- Ioannou, P.V., and G.M. Tsiygoulis, Thiolates of arsenic(III) and Bi(III) with the anti-hypertensive drug captopril (3) 221–233
- Ioannou, P.V., D.G. Vachliotis and O. Kouli, The reaction of British Anti-Lewisite (dimercaprol) with As(III), Sb(III), and Bi(III) oxides and salts (3) 235–249
- Jafry, H.R., R.C. Tailor, G. Ibbott and A.R. Barron, Coating carbon nanotubes with lead sulfide and bismuth sulfide (1) 67–86
- Jamal, M.E., see Naoufal, D. (1) 39–48
- Jeevaraj, A.K.S., and U. Sankar, Molecular interactions of triethylamine and 1-dodecanol binary liquid mixtures (3) 251–256
- Kamel Attar Kar, M., see Yousefi, M. (2) 177–184
- Kamel Attar Kar, M.H., see Yousefi, M. (2) 177–184

- Kanj, A., see Naoufal, D. (1) 39–48
- Kar, M.K.A., see Yousefi, M. (1) 57–65
- Karipcin, F., B. Cüli, S.K. Sharma and K. Qanungo, Syntheses, structures and catalase-like activities of mono-, tri- and pentanuclear Cu(II), Cu(II)-Co(II) complexes with cyanide and ONO tridentate oxime ligand (4) 307–322
- Katozian, F., see Saghatforoush, L. (4) 349–360
- Kenawy, E.-R., A. El-Raheem R. El-Shanshoury, N.O. Shaker, B.M. El-Sadek, A.H.B. Khattab and A. Elzatahry, Synthesis and Biocide Activity of Polymers Based on Poly(hydroxy styrene) and Poly(hydroxy styrene-co-2-hydroxyethyl methacrylate) (4) 293–306
- Khalil, N.M., M.B. Hassan, F.S. Ali and M.M.E. Shakhdofo, Preparation and characterization of Nano spinel powder via co-precipitation and sol-gel techniques (4) 331–347
- Khattab, A.H.B., see Kenawy, E.-R. (4) 293–306
- Khirade, P.W., see Undre, P.B. (4) 361–373
- Kouli, O., see Ioannou, P.V. (3) 235–249
- Laila, Z., see Naoufal, D. (1) 39–48
- Lashanizadegan, M., and M. Sarkheil, Synthesis, hydrolysis and fluorescence of Schiff base derivatives of ( $\pm$ )*trans*-1,2-diaminocyclohexane (DACH) in Co(II), Zn(II), Ni(II) and Cu(II) Complexes (1) 15–23
- Li, Y.-L., see Wu, B.-D. (3) 185–195
- Li, Z.-M., see Huang, H.-S. (3) 197–208
- Mangalgatti, Z.A., see Budri, M.B. (1) 1–14
- Meti, M.D., see Budri, M.B. (1) 1–14
- Monshizadeh, M., see Hashemian, S. (2) 113–124
- Moushi, E.E., see Ioannou, P.V. (4) 285–292
- Mutalik, S., see Narayanachar. (1) 87–104
- Naik, P.N., see Narayanachar. (1) 87–104
- Nandibewoor, S.T., see Budri, M.B. (1) 1–14
- Naoufal, D., Z. Laila, O. Yazbeck, H. Hamad, G. Ibrahim, R. Aoun, A. Safa, M.E. Jamal and A. Kanj, Synthesis, characterization and mechanism of formation of 6-substituted *nido*-B<sub>10</sub>H<sub>13</sub> decaboranes by the opening reaction of *closo*-decahydrodecaborate [B<sub>10</sub>H<sub>10</sub>]<sup>2-</sup> cage (1) 39–48
- Narayanachar, S.D. Dhumwad, S. Mutalik, M.H. Hugar and P.N. Naik, Synthesis, spectral characterization of Co(II), Ni(II), Cu(II) and Zn(II) complexes of Schiff bases derived from 3-formyl quinoline and 2,6-diaminopyridine and their biological studies (1) 87–104
- Nicolò, F., see Saghatforoush, L. (4) 349–360
- Patil, S.S., see Undre, P.B. (4) 361–373
- Qanungo, K., see Karipcin, F. (4) 307–322
- Rudbari, H.A., see Saghatforoush, L. (4) 349–360
- Saad, M.Z., see El-Didamony, A.M. (2) 139–152
- Safa, A., see Naoufal, D. (1) 39–48
- Saghatforoush, L., H.A. Rudbari, F. Nicolò, P. Asgari, F. Chalabian and F. Katozian, Crystal structure, luminescence properties and biological studies of a novel polymeric cadmium<sup>II</sup> compound: [Cd(Clptpy)(NCS)(NO<sub>3</sub>)<sub>n</sub>]<sub>n</sub> (4) 349–360

Salehifar, H., see Hashemian, S. (2)	169–176
Sankar, U., see Jeevaraj, A.K.S. (3)	251–256
Sarkheil, M., see Lashanizadegan, M. (1)	15–23
Selvameena, R., see Gomathi, V. (3)	275–284
Shakdofa, M.M.E., see El-Tabl, A.S. (2)	153–168
Shakdofa, M.M.E., see El-Tabl, A.S. (3)	209–220
Shakdofa, M.M.E., see El-Tabl, A.S. (3)	257–274
Shakdofa, M.M.E., see Khalil, N.M. (4)	331–347
Shaker, N.O., see Kenawy, E.-R. (4)	293–306
Shamsi, A., see Hashemian, S. (2)	169–176
Sharma, S.K., see Karipcin, F. (4)	307–322
Tailor, R.C., see Jafry, H.R. (1)	67–86
Tsivgoulis, G.M., see Ioannou, P.V. (3)	221–233
Undre, P.B., S.S. Patil and P.W. Khirade, Dielectric characterization and molecular interaction behaviour in binary mixture of 1,2-diaminopropane with 2-aminoethanol (4)	361–373
Vachliotis, D.G., see Ioannou, P.V. (3)	235–249
Wu, B.-D., T.-L. Zhang, Y.-L. Li, Z.-N. Zhou, L. Yang and J.-G. Zhang, Preparation, crystal structure, thermal decomposition and explosive properties of the novel compound $[\text{Mg}(\text{H}_2\text{O})_6](\text{ATZ})_2(\text{PA})_2$ (ATZ = 4-Amino-1,2,4-triazole and PA= Picrate) (3)	185–195
Yang, J., T.J. Barbarich and A.R. Barron, $\text{SiO}_2$ template-derived polyurethane and alumina nanoparticle-polyurethane lithium ion separator membranes (1)	49–56
Yang, L., see Huang, H.-S. (3)	197–208
Yang, L., see Wu, B.-D. (3)	185–195
Yazbeck, O., see Naoufal, D. (1)	39–48
Yousefi, M., and M.K.A. Kar, Ni-doped $\text{CoFe}_2\text{O}_4$ nanoferrite as a novel catalyst for selective oxidation of benzyl alcohol to benzaldehyde (1)	57–65
Yousefi, M., M.H. Kamel Attar Kar and M. Kamel Attar Kar, Ni-doped $\text{MgFe}_2\text{O}_4$ nanoferrite as a novel catalyst for selective oxidation of benzyl alcohol to benzaldehyde (2)	177–184
Zhang, G.-T., see Huang, H.-S. (3)	197–208
Zhang, J.-G., see Huang, H.-S. (3)	197–208
Zhang, J.-G., see Wu, B.-D. (3)	185–195
Zhang, S.-T., see Huang, H.-S. (3)	197–208
Zhang, T.-L., see Huang, H.-S. (3)	197–208
Zhang, T.-L., see Wu, B.-D. (3)	185–195
Zhou, Z.-N., see Huang, H.-S. (3)	197–208
Zhou, Z.-N., see Wu, B.-D. (3)	185–195