

Corrigendum

Corrigendum to “In vivo protection against kainate-induced apoptosis by the pineal hormone melatonin: effect of exogenous melatonin and circadian rhythm”

[*Restor. Neurol. Neurosci.* 9 (1996) 251]¹

H. Manev^{a,*}, T. Uz^a, A. Kharlamov^a, C.M. Cagnoli^a, D. Franceschini^b, P. Giusti^a

^a*Neurosciences Research Center, ASRI, Allegheny Campus, Medical College of Pennsylvania and Hahnemann University, 320 East North Avenue, Pittsburgh, PA 15212, USA*

^b*Department of Pharmacology, University of Padua, Padua, Italy*

Received 27 August 1996

Fig. 5A (bcl-2 immunocytochemistry from normal brain) is reproduced from Chen, J., Zhu, R.L., Nakayama, M., Kawaguchi, K., Jin, K., Stetler, R.A., Simon, R.P. and Graham, S.H., The apoptosis-effector gene, Bax, is expressed in vulnerable hippocampal CA1 neurons following global ischemia. *J. Neurochem.* 67 (1996) 64–71.

* Corresponding author. Tel.: +1 412 3594139; fax: +1 412 3594364; e-mail: mane@asri.edu

¹ PII of original article: S0922-6028(96)00344-X