

## CONTENTS OF BIORHEOLOGY, VOLUME 30, NUMBER 2

### Contents

|  |     |   |
|--|-----|---|
| J. R. Casley-Smith   | 93  | A model of the factors affecting interstitial volume in oedema. Part III: Partial derivatives and integrals at various volumes                    |
| K. A. Brookshier and J. M. Tarbell                                       | 107 | Evaluation of a transparent blood analog fluid: Aqueous Xanthan gum/glycerin  |
| Y. H. Kim and K. B. Chandran   | 117 | Steady flow analysis in the vicinity of an end-to-end anastomosis   |
| K. Ookawa, M. Sato and N. Ohshima  | 131 | Morphological changes of endothelial cells after exposure to fluid-imposed shear stress: Differential responses induced by extracellular matrices |
| W. A. van der Reijden, E. C. I. Veerman and A. V. Nieuw Amerongen        | 141 | Shear rate dependent viscoelastic behavior of human glandular salivas   |
| G. Mchedlishvili, N. Beritashvili, D. Lominadze and B. Tsinamdzhvishvili | 153 | Technique for direct and quantitative evaluation of erythrocyte aggregability in blood samples  |
|  | 163 | Contents of <i>Clinical Hemorheology</i> , Volume 13, Number 1  |