Clinical Hemorheology and Microcirculation 55 (2013) 283
DOI:10.3233/CH-131753
IOS Press

Notice of Retraction

IOS Press has retracted the following publication from its online content:

Contrast harmonic ultrasound and indocyanine-green fluorescence video angiography for evaluation of dermal and subdermal microcirculation in free parascapular flaps
L. Prantl[a,*], St. Schmitt[a], S. Gais[a], T.Y. Tsui[a], P. Lamby[a], P. Babilas[a], M. Nerlich[a], R. Kubale[c], N. Zorger[b], T. Herold[b], S. Feuerbach[b] and E.M. Jung[a]
[a]*Institute of Trauma, Plastic and Reconstructive Surgery, University Hospital Regensburg, Germany*
[b]*Institute of Diagnostic Radiology, University Hospital Regensburg, Germany*
[c]*Institute of Radiology, Nuclear Medicine and Sonography, Hospital Pirmasens, Germany*

[*Clinical Hemorheology and Microcirculation* **38**(1) (2008), 31–44]

This article is the unrevised version of the article that appears in its correct and revised form in *Clinical Hemorheology and Microcirculation* **38**(2) (2008), 105–118:

Contrast harmonic ultrasound and indocyanine-green fluorescence video angiography for evaluation of dermal and subdermal microcirculation in free parascapular flaps
L. Prantl[a,*], St. Schmitt[a], S. Geis[a], T.Y. Tsui[a], P. Lamby[a], M. Nerlich[a], R. Kubale[c], N. Zorger[b], T. Herold[b], S. Feuerbach[b] and E.M. Jung[b]
[a]*Institute of Trauma, Plastic and Reconstructive Surgery, University Hospital Regensburg, Germany*
[b]*Institute of Diagnostic Radiology, University Hospital Regensburg, Germany*
[c]*Institute of Radiology, Nuclear Medicine and Sonography, Hospital Pirmasens, Germany*

[*Clinical Hemorheology and Microcirculation* **38**(2) (2008), 105–118]

This latter version is the correct version.

Reason for this duplicate publication is that there has been a misunderstanding between the authors and the editors in the course of the review process when the same article was submitted twice with changes in the authors list, text and figures.