## Erratum

## Erratum to: Imaging findings of fibrolamellar hepatocellular carcinomas on ultrasonography: A comparison with conventional hepatocellular carcinomas

Tiantian Fu<sup>a</sup>, Hong Ding<sup>b,\*</sup>, Chen Xu<sup>c</sup>, Yuli Zhu<sup>a</sup>, Liyun Xue<sup>a</sup> and Feng Lin<sup>d,\*</sup>

[Clinical Hemorheology and Microcirculation **77** (1) (2021), 49–60] http://doi.org/10.3233/CH-200896

The affiliation of the corresponding author Hong Ding was incomplete. The correct affiliation should also include "aDepartment of Ultrasound, Shanghai Institute of Medical Imaging, Zhongshan Hospital, Fudan University, Shanghai, China".

The affiliations should be corrected as follows. Changes are marked by underlines:

Tiantian Fu<sup>a</sup>, Hong Ding<sup>a,b,\*</sup>, Chen Xu<sup>c</sup>, Yuli Zhu<sup>a</sup>, Liyun Xue<sup>a</sup> and Feng Lin<sup>d,\*</sup>

The corrected footnote should read:

\*Corresponding authors: Hong Ding, MD, PhD, Department of Ultrasound, Huashan Hospital, Fudan University, No. 12 Middle Urumqi Road, Shanghai 200040, China; Department of Ultrasound, Shanghai Institute of Medical Imaging, Zhongshan Hospital, Fudan University, Shanghai, China. Tel.:+86 136 5188 6013; E-mail: ding hong@fudan.edu.cn; Feng Lin, Professor, School of Computer Science and Engineering, Nanyang Technological University, Singapore 639798, Singapore. E-mail: ASFLIN @ntu.edu.sg.

<sup>&</sup>lt;sup>a</sup>Department of Ultrasound, Shanghai Institute of Medical Imaging, Zhongshan Hospital, Fudan University, Shanghai, China

<sup>&</sup>lt;sup>b</sup>Department of Ultrasound, Huashan Hospital, Fudan University, Shanghai, China

<sup>&</sup>lt;sup>c</sup>Department of Pathology, Zhongshan Hospital, Fudan University, Shanghai, China

<sup>&</sup>lt;sup>d</sup>School of Computer Science and Engineering, Nanyang Technological University, Singapore, Singapore

<sup>&</sup>lt;sup>a</sup>Department of Ultrasound, Shanghai Institute of Medical Imaging, Zhongshan Hospital, Fudan University, Shanghai, China

<sup>&</sup>lt;sup>b</sup>Department of Ultrasound, Huashan Hospital, Fudan University, Shanghai, China

<sup>&</sup>lt;sup>c</sup>Department of Pathology, Zhongshan Hospital, Fudan University, Shanghai, China

<sup>&</sup>lt;sup>d</sup>School of Computer Science and Engineering, Nanyang Technological University, Singapore, Singapore