

Author Index Volume 24 (2001)

The issue number is given in front of the page numbers.

- Acampa, M., see Acciavatti, A. (1) 49– 57
- Acciavatti, A., F. Laghi Pasini, P.L. Capecchi, G.L. Messa, P.E. Lazzerini, L. De Giorgi, M. Acampa and T. Di Perri, Effects of alprostadol on blood rheology and nucleoside metabolism in patients affected with lower limb chronic ischaemia (1) 49– 57
- Aisaka, K., see Kaibara, M. (2) 93– 99
- Akimoto, M., see Kurihara, T. (4) 217–225
- Alt, S., see Ohlmann, P. (3) 183–191
- Alt, T., see Ohlmann, P. (3) 183–191
- Aznar, J., see Vayá, A. (2) 111–115
- Bach, R., see Franke, R.-P. (2) 101–109
- Baerlocher, G.M., H.J. Meiselman and W.H. Reinhart, Gel-filtration of sickle erythrocytes: Separation based on cell deformability (1) 11– 18
- Bensoussan, D., see Stoltz, J.-F. (4) 263–272
- Billen, T., see Kröger, K. (3) 167–174
- Blondel, W., see Stoltz, J.-F. (4) 263–272
- Brevetti, G., M. De Caterina, V.D. Martone, B. Ungaro, F. Corrado, A. Silvestro, T. De Cristofaro and F. Scopacasa, Exercise increases soluble adhesion molecules ICAM-1 and VCAM-1 in patients with intermittent claudication (3) 193–199
- Buss, C., see Kröger, K. (3) 167–174
- Capecchi, P.L., see Acciavatti, A. (1) 49– 57
- Carbonara, M.C., see Cicco, G. (1) 25– 31
- Cauchois, G., see Wang, X. (3) 201–205
- Cicco, G., M.C. Carbonara, G.D. Stingi and A. Pirrelli, Cytosolic calcium and hemorheological patterns during arterial hypertension (1) 25– 31
- Cicha, I., Y. Suzuki, N. Tateishi and N. Maeda, Enhancement of red blood cell aggregation by plasma triglycerides (4) 247–255
- Contesse, J., see Schnyder, L. (2) 65– 74
- Corrado, F., see Brevetti, G. (3) 193–199
- Cser, A., see Marton, Zs. (2) 75– 83
- Cser, A., see Vekasi, J. (1) 59– 64
- De Caterina, M., see Brevetti, G. (3) 193–199
- De Cristofaro, T., see Brevetti, G. (3) 193–199
- De Giorgi, L., see Acciavatti, A. (1) 49– 57
- Deguchi, S., see Kurihara, T. (4) 217–225
- Di Perri, T., see Acciavatti, A. (1) 49– 57

- El-Sayed, M.S., Adverse effects of alcohol ingestion post exercise on blood rheological variables during recovery (4) 227–232
- Fernández, A., see Vayá, A.
- Franke, R.-P., P. Reuter, C. Mrowietz, R. Bach and F. Jung, Light and scanning-electron microscopic examination of coronary stents in a perfusion-model. Effects of an NO-donor/quantitative analysis (2) 101–109
- Fukuuchi, Y., see Tomita, Y.
- Furakawa, M., see Kurihara, T.
- Gentils, M., see Wang, X. (3) 201–205
- Habon, L., see Késmárky, G.
- Hahn, M., see Steins, A.
- Haiyan, W., see Miao, G.
- Halmosi, R., see Késmárky, G.
- Hardeman, M.R., see Pepple, D.J.
- Hashimoto, H., see Kurihara, T.
- Henneberg-Quester, K.B., see Kröger, K.
- Horvath, B., see Marton, Zs.
- Horvath, B., see Vekasi, J.
- Ishiguro, H., see Kurihara, T. (4) 217–225
- Itoh, Y., see Tomita, Y. (1) 1– 9
- Jung, F., see Franke, R.-P. (2) 101–109
- Jung, F., see Ohlmann, P. (3) 183–191
- Jünger, M., see Steins, A. (3) 147–153
- Ka, W., see C. Wang, (1) 19– 23
- Kaibara, M., T. Watanabe, F. Ooka, S.-G. Liang, K. Aisaka and S. Okinaga, Effect of high-dose progestogen on hemostatic properties of blood in patients with endometrial cancer (2) 93– 99
- Kato, J., see Kurihara, T.
- Kawakami, A., see Kurihara, T.
- Késmárky, G., K. Tóth, G. Vajda, L. Habon, R. Halmosi and E. Röth, Hemorheological and oxygen free radical associated alterations during and after percutaneous transluminal coronary angioplasty (1) 33– 41
- Kesmarky, G., see Marton, Zs. (2) 75– 83
- Kesmarky, G., see Vekasi, J. (1) 59– 64
- Kreuzfelder, E., see Kröger, K. (3) 167–174
- Kröger, K., T. Billen, G. Neuhaus, F. Santosa, C. Buss, E. Kreuzfelder and K.B. Henneberg-Quester, Relevance of low titers of cryoglobulins and cold-agglutinins in patients with isolated Raynaud phenomenon (3) 167–174
- Kurihara, T., S. Deguchi, J. Kato, M. Furakawa, M. Tsuchiya, M. Akimoto, H. Ishiguro, H. Hashimoto, A. Niimi, A. Maeda, M. Shigemoto, K. Yamashita, A. Kawakami, K. Umemura, M. Nakashima, T. Nakano and A.R. Saniabadi, Impaired blood rheology by remnant-like lipoprotein particles: Studies in patients with fatty liver disease (4) 217–225
- Labrador, V., see Stoltz, J.-F. (4) 263–272
- Laghi Pasini, F., see Acciavatti, A. (1) 49– 57
- Lazzerini, P.E., see Acciavatti, A. (1) 49– 57

- Lehalle, B., see Stoltz, J.-F. (4) 263–272
- Liang, S.-G., see Kaibara, M. (2) 93– 99
- Liao, F., see You, Y. (3) 161–165
- Löffler, B.M., see Uhlmann, D. (4) 233–246
- Maeda, A., see Kurihara, T. (4) 217–225
- Maeda, N., see Cicha, I. (4) 247–255
- Martínez, M., see Vayá, A. (2) 111–115
- Martins-Silva, J., see Sargent, L. (3) 175–181
- Marton, Zs., G. Kesmarky, J. Vekasi, A. Cser, R. Russai, B. Horvath and K. Toth, Red blood cell aggregation measurements in whole blood and in fibrinogen solutions by different methods (2) 75– 83
- Marton, Zs., see Vekasi, J. (1) 59– 64
- Martone, V.D., see Brevetti, G. (3) 193–199
- Matsumura, S., see Nakano, T. (2) 85– 92
- Mchedlishvili, G., Acute problems of the hemorheological analysis (2) 117–118
- Meiselman, H.J., see Baerlocher, G.M. (1) 11– 18
- Messa, G.L., see Acciavatti, A. (1) 49– 57
- Miao, G., R. Zhiyuan, Y. Qingsheng and W. Haiyan, The relationship between reference value of old people's erythrocyte sedimentation rate and altitude (3) 155–159
- Mira, Y., see Vayá, A. (2) 111–115
- Moscardó, F., see Vayá, A. (2) 111–115
- Mrowietz, C., see Franke, R.-P. (2) 101–109
- Mrowietz, Ch., see Ohlmann, P. (3) 183–191
- Muller, S., see Wang, X. (3) 201–205
- Mullings, A.M., see Pepple, D.J. (1) 43– 48
- Nakano, T., Y. Wada and S. Matsumura, Membrane lipid components associated with increased filterability of erythrocytes from long-distance runners (2) 85– 92
- Nakano, T., see Kurihara, T. (4) 217–225
- Nakashima, M., see Kurihara, T. (4) 217–225
- Neuhaus, G., see Kröger, K. (3) 167–174
- Niimi, A., see Kurihara, T. (4) 217–225
- Ohlmann, P., F. Jung, Ch. Mrowietz, T. Alt, S. Alt and W. Schmidt, Peripheral microcirculation during pregnancy and in women with pregnancy induced hypertension (3) 183–191
- Okinaga, S., see Kaibara, M. (2) 93– 99
- Ooka, F., see Kaibara, M. (2) 93– 99
- Ouyang, J.P., see Wang, X. (3) 201–205
- Pepple, D.J., M.R. Hardeman, A.M. Mullings and H.L. Reid, Erythrocyte deformability and erythrocyte aggregation in preeclampsia (1) 43– 48
- Pirrelli, A., see Cicco, G. (1) 25– 31
- Qingsheng, Y., see Miao, G. (3) 155–159
- Reid, H.L., see Pepple, D.J. (1) 43– 48
- Reinhart, W.H., see Baerlocher, G.M. (1) 11– 18
- Reinhart, W.H., see Schnyder, L. (2) 65– 74
- Reuter, P., see Franke, R.-P. (2) 101–109
- Ripoll, F., see Vayá, A. (2) 111–115

- Rohrer, A., see Schnyder, L. (2) 65– 74
 Röth, E., see Késmárky, G. (1) 33– 41
 Russai, R., see Marton, Zs. (2) 75– 83
 Russai, R., see Vekasi, J. (1) 59– 64
- Saldanha, C., see Sargent, L. (3) 175–181
 Saniabadi, A.R., see Kurihara, T. (4) 217–225
 Santosa, F., see Kröger, K. (3) 167–174
- Sargent, L., H. Sobral do Rosário, C. Saldanha and J. Martins-Silva, Hemorheological effects of sodium fluorescein in rats (3) 175–181
 Schiszler, I., see Tomita, Y. (1) 1– 9
 Schmidt, W., see Ohlmann, P. (3) 183–191
- Schnyder, L., R. Walter, A. Rohrer, J. Contesse and W.H. Reinhart, No influence of C-peptide, insulin, and glucagon on blood viscosity *in vitro* in healthy humans and patients with diabetes mellitus (2) 65– 74
- Scopacasa, F., see Brevetti, G. (3) 193–199
 Shigemoto, M., see Kurihara, T. (4) 217–225
 Silvestro, A., see Brevetti, G. (3) 193–199
 Sobral do Rosário, H., see Sargent, L. (3) 175–181
 Spiegel, H.-U., see Uhlmann, D. (4) 233–246
 Steins, A., M. Hahn and M. Jünger, Venous leg ulcers and microcirculation (3) 147–153
 Stingi, G.D., see Cicco, G. (1) 25– 31
 Stoltz, J.-F., Opening address (4) 257–258
 Stoltz, J.-F., Fåhraeus award ceremony laudatio: 10th awardee Gustav Born (4) 259–261
- Stoltz, J.-F., W. Blondel, D. Bensoussan, B. Lehalle, X. Wang and V. Labrador, New trends in vascular engineering (4) 263–272
 Stoltz, J.F., see Wang, X. (3) 201–205
 Suzuki, Y., see Cicha, I. (4) 247–255
- Takeda, H., see Tomita, Y. (1) 1– 9
 Tanahashi, N., see Tomita, Y. (1) 1– 9
 Tateishi, N., see Cicha, I. (4) 247–255
 Tomita, M., see Tomita, Y. (1) 1– 9
- Tomita, Y., N. Tanahashi, M. Tomita, Y. Itoh, M. Yokoyama, H. Takeda, I. Schiszler and Y. Fukuchi, Role of platelet glycoprotein IIb/IIIa in ADP-activated platelet adhesion to aortic endothelial cells *in vitro*: observation with video-enhanced contrast microscopy (1) 1– 9
- Tóth, K., see Késmárky, G. (1) 33– 41
 Toth, K., see Marton, Zs. (2) 75– 83
 Tsuchiya, M., see Kurihara, T. (4) 217–225
- Uhlmann, D., S. Uhlmann, B.M. Löffler, H. Witzigmann and H.-U. Spiegel, Pharmacological regulation of postischemic sinusoidal diameters in rats – A new approach for reducing hepatic ischemia/reperfusion injury (4) 233–246
 Uhlmann, S., see Uhlmann, D. (4) 233–246
 Umemura, K., see Kurihara, T. (4) 217–225
 Ungaro, B., see Brevetti, G. (3) 193–199
- Vajda, G., see Késmárky, G. (1) 33– 41
 Vayá, A., M. Martínez, A. Fernández, F. Ripoll, F. Moscardó, Y. Mira and J. Aznar, The effect of acenocoumarol on hemorheological parameters (2) 111–115

- Vekasi, J., Zs. Marton, G. Kesmarky, A. Cser, R. Russai and B. Horvath, Hemorheological alterations in patients with diabetic retinopathy (1) 59– 64
Vekasi, J., see Marton, Zs. (2) 75– 83
- Wada, Y., see Nakano, T. (2) 85– 92
Walter, R., see Schnyder, L. (2) 65– 74
- Wang C., Y. Zeng and W. Ka, The influence of calcium ions and ionophore A23187 on microrheological characteristics of erythrocytes by new model ektacytometry (1) 19– 23
- Wang, X., L. Wei, J.P. Ouyang, S. Muller, M. Gentils, G. Cauchois and J.F. Stoltz, Effects of an angelica extract on human erythrocyte aggregation, deformation and osmotic fragility (3) 201–205
Wang, X., see Stoltz, J.-F. (4) 263–272
Watanabe, T., see Kaibara, M. (2) 93– 99
Wei, L., see Wang, X. (3) 201–205
Witzigmann, H., see Uhlmann, D. (4) 233–246
- Yamashita, K., see Kurihara, T. (4) 217–225
Yokoyama, M., see Tomita, Y. (1) 1– 9
You, Y. and F. Liao, *In vitro*-inhibition of shear-induced platelet aggregation by verapamil (3) 161–165
- Zeng, Y., see C. Wang, (1) 19– 23
Zhiyuan, R., see Miao, G. (3) 155–159