

Author Index Volume 16 (2012)

The issue number is given in front of the page numbers.

- Abdul-Rahman, S., A.A. Bakar and Z.-A. Mohamed-Hussein, An intelligent data pre-processing of complex datasets (2) 305– 325
- Abellán, J. and S. Moral, Determining dependence relations using a new score based on imprecise probabilities (6) 847– 863
- Ai, X.-W., see Hu, T. (3) 383– 407
- Al Aghbari, Z., I. Kamel and T. Awad, On clustering large number of data streams (1) 69– 91
- Alhajj, R., see Okasha, M. (1) 137– 152
- Alhajj, R., see Rasheed, F. (6) 993–1011
- Alshalalfa, M., see Okasha, M. (1) 137– 152
- Apiletti, D., E. Baralis, G. Bruno and A. Fiori, MaskedPainter: Feature selection for microarray data analysis (4) 717– 737
- Awad, T., see Al Aghbari, Z. (1) 69– 91
- Azevedo, P.J., see Jorge, A.M. (1) 25– 47
- Bahreininejad, A., see Soroush, A. (2) 265– 278
- Bakar, A.A., see Abdul-Rahman, S. (2) 305– 325
- Bakar, A.A., see Kamaruddin, S.S. (3) 487– 511
- Baralis, E., see Apiletti, D. (4) 717– 737
- Baumgartner, D. and G. Serpen, A design heuristic for hybrid classification ensembles in machine learning (2) 233– 246
- Berka, P., Learning compositional decision rules using the KEX algorithm (4) 665– 681
- Bielza, C., see Guerra, L. (4) 703– 715
- Błaszczczyński, J., M. Deckert, J. Stefanowski and S. Wilk, Iivotes ensemble for imbalanced data (5) 777– 801
- Boström, H., see Johansson, U. (2) 247– 263
- Bouraoui, I., S. Chitroub and A. Bouridane, Does independent component analysis perform well for iris recognition? (3) 409– 426
- Bouridane, A., see Bouraoui, I. (3) 409– 426
- Brown, L.E., I. Tsamardinos and D.P. Hardin, To feature space and back: Identifying top-weighted features in polynomial Support Vector Machine models (4) 551– 579
- Bruno, G., see Apiletti, D. (4) 717– 737
- Caouder, N., see Loslever, P. (2) 279– 303
- Cardoso, M.G.M.S., see Martins, A.A.A.F. (1) 153– 164
- Carrasco-Ochoa, J.A., see Franco-Arcega, A. (4) 649– 664

- Carrasco-Ochoa, J.A., see Hernández-León, R. (1) 49– 68
- Carrasco-Ochoa, J.A., see Pérez-Suárez, A. (2) 211– 232
- Cauffriez, L., see Loslever, P. (2) 279– 303
- Cervantes, J., see Li, X. (6) 897– 914
- Chen, K.-H., see Chen, L.-F. (2) 167– 182
- Chen, L.-F., C.-T. Su and K.-H. Chen, An improved particle swarm optimization for feature selection (2) 167– 182
- Chitroub, S., see Bouraoui, I. (3) 409– 426
- Cho, S., see Kang, P. (3) 351– 364
- Chuang, L.-Y., C.-H. Yang and S.-W. Tsai, Complementary distribution BPSO for feature selection (2) 183– 198
- Copin, R., see Loslever, P. (2) 279– 303
- de Sousa, J.F., see Mendes-Moreira, J. (3) 427– 449
- Deckert, M., see Błaszczyszki, J. (5) 777– 801
- ElSkeikh, A.M., see Okasha, M. (1) 137– 152
- Fakhrahmad, S.M., A.R. Rezapour, M.Z. Jahromi and M.H. Sadreddini, A new fuzzy rule-based classification system for word sense disambiguation (4) 633– 648
- Febrer-Hernández, J.K. and J. Hernández-Palancar, Sequential pattern mining algorithms review (3) 451– 466
- Fiori, A., see Apiletti, D. (4) 717– 737
- Franco-Arcega, A., J.A. Carrasco-Ochoa, G. Sánchez-Díaz and J.F. Martínez-Trinidad, Building fast decision trees from large training sets (4) 649– 664
- Furletti, B. and F. Turini, Knowledge discovery in ontologies (3) 513– 534
- Gama, J., see Oliveira, M. (1) 93– 111
- Garibaldi, J.M., see Sun, J. (6) 969– 992
- Gasmi, G., L. Lakhali and Y. Slimani, An incremental approach for maintaining functional dependencies (3) 365– 381
- Ghasem-Aghaee, N., see Kaedi, M. (2) 199– 210
- Ghodrati, A. and S. Kasaei, Human action categorization using discriminative local spatio-temporal feature weighting (4) 537– 550
- Gomes, J.B., P.A.C. Sousa and E. Menasalvas, Tracking recurrent concepts using context (5) 803– 825
- Guerra, L., V. Robles, C. Bielza and P. Larrañaga, A comparison of clustering quality indices using outliers and noise (4) 703– 715
- Hamdan, A.R., see Kamaruddin, S.S. (3) 487– 511
- Hamrouni, T., Key roles of closed sets and minimal generators in concise representations of frequent patterns (4) 581– 631
- Hardin, D.P., see Brown, L.E. (4) 551– 579
- Hasler, M., see Moradi, P. (1) 113– 135
- Hernández-León, R., J.A. Carrasco-Ochoa, J.F. Martínez-Trinidad and J. Hernández-Palancar, CAR-NF: A classifier based on specific rules with high netconf (1) 49– 68

- Hernández-Palancar, J., see Febrer-Hernández, J.K. (3) 451– 466
- Hernández-Palancar, J., see Hernández-León, R. (1) 49– 68
- Hu, T., S.Y. Sung, J. Sun, X.-W. Ai and P.A. Ng, A linear transform scheme for building weighted scoring rules (3) 383– 407
- Huang, J., J. Sayyad-Shirabad, S. Matwin and J. Su, Improving multi-view semi-supervised learning with agreement-based sampling (5) 745– 761
- Huber, M., see Schön, T. (5) 827– 843
- Jahromi, M.Z., see Fakhrahmad, S.M. (4) 633– 648
- Janusz, A., Combining multiple predictive models using genetic algorithms (5) 763– 776
- Johansson, U., C. Sönströd, T. Löfström and H. Boström, Obtaining accurate and comprehensible classifiers using oracle coaching (2) 247– 263
- Jorge, A.M. and P.J. Azevedo, Optimal leverage association rules with numerical interval conditions (1) 25– 47
- Jorge, A.M., see Mendes-Moreira, J. (3) 427– 449
- Kaedi, M. and N. Ghasem-Aghaee, Improving case-based reasoning in solving optimization problems using Bayesian optimization algorithm (2) 199– 210
- Kamaruddin, S.S., A.R. Hamdan, A.A. Bakar and F.M. Nor, Deviation detection in text using conceptual graph interchange format and error tolerance dissimilarity function (3) 487– 511
- Kamel, I., see Al Aghbari, Z. (1) 69– 91
- Kamel, M.S., see Makrehchi, M. (6) 879– 896
- Kang, P. and S. Cho, Support vector class description (SVCD): Classification in kernel space (3) 351– 364
- Kasaei, S., see Ghodrati, A. (4) 537– 550
- Khadivi, A., see Moradi, P. (1) 113– 135
- Lakhal, L., see Gasmi, G. (3) 365– 381
- Larrañaga, P., see Guerra, L. (4) 703– 715
- LaTorre, A., see Muelas, S. (1) 3– 23
- Li, X., J. Cervantes and W. Yu, Fast classification for large data sets via random selection clustering and Support Vector Machines (6) 897– 914
- Löfström, T., see Johansson, U. (2) 247– 263
- Loslever, P., L. Cauffriez, N. Caouder, F. Turgis and R. Copin, A scale fuzzy windowing comparison applied to multivariate descriptive analysis (2) 279– 303
- Makrehchi, M. and M.S. Kamel, Feature ranking fusion for text classifier (6) 879– 896
- Martínez-Trinidad, J.F., see Hernández-León, R. (1) 49– 68
- Martínez-Trinidad, J.F., see Franco-Arcega, A. (4) 649– 664
- Martínez-Trinidad, J.F., see Pérez-Suárez, A. (2) 211– 232
- Martins, A.A.A.F., M.G.M.S. Cardoso and I.M.S. Pinto, Mapping atmospheric pollutants emissions in European countries (1) 153– 164
- Matwin, S., see Huang, J. (5) 745– 761
- Medina-Pagola, J.E., see Pérez-Suárez, A. (2) 211– 232
- Menasalvas, E., see Gomes, J.B. (5) 803– 825

- Mendes-Moreira, J., A.M. Jorge, J.F. de Sousa and C. Soares, Comparing state-of-the-art regression methods for long term travel time prediction (3) 427– 449
- Mohamed-Hussein, Z.-A., see Abdul-Rahman, S. (2) 305– 325
- Moradi, P., M.E. Shiri, A.A. Rad, A. Khadivi and M. Hasler, Automatic skill acquisition in reinforcement learning using graph centrality measures (1) 113– 135
- Moral, S., see Abellán, J. (6) 847– 863
- Muelas, S., A. LaTorre and J.-M. Peña, A new methodology for the automatic creation of adaptive hybrid algorithms (1) 3– 23
- Naji, G (1) 137– 152
- Natarajan, A.M., see Rajalaxmi, R.R. (6) 933– 951
- Ng, P.A., see Hu, T. (3) 383– 407
- Nguyen, V.A. and A. Yamamoto, Mining of closed frequent subtrees from frequently updated databases (6) 953– 967
- Nikolić, M., Measuring similarity of graph nodes by neighbor matching (6) 865– 878
- Nor, F.M., see Kamaruddin, S.S. (3) 487– 511
- O’Halloran, K., see Podlasov, A. (4) 683– 702
- Okasha, M., A.M. ElSkeikh, M. Alshalalfa, G. Naji, R. Alhajj and J. Rokne, Functional characterization of drug-protein interactions network (1) 137– 152
- Oliveira, M. and J. Gama, A framework to monitor clusters evolution applied to economy and finance problems (1) 93– 111
- Olszewski, D., Employing Kullback-Leibler divergence and Latent Dirichlet Allocation for fraud detection in telecommunications (3) 467– 485
- Pérez-Suárez, A., J.F. Martínez-Trinidad, J.A. Carrasco-Ochoa and J.E. Medina-Pagola, A dynamic clustering algorithm for building overlapping clusters (2) 211– 232
- Peña, J.-M., see Muelas, S. (1) 3– 23
- Pinto, I.M.S., see Martins, A.A.A.F. (1) 153– 164
- Podlasov, A., S. Tan and K. O’Halloran, Interactive state-transition diagrams for visualization of multimodal annotation (4) 683– 702
- Rad, A.A., see Moradi, P. (1) 113– 135
- Rajalaxmi, R.R. and A.M. Natarajan, Effective sanitization approaches to hide sensitive utility and frequent itemsets (6) 933– 951
- Rasheed, F. and R. Alhajj, Periodic pattern analysis of non-uniformly sampled stock market data (6) 993–1011
- Rezapour, A.R., see Fakhrahmad, S.M. (4) 633– 648
- Robles, V., see Guerra, L. (4) 703– 715
- Rokne, J., see Okasha, M. (1) 137– 152
- Sadreddini, M.H., see Fakhrahmad, S.M. (4) 633– 648
- Sallehuddin, R., see Sameon, D.F. (6) 915– 931
- Sameon, D.F., S.M. Shamsuddin, R. Sallehuddin and A. Zainal, Compact classification of optimized Boolean reasoning with Particle Swarm Optimization (6) 915– 931

- Sánchez-Díaz, G., see Franco-Arcega, A. (4) 649– 664
- Sayyad-Shirabad, J., see Huang, J. (5) 745– 761
- Schön, T., A. Tsymbal and M. Huber, Gene-pair representation and incorporation of
GO-based semantic similarity into classification of gene expression data (5) 827– 843
- Serpen, G., see Baumgartner, D. (2) 233– 246
- Shamsuddin, S.M., see Sameon, D.F. (6) 915– 931
- Shiri, M.E., see Moradi, P. (1) 113– 135
- Slimani, Y., see Gasmi, G. (3) 365– 381
- Soares, C., see Mendes-Moreira, J. (3) 427– 449
- Sönströd, C., see Johansson, U. (2) 247– 263
- Soroush, A., A. Bahreininejad and J. van den Berg, A hybrid customer prediction system
based on multiple forward stepwise logistic regression model (2) 265– 278
- Sousa, P.A.C., see Gomes, J.B. (5) 803– 825
- Stefanowski, J., see Błaszczyszki, J. (5) 777– 801
- Su, C.-T., see Chen, L.-F. (2) 167– 182
- Su, J., see Huang, J. (5) 745– 761
- Sun, J. and J.M. Garibaldi, A comparative study of novel robust clustering algorithms (6) 969– 992
- Sun, J., see Hu, T. (3) 383– 407
- Sung, S.Y., see Hu, T. (3) 383– 407
- Tan, S., see Podlasov, A. (4) 683– 702
- Tsai, S.-W., see Chuang, L.-Y. (2) 183– 198
- Tsamardinos, I., see Brown, L.E. (4) 551– 579
- Tsymbal, A., see Schön, T. (5) 827– 843
- Turgis, F., see Loslever, P. (2) 279– 303
- Turini, F., see Furletti, B. (3) 513– 534
- van den Berg, J., see Soroush, A. (2) 265– 278
- Velasquez, J.D., Web site keywords: A methodology for improving gradually the web
site text content (2) 327– 348
- Wilk, S., see Błaszczyszki, J. (5) 777– 801
- Yamamoto, A., see Nguyen, V.A. (6) 953– 967
- Yang, C.-H., see Chuang, L.-Y. (2) 183– 198
- Yu, W., see Li, X. (6) 897– 914
- Zainal, A., see Sameon, D.F. (6) 915– 931