

Author Index Volume 17 (2013)

The issue number is given in front of the page numbers.

Acharya, U.R., see Swapna, G.	(2) 309– 326
Al Shaqsi, J. and W. Wang, Estimating the predominant number of clusters in a dataset	(4) 603– 626
Albertini, M.K. and R.F. de Mello, Data stream dynamic clustering supported by Markov chain isomorphisms	(3) 439– 457
Allali, O., C. Magnien and M. Latapy, Internal link prediction: A new approach for predicting links in bipartite graphs	(1) 5– 25
Arenas, M.G., N. Rico, A.M. Mora, P.A. Castillo and J.J. Merelo, Using statistical tools to determine the significance and relative importance of the main parameters of an evolutionary algorithm	(5) 771– 789
Bagchi, A., see Tripathy, R.M.	(1) 149– 175
Beigy, H., see Mazloomian, A.	(2) 295– 308
Bellodi, E. and F. Riguzzi, Expectation maximization over binary decision diagrams for probabilistic logic programs	(2) 343– 363
Berendt, B., see Subašić, I.	(1) 125– 147
Berlingerio, M., M. Coscia, F. Giannotti, A. Monreale and D. Pedreschi, Evolving networks: Eras and turning points	(1) 27– 48
Berzal, F., see Jiménez, A.	(2) 195– 215
Blockeel, H., see Shamsinejadbabaki, P.	(6) 1075–1091
Bosnić, Z., see Majnik, M.	(3) 531– 558
Boström, H., see Karunaratne, T.	(2) 327– 341
Boulicaut, J.-F., see Nguyen, K.-N.T.	(1) 49– 69
Cagliero, L. and A. Fiori, Discovering generalized association rules from Twitter	(4) 627– 648
Castillo, P.A., see Arenas, M.G.	(5) 771– 789
Cerf, L., see Nguyen, K.-N.T.	(1) 49– 69
Chen, A., see Chen, N.	(3) 423– 437
Chen, M.-C., see Huang, C.-L.	(5) 899– 916
Chen, N., A. Chen and B. Ribeiro, Influence of class distribution on cost-sensitive learning: A case study of bankruptcy analysis	(3) 423– 437
Chen, Z., see Ordonez, C.	(6) 943– 963
Chira, C., see Hatami, N.	(4) 697– 716
Choi, I., K. Park and H. Shin, Sharpened graph ensemble for semi-supervised learning	(3) 387– 398
Colla, V., see Matarese, N.	(5) 737– 751
Coscia, M., see Berlingerio, M.	(1) 27– 48

- Covões, T.F., E.R. Hruschka and J. Ghosh, A study of K-Means-based algorithms for constrained clustering (3) 485– 505
 Cubero, J.-C., see Jiménez, A. (2) 195– 215
- de Mello, R.F., see Albertini, M.K. (3) 439– 457
 Diot, F., see Prado, A. (1) 71– 92
- Espinace, P., see Peralta, B. (6) 1023–1039
- Feng, L., L. Wang and B. Jin, UT-tree: Efficient mining of high utility itemsets from data streams (4) 585– 602
 Fernández-Caballero, A., see Sokolova, M.V. (5) 753– 769
 Fiori, A., see Cagliero, L. (4) 627– 648
 Fromont, E., see Prado, A. (1) 71– 92
- Gao, X., see Xie, J. (4) 649– 664
 Garg, D., see Mallick, B. (3) 507– 530
 Ghorbani, A., see Schmidt, J. (1) 93– 123
 Ghosh, J., see Covões, T.F. (3) 485– 505
 Giannotti, F., see Berlingario, M. (1) 27– 48
 Giraud-Carrier, C., see Lee, J.W. (4) 665– 678
 Gómez, L. and A.A. Vaisman, Mining semantic trajectories (5) 857– 898
 Grover, P.S., see Mallick, B. (3) 507– 530
- Haghghi, E.B. and M. Rahmati, Theoretical aspects of mapping to multidimensional optimal regions as a multi-classifier (6) 981– 999
 Hapfelmeier, A., see Schmidt, J. (1) 93– 123
 Hassanzadeh, H. and M. Keyvanpour, A two-phase hybrid of semi-supervised and active learning approach for sequence labeling (2) 251– 270
 Hatami, N. and C. Chira, Diverse accurate feature selection for microarray cancer diagnosis (4) 697– 716
 Hone, K., see Xie, J. (4) 649– 664
 Hruschka, E.R., see Covões, T.F. (3) 485– 505
 Huang, C.-L., M.-C. Chen, W.-C. Huang and S.-H. Huang, Incorporating frequency, recency and profit in sequential pattern based recommender systems (5) 899– 916
 Huang, S.-H., see Huang, C.-L. (5) 899– 916
 Huang, W.-C., see Huang, C.-L. (5) 899– 916
 Hwang, W.-H., see Wu, I-C. (6) 1093–1113
- Imani, M.B., see Keyvanpour, M.R. (3) 367– 385
- Jeudy, B., see Prado, A. (1) 71– 92
 Ji, B., Y.-D. Ye and Y. Xiao, Mutual information evaluation: A way to predict the performance of feature weighting on clustering (6) 1001–1021

- Ji, R. and Y. Yang, Smooth support vector learning for fuzzy rule-based classification systems (4) 679– 695
- Jiménez, A., F. Berzal and J.-C. Cubero, Interestingness measures for association rules within groups (2) 195– 215
- Jin, B., see Feng, L. (4) 585– 602
- Karunaratne, T., H. Boström and U. Norinder, Comparative analysis of the use of chemoinformatics-based and substructure-based descriptors for quantitative structure-activity relationship (QSAR) modeling (2) 327– 341
- Keyvanpour, M., see Hassanzadeh, H. (2) 251– 270
- Keyvanpour, M.R. and M.B. Imani, Semi-supervised text categorization: Exploiting unlabeled data using ensemble learning algorithms (3) 367– 385
- Khatoon, S., G. Li and A. Mahmood, Comparison and evaluation of source code mining tools and techniques: A qualitative approach (3) 459– 484
- Khosravi-Farsani, H., M. Nematbakhsh and G. Lausen, Structure/attribute computation of similarities between nodes of a RDF graph with application to linked data clustering (2) 179– 194
- Kononenko, I., see Robnik-Šikonja, M. (5) 791– 802
- Kramer, S., see Schmidt, J. (1) 93– 123
- Kumar, D.V. and A. Tamilarasi, Genetic algorithm-based optimized association rule mining for multi-relational data (6) 965– 980
- Latapy, M., see Allali, O. (1) 5– 25
- Lausen, G., see Khosravi-Farsani, H. (2) 179– 194
- Lee, J.W. and C. Giraud-Carrier, Automatic selection of classification learning algorithms for data mining practitioners (4) 665– 678
- Li, G., see Khatoon, S. (3) 459– 484
- Liu, X., see Xie, J. (4) 649– 664
- Lopes, L., see Wang, X. (6) 1057–1074
- Magnien, C., see Allali, O. (1) 5– 25
- Mahmood, A., see Khatoon, S. (3) 459– 484
- Majnik, M. and Z. Bosnić, ROC analysis of classifiers in machine learning: A survey (3) 531– 558
- Mallick, B., D. Garg and P.S. Grover, Incremental mining of sequential patterns: Progress and challenges (3) 507– 530
- Matarese, N., V. Colla, M. Vannucci and L.M. Reyneri, A procedure for the detection of anomalous input-output patterns (5) 737– 751
- Mazloomian, A. and H. Beigy, Inferring signaling pathways using interventional data (2) 295– 308
- Mehta, S., see Tripathy, R.M. (1) 149– 175
- Merelo, J.J., see Arenas, M.G. (5) 771– 789
- Mohammadpour, A., see Zare, H. (2) 217– 231
- Monreale, A., see Berlingario, M. (1) 27– 48
- Mora, A.M., see Arenas, M.G. (5) 771– 789
- Moradi, P., see Zare, H. (2) 217– 231
- Mottin, D., T. Palpanas and Y. Velegrakis, Entity ranking using click-log information (5) 837– 856

- Nematbakhsh, M., see Khosravi-Farsani, H. (2) 179– 194
- Nguyen, K.-N.T., L. Cerf, M. Plantevit and J.-F. Boulicaut, Discovering descriptive rules in relational dynamic graphs (1) 49– 69
(2) 327– 341
- Norinder, U., see Karunaratne, T.
- Olague, G., see Perez, C.B. (4) 561– 583
- On, B.-W., Effective email network visualization techniques by means of user behaviors (6) 1041–1056
- Ordonez, C. and Z. Chen, Discovering frequent pattern pairs (6) 943– 963
- Palpanas, T., see Mottin, D. (5) 837– 856
- Park, J., see Shin, Y. (4) 717– 733
- Park, K., see Choi, I. (3) 387– 398
- Pedreschi, D., see Berlingerio, M. (1) 27– 48
- Peralta, B., P. Espinace and A. Soto, Enhancing K-Means using class labels (6) 1023–1039
- Perez, C.B. and G. Olague, Genetic programming as strategy for learning image descriptor operators (4) 561– 583
- Plantevit, M., see Nguyen, K.-N.T. (1) 49– 69
- Prado, A., B. Jeudy, E. Fromont and F. Diot, Mining spatiotemporal patterns in dynamic plane graphs (1) 71– 92
- Purusothaman, , T., see Shankar, S. (2) 271– 294
- Rahmati, M., see Haghghi, E.B. (6) 981– 999
- Reyneri, L.M., see Matarese, N. (5) 737– 751
- Ribeiro, B., see Chen, N. (3) 423– 437
- Rico, N., see Arenas, M.G. (5) 771– 789
- Riguzzi, F., see Bellodi, E. (2) 343– 363
- Robnik-Šikonja, M., E. Štrumbelj and I. Kononenko, Efficiently explaining the predictions of a probabilistic radial basis function classification network (5) 791– 802
- Ryu, K.H., see Yun, U. (5) 917– 939
- Saraee, M., see Shamsinejadbabaki, P. (6) 1075–1091
- Schmidt, J., A. Ghorbani, A. Hapfelmeier and S. Kramer, Learning probabilistic real-time automata from multi-attribute event logs (1) 93– 123
- Shamsinejadbabaki, P., M. Saraee and H. Blockeel, Causality-based cost-effective action mining (6) 1075–1091
- Shankar, S. and T. Purusothaman, A new utility-emphasized analysis for stock trading rules (2) 271– 294
- Shi, Y., see Xie, J. (4) 649– 664
- Shin, H., see Choi, I. (3) 387– 398
- Shin, Y. and J. Park, Feature identification for topical relevance assessment in feed search engines (4) 717– 733
- Sokolova, M.V. and A. Fernández-Caballero, A methodological approach to mining and simulating data in complex information systems (5) 753– 769
- Song, Q., see Wang, G. (5) 803– 835

- Soto, A., see Peralta, B. (6) 1023–1039
- Štrumbelj, E., see Robnik-Šikonja, M. (5) 791– 802
- Subašić, I. and B. Berendt, Story graphs: Tracking document set evolution using dynamic graphs (1) 125– 147
- Sugiyama, M. and A. Yamamoto, Semi-supervised learning on closed set lattices (3) 399– 421
- Suri, J.S., see Swapna, G. (2) 309– 326
- Swapna, G., U.R. Acharya, S. VinithaSree and J.S. Suri, Automated detection of diabetes using higher order spectral features extracted from heart rate signals (2) 309– 326
- Tamilarasi, A., see Kumar, D.V. (6) 965– 980
- Tripathy, R.M., A. Bagchi and S. Mehta, Towards combating rumors in social networks: Models and metrics (1) 149– 175
- Twala, B., Impact of noise on credit risk prediction: Does data quality really matter? (6) 1115–1134
- Vaisman, A.A., see Gómez, L. (5) 857– 898
- Vannucci, M., see Matarese, N. (5) 737– 751
- Velegrakis, Y., see Mottin, D. (5) 837– 856
- VinithaSree, S., see Swapna, G. (2) 309– 326
- Wang, G. and Q. Song, A novel feature subset selection algorithm based on association rule mining (5) 803– 835
- Wang, L., see Feng, L. (4) 585– 602
- Wang, L., see Wang, X. (6) 1057–1074
- Wang, W., see Al Shaqsi, J. (4) 603– 626
- Wang, X., L. Wang, A. Wirth and L. Lopes, Unsupervised categorization of human motion sequences (6) 1057–1074
- Wang, Y., Modeling financial dependence with support vector regression (2) 233– 249
- Wirth, A., see Wang, X. (6) 1057–1074
- Wu, I-C. and W.-H. Hwang, A genre-based fuzzy inference approach for effective filtering of movies (6) 1093–1113
- Xiao, Y., see Ji, B. (6) 1001–1021
- Xie, J., K. Hone, W. Xie, X. Gao, Y. Shi and X. Liu, Extending twin support vector machine classifier for multi-category classification problems (4) 649– 664
- Xie, W., see Xie, J. (4) 649– 664
- Yamamoto, A., see Sugiyama, M. (3) 399– 421
- Yang, Y., see Ji, R. (4) 679– 695
- Ye, Y.-D., see Ji, B. (6) 1001–1021
- Yun, U. and K.H. Ryu, Efficient mining of maximal correlated weight frequent patterns (5) 917– 939
- Zare, H., A. Mohammadpour and P. Moradi, A random projection approach for estimation of the betweenness centrality measure (2) 217– 231