

Author Index Volume 19 (2015)

The issue number is given in front of the page numbers.

- Abdoos, M., N. Mozayani and A.L.C. Bazzan, Towards reinforcement learning for
holonic multi-agent systems (2) 211– 232
- Abulaish, M., see Bhat, S.Y. (4) 917– 947
- Ahn, J.J., see Byun, H.W. (3) 683– 697
- Akbari, A., see Mohammadi, M. (6) 1233–1257
- Alizadeh, H., M. Yousefnezhad and B.M. Bidgoli, Wisdom of crowds cluster ensemble (3) 485– 503
- Altınçay, H., see Kamaei, K. (3) 563– 580
- Amar, C.B., see Mejdoub, M. (1) 75– 88
- Amirkhani, H. and M. Rahmati, Expectation maximization based ordering aggregation
for improving the K2 structure learning algorithm (5) 1003–1018
- Amorim, M.J. and M.G.M.S. Cardoso, Comparing clustering solutions: The use of
adjusted paired indices (6) 1275–1296
- Antolino, A., see Flores, J.J. (2) 391– 412
- Aoun, N.B., see Mejdoub, M. (1) 75– 88
- Avanzini, D. and A. Jara, The use of data reduction techniques to assess systemic risk:
An application to the Chilean banking system (S) S45– S67
- Azevedo, P.J., see Castro, N.C. (3) 581– 595
- Azgomi, M.A., see Dishabi, M.R.E. (6) 1323–1353
- Baek, S., see Byun, H.W. (3) 683– 697
- Baesens, B., see Seret, A. (S) S163–S184
- Bailey, J., see Tang, G. (5) 1171–1192
- Bakar, A.A., see Kamaruddin, S.S. (S) S19– S44
- Bakar, A.A., see Setyohadi, D.B. (4) 795– 823
- Barani, A., see Mirzaie, M. (6) 1311–1321
- Barber, D., see Staines, J. (S) S69– S85
- Bazzan, A.L.C., see Abdoos, M. (2) 211– 232
- Beigi, M., see Mirzaie, M. (6) 1311–1321
- Beigy, H., see Ghanbari, E. (2) 449– 468
- Bejinaru, A., see Seret, A. (S) S163–S184
- Bender, A., see Rahmani, H. (4) 897– 916
- Benferhat, S., see Bouzar-Benlabiod, L. (1) 3– 27
- Bhat, S.Y. and M. Abulaish, OCMiner: A density-based overlapping community
detection method for social networks (4) 917– 947
- Bidgoli, B.M., see Alizadeh, H. (3) 485– 503
- Blockeel, H., see Rahmani, H. (4) 897– 916

- Bonniol, S., see Saneifar, H. (2) 431– 448
- Boström, H., see Dudas, C. (2) 259– 278
- Boström, H., see Löfström, T. (6) 1355–1375
- Bouabana-Tebibel, T., see Bouzar-Benlabiod, L. (1) 3– 27
- Bouasker, S., T. Hamrouni and S.B. Yahia, Efficient mining of new concise representations of rare correlated patterns (2) 359– 390
- Bouzar-Benlabiod, L., S. Benferhat and T. Bouabana-Tebibel, Instantiated First Order Qualitative Choice Logic for an efficient handling of alerts correlation (1) 3– 27
- Bravo, C., see Chong, M. (S) S87–S101
- Brazdil, P., see Pinto, F. (S) S149–S162
- Brazdil, P., see Valizadeh, M. (3) 617– 629
- Brito, P., A.P.D. Silva and J.G. Dias, Probabilistic clustering of interval data (2) 293– 313
- Byun, H.W., S. Baek, J.J. Ahn, K.J. Oh and T.Y. Kim, Using a principal component analysis for multi-currencies-trading in the foreign exchange market (3) 683– 697
- Calderon, F., see Flores, J.J. (2) 391– 412
- Cardoso, J.S., see Silva, P.F.B. (6) 1391–1408
- Cardoso, M.G.M.S., see Amorim, M.J. (6) 1275–1296
- Carrasco-Ochoa, J.A., see Gutierrez-Rodríguez, A.E. (6) 1297–1310
- Castro, N.C. and P.J. Azevedo, Automatically estimating iSAX parameters (3) 581– 595
- Chen, A., see Chen, N. (1) 127– 144
- Chen, H.-Y., see Lin, J.C.-W. (5) 1071–1089
- Chen, N., B. Ribeiro and A. Chen, Comparative study of classifier ensembles for cost-sensitive credit risk assessment (1) 127– 144
- Chen, M., see Tan, X. (2) 279– 292
- Cho, S., see Kang, S. (4) 713– 725
- Chong, M., C. Bravo and M. Davison, How much effort should be spent to detect fraudulent applications when engaged in classifier-based lending? (S) S87–S101
- Colla, V., M. Vannucci and L.M. Reyneri, Artificial neural networks applied for estimating a probability density function (1) 29– 41
- Dabarera, R., see Martinez, O. (5) 1109–1130
- Dallaki, H., K.B. Lari, A. Hamzeh, S. Hashemi and A. Sami, Scaling up the hybrid Particle Swarm Optimization algorithm for nominal data-sets (4) 825– 844
- Davison, M., see Chong, M. (S) S87–S101
- Demšar, J., see Polajnar, M. (1) 89– 108
- Deng, C., see Tran, D.C. (5) 1049–1070
- Dias, J.G., see Brito, P. (2) 293– 313
- Dishabi, M.R.E. and M.A. Azgomi, Differential privacy preserving clustering in distributed datasets using Haar wavelet transform (6) 1323–1353
- Dong, G., see Tang, G. (5) 1171–1192
- Du, Y., X. Tian, W. Liu, M. Wang, W. Song, Y. Fan and X. Wang, A novel page ranking algorithm based on triadic closure and hyperlink-induced topic search (5) 1131–1049
- Dudas, C., A.H.C. Ng and H. Boström, Post-analysis of multi-objective optimization solutions using decision trees (2) 259– 278

- Eberle, W. and L. Holder, Scalable anomaly detection in graphs (1) 57– 74
- Fan, M., see Zhi, W. (4) 779– 794
- Fan, Y., see Du, Y. (5) 1131–1049
- Fanaee-T, H. and J. Gama, EigenEvent: An algorithm for event detection from complex data streams in syndromic surveillance (3) 597– 616
- Flores, J.J., F. Calderon, A. Antolino and J.M. Garcia, Network anomaly detection by continuous hidden markov models: An evolutionary programming approach (2) 391– 412
- Freitas, A.A., see Salama, K.M. (2) 233– 257
- Fu, C. and Y. Yang, A batch-mode active learning SVM method based on semi-supervised clustering (2) 345– 358
- Fu, C. and Y. Yang, Low density separation as a stopping criterion for active learning SVM (4) 727– 741
- Gama, J., see Fanaee-T, H. (3) 597– 616
- Gan, J.Q., see Tan, X. (2) 279– 292
- Gan, W., see Lin, J.C.-W. (5) 1071–1089
- García-Borroto, M., see Gutierrez-Rodríguez, A.E. (6) 1297–1310
- Garcia, J.M., see Flores, J.J. (2) 391– 412
- Ghanbari, E. and H. Beigy, Incremental RotBoost algorithm: An application for spam filtering (2) 449– 468
- Gharib, T.F., see Hussein, W. (6) 1377–1389
- Ghazanfar, M.A., Experimenting switching hybrid recommender systems (4) 845– 877
- Gordon, D., D. Hendler and L. Rokach, Fast and space-efficient shapelets-based time-series classification (5) 953– 981
- Guillaume, S., see Ros, F. (3) 631– 658
- Guo, H., see Zhi, W. (4) 779– 794
- Gutierrez-Rodríguez, A.E., J.F. Martínez-Trinidad, M. García-Borroto and J.A. Carrasco-Ochoa, Mining patterns for clustering using unsupervised decision trees (6) 1297–1310
- Haider, F., see Lingras, P. (S) S103–S116
- Hamdanb, A.R., see Kamaruddin, S.S. (S) S19– S44
- Hamrouni, T., see Bouasker, S. (2) 359– 390
- Hamzeh, A., see Dallaki, H. (4) 825– 844
- Hamzeh, A., see Tahernezhad, K. (1) 187– 208
- Han, M., see Yuan, J. (5) 983–1002
- Han, S.K., see Kim, Y.M. (4) 879– 895
- Hao, W., see He, D. (6) 1199–1212
- Harba, R., see Ros, F. (3) 631– 658
- Hashemi, S., see Dallaki, H. (4) 825– 844
- Hashemi, S., see Tahernezhad, K. (1) 187– 208
- He, C., see Zhu, B. (3) 471– 484
- He, D., H. Zhang, W. Hao and R. Zhang, A robust parzen window mutual information estimator for feature selection with label noise (6) 1199–1212
- Hendler, D., see Gordon, D. (5) 953– 981

- Holder, L., see Eberle, W. (1) 57– 74
- Hong, T.-P., see Lan, G.-C. (2) 413– 429
- Hong, T.-P., see Lin, C.-W. (1) 43– 55
- Hong, T.-P., see Lin, J.C.-W. (5) 1071–1089
- Huchard, M., see Warintarawej, P. (4) 761– 778
- Hussein, G.S., see Kamaruddin, S.S. (S) S19– S44
- Hussein, W., T.F. Gharib, R.M. Ismail and M.G.M. Mostafa, An efficient framework based on usage and semantic data for next page prediction (6) 1377–1389
- Ismail, R.M., see Hussein, W. (6) 1377–1389
- Jara, A., see Avanzini, D. (S) S45– S67
- Jiang, X., see Zhu, B. (3) 471– 484
- Johansson, U., see Ljöfström, T. (6) 1355–1375
- Ju, S., see Su, C. (5) 1035–1048
- Ju, S., see Su, C. (6) 1409–1432
- Kamaei, K. and H. Altınçay, Editing the nearest feature line classifier (3) 563– 580
- Kamaruddin, S.S., A.A. Bakar, A.R. Hamdanb, F.M. Norc, M.Z.A. Nazrib, Z.A. Othmanb and G.S. Hussein, A text mining system for deviation detection in financial documents (S) S19– S44
- Kang, S. and S. Cho, A novel multi-class classification algorithm based on one-class support vector machine (4) 713– 725
- Katrutsa, A.M., M.P. Kuznetsov, K.V. Rudakov and V.V. Strijov, Metric concentration search procedure using reduced matrix of pairwise distances (5) 1091–1108
- Khayyambashi, M.R., see Movahedian, H. (1) 109– 126
- Kim, C., see Kim, Y.M. (4) 879– 895
- Kim, T.Y., see Byun, H.W. (3) 683– 697
- Kim, T.Y., see Kim, Y.M. (4) 879– 895
- Kim, Y.M., S.K. Han, T.Y. Kim, K.J. Oh, Z. Luo and C. Kim, Intelligent stock market instability index: Application to the Korean stock market (4) 879– 895
- Kubat, M., see Martinez, O. (5) 1109–1130
- Kuznetsov, M.P., see Katrutsa, A.M. (5) 1091–1108
- Lafourcade, M., see Warintarawej, P. (4) 761– 778
- Lallich, S., see Rizoïu, M.-A. (1) 161– 185
- Lan, G.-C., see Lin, C.-W. (1) 43– 55
- Lan, G.-C., T.-P. Hong, H.-Y. Lee and C.-W. Lin, Tightening upper bounds for mining weighted frequent itemsets (2) 413– 429
- Lari, K.B., see Dallaki, H. (4) 825– 844
- Lari, K.B., see Tahernezhad, K. (1) 187– 208
- Laurent, A., see Warintarawej, P. (4) 761– 778
- Lee, C.-H., A multi-phase approach for classifying multi-dimensional sequence data (3) 547– 561
- Lee, H.-Y., see Lan, G.-C. (2) 413– 429
- Lei, D., see Wan, J. (1) 145– 160

- Li, J., see Peng, Y. (3) 659– 682
- Li, S.-T., see Lin, J.C.-W. (5) 1071–1089
- Lin, C.-W., G.-C. Lan and T.-P. Hong, Mining high utility itemsets for transaction deletion in a dynamic database (1) 43– 55
- Lin, C.-W., see Lan, G.-C. (2) 413– 429
- Lin, J.C.-W., T.-P. Hong, W. Gan, H.-Y. Chen and S.-T. Li, Incrementally updating the discovered sequential patterns based on pre-large concept (5) 1071–1089
- Lingras, P. and F. Haider, Rough ensemble clustering (S) S103–S116
- Linusson, H., see LÖfström, T. (6) 1355–1375
- Liu, D., see Peng, Y. (3) 659– 682
- Liu, W., see Du, Y. (5) 1131–1049
- Liu, Y., see Su, C. (5) 1035–1048
- Liu, Y., see Su, C. (6) 1409–1432
- LÖfström, T., H. Boström, H. Linusson and U. Johansson, Bias reduction through conditional conformal prediction (6) 1355–1375
- López, J. and S. Maldonado, Robust feature selection for multiclass Support Vector Machines using second-order cone programming (S) S117–S133
- López, J., see Maldonado, S. (6) 1259–1273
- Loterman, G. and C. Mues, Learning algorithm selection for comprehensible regression analysis using datasetoids (5) 1019–1034
- Lu, J., see Wan, J. (1) 145– 160
- Lu, S., X. Wang, G. Zhang and X. Zhou, Effective algorithms of the Moore-Penrose inverse matrices for extreme learning machine (4) 743– 760
- Luo, Z., see Kim, Y.M. (4) 879– 895
- Luor, D.-C., A comparative assessment of data standardization on support vector machine for classification problems (3) 529– 546
- Makrehchi, M., Evaluating feature ranking methods in text classifiers (5) 1151–1170
- Maldonado, S. and J. López, An embedded feature selection approach for support vector classification via second-order cone programming (6) 1259–1273
- Maldonado, S., Churn prediction via support vector classification: An empirical comparison (S) S135–S147
- Maldonado, S., see López, J. (S) S117–S133
- Martinez, O., R. Dabarera, K. Premaratne and M. Kubat, LDA-based probabilistic graphical model for excitation-emission matrices (5) 1109–1130
- Martínez-Trinidad, J.F., see Gutierrez-Rodríguez, A.E. (6) 1297–1310
- Mejdoub, M., N.B. Aoun and C.B. Amar, Bag of frequent subgraphs approach for image classification (1) 75– 88
- Mirzaie, M., A. Barani, N. Nematbakhsh and M. Beigi, OverDBC: A new density-based clustering method with the ability of detecting overlapped clusters from gene expression data (6) 1311–1321
- Mohammadi, M., B. Raahemi and A. Akbari, A geometric density-based sample reduction method (6) 1233–1257
- Mostafa, M.G.M., see Hussein, W. (6) 1377–1389

- Movahedian, H. and M.R. Khayyambashi, A semantic recommender system based on frequent tag pattern (1) 109– 126
- Mozayani, N., see Abdoos, M. (2) 211– 232
- Mues, C., see Loterman, G. (5) 1019–1034
- Nazrib, M.Z.A., see Kamaruddin, S.S. (S) S19– S44
- Nematbakhsh, N., see Mirzaie, M. (6) 1311–1321
- Ng, A.H.C., see Dudas, C. (2) 259– 278
- Niu, L., see Zhao, X. (3) 505– 527
- Norc, F.M., see Kamaruddin, S.S. (S) S19– S44
- Oh, K.J., see Byun, H.W. (3) 683– 697
- Oh, K.J., see Kim, Y.M. (4) 879– 895
- Othman, Z.A., see Setyohadi, D.B. (4) 795– 823
- Othmanb, Z.A., see Kamaruddin, S.S. (S) S19– S44
- Pei, J., see Tang, G. (5) 1171–1192
- Peng, Y., Y. Xu, D. Liu and J. Li, Locality structure preserving based feature selection for prognostics (3) 659– 682
- Pinto, F., C. Soares and P. Brazdil, Combining regression models and metaheuristics to optimize space allocation in the retail industry (S) S149–S162
- Pintore, M., see Ros, F. (3) 631– 658
- Polajnar, M. and J. Demšar, Small network completion using frequent subnetworks (1) 89– 108
- Pompidor, P., see Warintarawej, P. (4) 761– 778
- Poncelet, P., see Saneifar, H. (2) 431– 448
- Premaratne, K., see Martinez, O. (5) 1109–1130
- Raahemi, B., see Mohammadi, M. (6) 1233–1257
- Rahmani, H., H. Blockeel and A. Bender, Using a Human Disease Network for augmenting prior knowledge about diseases (4) 897– 916
- Rahmati, M., see Amirkhani, H. (5) 1003–1018
- Reyneri, L.M., see Colla, V. (1) 29– 41
- Ribeiro, B., see Chen, N. (1) 127– 144
- Rizoiu, M.-A., J. Velcin and S. Lallich, Semantic-enriched visual vocabulary construction in a weakly supervised context (1) 161– 185
- Roche, M., see Saneifar, H. (2) 431– 448
- Rokach, L., see Gordon, D. (5) 953– 981
- Ros, F., R. Harba, M. Pintore and S. Guillaume, A fast and flexible instance selection algorithm adapted to non-trivial database sizes (3) 631– 658
- Rudakov, K.V., see Katrutsa, A.M. (5) 1091–1108
- Salama, K.M. and A.A. Freitas, Ant colony algorithms for constructing bayesian multi-net classifiers (2) 233– 257
- Sami, A., see Dallaki, H. (4) 825– 844

- Saneifar, H., S. Bonniol, P. Poncelet and M. Roche, Recognition of logical units in log files (2) 431– 448
- Schebesch, K.B., see Stecking, R. (S) S3– S18
- Seret, A., A. Bejinaru and B. Baesens, Business knowledge based segmentation of online banking customers (S) S163–S184
- Setyohadi, D.B., A.A. Bakar and Z.A. Othman, Optimization overlap clustering based on the hybrid rough discernibility concept and rough K-Means (4) 795– 823
- Shi, Y., see Zhao, X. (3) 505– 527
- Silva, A.P.D., see Brito, P. (2) 293– 313
- Silva, P.F.B. and J.S. Cardoso, Differential scorecards for binary and ordinal data (6) 1391–1408
- Soares, C., see Pinto, F. (S) S149–S162
- Song, W., see Du, Y. (5) 1131–1049
- Staines, J. and D. Barber, Topic factor models: Uncovering thematic structure in equity market data (S) S69– S85
- Stecking, R. and K.B. Schebesch, Classification of credit scoring data with privacy constraints (S) S3– S18
- Strange, H. and R. Zwiggelaar, Piecewise-linear manifold learning: A heuristic approach to non-linear dimensionality reduction (6) 1213–1232
- Strijov, V.V., see Katrutsa, A.M. (5) 1091–1108
- Su, C., S. Ju, Y. Liu and Z. Yu, Improving PART algorithm with K-L divergence for imbalanced classification (5) 1035–1048
- Su, C., S. Ju, Y. Liu and Z. Yu, Improving Random Forest and Rotation Forest for highly imbalanced datasets (6) 1409–1432
- Sun, S., see Xie, X. (4) 701– 712
- Sun, Y., see Yuan, J. (5) 983–1002
- Tahernezhad, K., K.B. Lari, A. Hamzeh and S. Hashemi, HC-MOEA: A hierarchical clustering approach for increasing the solution's diversity in multiobjective evolutionary algorithms (1) 187– 208
- Tan, X., M. Chen and J.Q. Gan, A co-training algorithm based on modified Fisher's linear discriminant analysis (2) 279– 292
- Tang, G., J. Pei, J. Bailey and G. Dong, Mining multidimensional contextual outliers from categorical relational data (5) 1171–1192
- Tian, X., see Du, Y. (5) 1131–1049
- Tran, D.C., Z. Wu and C. Deng, An improved approach of particle swarm optimization and application in data clustering (5) 1049–1070
- Valizadeh, M. and P. Brazdil, Density-based graph model summarization: Attaining better performance and efficiency (3) 617– 629
- Vannucci, M., see Colla, V. (1) 29– 41
- Velcin, J., see Rizoju, M.-A. (1) 161– 185
- Wan, J., Q. Zhu, D. Lei and J. Lu, Outlier detection based on transitive closure (1) 145– 160
- Wang, J., Constrained matrix factorization for financial data clustering (2) 315– 343
- Wang, M., see Du, Y. (5) 1131–1049

- Wang, X., see Du, Y. (5) 1131–1049
Wang, X., see Lu, S. (4) 743– 760
Wang, Z., see Yuan, J. (5) 983–1002
Warintarawej, P., M. Huchard, M. Lafourcade, A. Laurent and P. Pompidor, Software understanding: Automatic classification of software identifiers (4) 761– 778
Wu, Z., see Tran, D.C. (5) 1049–1070
- Xie, X. and S. Sun, Multi-view twin support vector machines (4) 701– 712
Xu, Y., see Peng, Y. (3) 659– 682
- Yahia, S.B., see Bouasker, S. (2) 359– 390
Yang, Y., see Fu, C. (2) 345– 358
Yang, Y., see Fu, C. (4) 727– 741
Ye, Y., see Zhi, W. (4) 779– 794
Yousefnezhad, M., see Alizadeh, H. (3) 485– 503
Yu, Z., see Su, C. (5) 1035–1048
Yu, Z., see Su, C. (6) 1409–1432
Yuan, J., Z. Wang, M. Han and Y. Sun, A lazy associative classifier for time series (5) 983–1002
- Zhang, G., see Lu, S. (4) 743– 760
Zhang, H., see He, D. (6) 1199–1212
Zhang, R., see He, D. (6) 1199–1212
Zhao, X., Y. Shi and L. Niu, Kernel based simple regularized multiple criteria linear program for binary classification and regression (3) 505– 527
Zhi, W., H. Guo, M. Fan and Y. Ye, Instance-based ensemble pruning for imbalanced learning (4) 779– 794
Zhou, X., see Lu, S. (4) 743– 760
Zhu, B., C. He and X. Jiang, A consistency-based validation for data clustering (3) 471– 484
Zhu, Q., see Wan, J. (1) 145– 160
Zwiggelaar, R., see Strange, H. (6) 1213–1232