

Author Index Volume 25 (2012)

The issue number is given in front of the pagination

- Acar, B. and Ö.T. Yılmaz, Effects of different physiotherapy applications on pain and mobility of connective tissue in patients with myofascial pain syndrome (4) 261–267
- Aggarwal, A., see Kumar, S. (2) 73–79
- Ahmadipoor, A., see Rezasoltani, A. (1) 67–72
- Ahn, S.-H., see Chang, J.S. (1) 21–26
- Ai, H.-Z., see Zhu, H. (4) 235–238
- Akbari, M., see Javadian, Y. (3) 149–155
- Akkaya, N., see Sarsan, A. (3) 193–199
- Aksoy, C., see Dıraçoğlu, D. (4) 285–290
- Alayli, G., see Durmus, D. (4) 275–284
- Ardic, F., see Sarsan, A. (3) 193–199
- Atalay, N.S., see Sarsan, A. (3) 193–199
- Bagheri, H., see Ghasemi, M. (2) 95–101
- Bakhtiary, A.H., see Larrie-Baghal, M. (3) 171–176
- Baxter, D., see Scaia, V. (4) 215–223
- Baygutalp, F., see Baykal, T. (3) 157–159
- Baykal, T., F. Baygutalp, K. Senel, A. Levent, A. Erdal, M. Ugur and S. Ozgocmen, Spastic paraparesis and sensorineural hearing loss in a patient with neurobrucellosis (3) 157–159
- Bayrak, I.K., see Durmus, D. (4) 275–284
- Behtash, H., see Javadian, Y. (3) 149–155
- Bojanic, I., see Popovac, H. (4) 299–300
- Canturk, F., see Durmus, D. (4) 275–284
- Casimiro, A.J., see Muyor, J.M. (3) 161–169
- Celik, E.C., S. Kabatas and M. Karatas, Atypical presentation of cauda equina syndrome secondary to lumbar disc herniation (1) 1–3
- Chang, J.S., Y.H. Kwon, C.S. Kim, S.-H. Ahn and S.H. Park, Differences of ground reaction forces and kinematics of lower extremity according to landing height between flat and normal feet (1) 21–26
- Cheng, M.-H., see Zhu, H. (4) 235–238
- Cook, C., see Scaia, V. (4) 215–223
- Daşkapan, A., E. Tonga, N. Durutürk and E.H. Tüzün, Effects of two different quadriceps strengthening exercise approaches on cardiovascular fitness in healthy female subjects: A single blind randomized study (2) 81–87
- Davarian, S., N. Maroufi, I. Ebrahimi, F. Farahmand and M. Parnianpour, Trunk muscles strength and endurance in chronic low back pain patients with and without clinical instability (2) 123–129
- de Abreu Freitas, R.P., T.M.A.M. Lemos, M.H.C. Spyrides and M.B.C. de Sousa, Influence of cortisol and DHEA-S on pain and other symptoms in post menopausal women with fibromyalgia (4) 245–252
- de Sousa, M.B.C., see de Abreu Freitas, R.P. (4) 245–252
- Dev, R., see Kumar, S. (2) 73–79
- Dıraçoğlu, D., M. Vural, A. Karan and C. Aksoy, Effectiveness of dry needling for the treatment of temporomandibular myofascial pain: A double-blind, randomized, placebo controlled study (4) 285–290
- Dogu, B., see Yılmaz, F. (2) 89–94
- Dontas, I., see Karakasidou, P. (1) 55–66
- Durmus, D. and I. Ilhanli, Are there work-related musculoskeletal problems among teachers in Samsun, Turkey? (1) 5–12
- Durmus, D., G. Alayli, I.K. Bayrak and F. Canturk, Assessment of the effect of glucosamine sulfate and exercise on knee cartilage using magnetic resonance imaging in patients with knee osteoarthritis: A randomized controlled clinical trial (4) 275–284
- Durutürk, N., see Daşkapan, A. (2) 81–87
- Ebrahimi, I., see Davarian, S. (2) 123–129
- Elheiga-Na'amne, B.A., see Laufer, Y. (3) 201–208
- Engkasan, J.P., see Hejazi, S.M.A. (4) 231–234
- Erdal, A., see Baykal, T. (3) 157–159
- Ergun, N., see Kaya, D.O. (2) 109–116

- Farahmand, F., see Davarian, S. (2) 123–129
- Genc, A., see Mollaoglu, H. (4) 253–260
- Ghasemi, M., G. Olyaei, H. Bagheri, S. Talebian, A. Shadmehr and S. Jalaei, The effects of triceps surae fatigue on the torque and electromyographic parameters in athletes compared with non-athletes (2) 95–101
- Ghorbani, R., see Larrie-Baghal, M. (3) 171–176
- Guo, L.-Y., S.-Y. Lee, C.-F. Lin, C.-H. Yang, Y.-Y. Hou, W.-L. Wu and H.-T. Lin, Three-dimensional characteristics of neck movements in subjects with mechanical neck disorder (1) 47–53
- Guzel, H.I., see Mollaoglu, H. (4) 253–260
- Hadian, M.-R., see Otadi, K. (1) 13–19
- Haig, A.J., see Tomkins-Lane, C.C. (3) 177–185
- Hayran, M., see Kaya, D.O. (2) 109–116
- He, C., S. Wang, S. Li, L. Yang, H. He, Y. Wu, Q. Lan and T. Tang, Study of the association between female obesity and osteoporosis (3) 143–148
- He, H., see He, C. (3) 143–148
- Hedayati, R., see Larrie-Baghal, M. (3) 171–176
- Hejazi, S.M.A., J.P. Engkasan and M.S.M. Qomi, Intensive exercise and a patient in acute phase of polymyositis (4) 231–234
- Hoshiyama, M., see Tanaka, N. (2) 117–122
- Hou, Y.-Y., see Guo, L.-Y. (1) 47–53
- Ilhanli, I., see Durmus, D. (1) 5–12
- Jafarian, Z., see Shadmehr, A. (1) 27–32
- Jalaei, S., see Ghasemi, M. (2) 95–101
- Jalaie, S., see Otadi, K. (1) 13–19
- Javadian, Y., H. Behtash, M. Akbari, M. Taghipour-Darzi and H. Zekavat, The effects of stabilizing exercises on pain and disability of patients with lumbar segmental instability (3) 149–155
- Javanshir, K., see Rezasoltani, A. (1) 67–72
- Kabatas, S., see Celik, E.C. (1) 1–3
- Kaplan, A., see Mollaoglu, H. (4) 253–260
- Karakasidou, P., E.K. Skordilis, I. Dontas and G.P. Lyritis, Postural profile and falls of osteoporotic women (1) 55–66
- Karan, A., see Diraçoğlu, D. (4) 285–290
- Karatas, M., see Celik, E.C. (1) 1–3
- Kaya, D.O., N. Ergun and M. Hayran, Effects of different segmental spinal stabilization exercise protocols on postural stability in asymptomatic subjects: Randomized controlled trial (2) 109–116
- Khademi-Kalantari, K., see Rezasoltani, A. (1) 67–72
- Kim, C.S., see Chang, J.S. (1) 21–26
- Kim, L.J. and N. Kim, Difference in lateral abdominal muscle thickness during forceful exhalation in healthy smokers and non-smokers (4) 239–244
- Kim, N., see Kim, L.J. (4) 239–244
- Kinoshita, S., Handrail position and shape that best facilitate sit-to-stand movement (1) 33–45
- Kumar, S., V.P. Sharma, A. Aggarwal, R. Shukla and R. Dev, Effect of dynamic muscular stabilization technique on low back pain of different durations (2) 73–79
- Kuran, B., see Yilmaz, F. (2) 89–94
- Kwon, Y.H., see Chang, J.S. (1) 21–26
- Lan, Q., see He, C. (3) 143–148
- Larrie-Baghal, M., A.H. Bakhtiary, A. Rezasoltani, R. Hedayati and R. Ghorbani, Multiplying linear dimension techniques may predict the cross-sectional area of multifidus muscle at all levels of lumbar spine (3) 171–176
- Laufer, Y., B.A. Elheiga-Na'amne and N. Rozen, Translation and validation of the Arab version of the fear avoidance beliefs questionnaire (3) 201–208
- Lee, S.-Y., see Guo, L.-Y. (1) 47–53
- Lee, J.-H. and W.-G. Yoo, Effect of scapular elevation taping on scapular depression syndrome: A case report (3) 187–191
- Lemos, T.M.A.M., see de Abreu Freitas, R.P. (4) 245–252
- Levent, A., see Baykal, T. (3) 157–159
- Li, J., see Shi, D. (4) 291–297
- Li, S., see He, C. (3) 143–148
- Lim, W.T., see Yoon, J.Y. (4) 269–274
- Lin, C.-F., see Guo, L.-Y. (1) 47–53
- Lin, H.-T., see Guo, L.-Y. (1) 47–53
- López-Miñarro, P.A., see Muyor, J.M. (3) 161–169
- Lou, Z.-P., see Zhu, H. (4) 235–238
- Lyritis, G.P., see Karakasidou, P. (1) 55–66
- Maroufi, N., see Davarian, S. (2) 123–129
- Mayda, H., see Mollaoglu, H. (4) 253–260
- Meng, H., see Shi, D. (4) 291–297
- Mollaoglu, H., K. Ucok, A. Kaplan, A. Genc, H. Mayda, H.I. Guzel, U. Sener, E. Uygur and O. Ozbulut, Association analyses of depression, anxiety, and physical fitness parameters in Turkish obese adults (4) 253–260

- Muyor, J.M., P.A. López-Miñarro and A.J. Casimiro, Effect of stretching program in an industrial workplace on hamstring flexibility and sagittal spinal posture of adult women workers: A randomized controlled trial (3) 161–169
- Nagarajan, M., see Vijayakumar, P. (4) 225–230
Nuhmani, S., see Waseem, M. (2) 131–142
- Oh, J.S., see Yoon, J.Y. (4) 269–274
Olyaei, G., see Ghasemi, M. (2) 95–101
Olyaei, G., see Otadi, K. (1) 13–19
Oskouei, A.E., see Talebi, G.A. (3) 209–214
Otadi, K., M.-R. Hadian, G. Olyaei and S. Jalaie, The beneficial effects of adding low level laser to ultrasound and exercise in Iranian women with shoulder tendonitis: A randomized clinical trial (1) 13–19
- Ozbulut, O., see Mollaoglu, H. (4) 253–260
Özgen, M., see Sarsan, A. (3) 193–199
Ozgocmen, S., see Baykal, T. (3) 157–159
Ozmaden, A., see Yilmaz, F. (2) 89–94
- Park, S.H., see Chang, J.S. (1) 21–26
Parnianpour, M., see Davarian, S. (2) 123–129
Popovac, H., I. Bojanic and T. Smoljanovic, Letter to the Editor (4) 299–300
- Qomi, M.S.M., see Hejazi, S.M.A. (4) 231–234
- Ram, C.S., see Waseem, M. (2) 131–142
Ramli, A., see Vijayakumar, P. (4) 225–230
Rezasoltani, A., A. Ahmadipoor, K. Khademi-Kalantari and K. Javanshir, The sign of unilateral neck semispinalis capitis muscle atrophy in patients with chronic non-specific neck pain (1) 67–72
Rezasoltani, A., see Larrie-Baghal, M. (3) 171–176
Rozen, N., see Laufer, Y. (3) 201–208
- Sachin, Y., see Waseem, M. (2) 131–142
Sahin, F., see Yilmaz, F. (2) 89–94
Sarsan, A., N. Akkaya, M. Özgen, N. Yildiz, N.S. Atalay and F. Ardic, Comparing the efficacy of mature mud pack and hot pack treatments for knee osteoarthritis (3) 193–199
Scaia, V., D. Baxter and C. Cook, The pain provocation-based straight leg raise test for diagnosis of lumbar disc herniation, lumbar radiculopathy, and/or sciatica: A systematic review of clinical utility (4) 215–223
Senel, K., see Baykal, T. (3) 157–159
- Sener, U., see Mollaoglu, H. (4) 253–260
Shadmehr, A., see Ghasemi, M. (2) 95–101
Shadmehr, A., Z. Jafarian and S. Talebian, Changes in recruitment of pelvic stabilizer muscles in people with and without sacroiliac joint pain during the active straight-leg-raise test (1) 27–32
Shakori, S.K., see Talebi, G.A. (3) 209–214
Sharma, V.P., see Kumar, S. (2) 73–79
Shi, D., J. Li, H. Zhai, H. Wang, H. Meng and Y. Wang, Specialized core stability exercise: A neglected component of anterior cruciate ligament rehabilitation programs (4) 291–297
Shukla, R., see Kumar, S. (2) 73–79
Skordilis, E.K., see Karakasidou, P. (1) 55–66
Smoljanovic, T., see Popovac, H. (4) 299–300
Spyrides, M.H.C., see de Abreu Freitas, R.P. (4) 245–252
- Taghipour-Darzi, M., see Javadian, Y. (3) 149–155
Talebi, G.A., A.E. Oskouei and S.K. Shakori, Reliability of upper limb tension test 1 in normal subjects and patients with carpal tunnel syndrome (3) 209–214
Talebian, S., see Ghasemi, M. (2) 95–101
Talebian, S., see Shadmehr, A. (1) 27–32
Tanaka, N. and M. Hoshiyama, Vibroarthrography in patients with knee arthropathy (2) 117–122
Tang, T., see He, C. (3) 143–148
Tomkins-Lane, C.C. and A.J. Haig, A review of activity monitors as a new technology for objectifying function in lumbar spinal stenosis (3) 177–185
Tonga, E., see Daşkapan, A. (2) 81–87
Tüzün, E.H., see Daşkapan, A. (2) 81–87
- Ucok, K., see Mollaoglu, H. (4) 253–260
Ugur, M., see Baykal, T. (3) 157–159
Uygur, E., see Mollaoglu, H. (4) 253–260
- Vijayakumar, P., M. Nagarajan and A. Ramli, Multimodal physiotherapeutic management for stage-IV osteitis pubis in a 15-year old soccer athlete: A case report (4) 225–230
Vural, M., see Dıraçoğlu, D. (4) 285–290
- Wang, H., see Shi, D. (4) 291–297
Wang, S., see He, C. (3) 143–148
Wang, Y., see Shi, D. (4) 291–297
Waseem, M., S. Nuhmani, C.S. Ram and Y. Sachin, Lateral epicondylitis: A review of the literature (2) 131–142
Wu, W.-L., see Guo, L.-Y. (1) 47–53

- Wu, Y., see He, C. (3) 143–148
- Yang, C.-H., see Guo, L.-Y. (1) 47–53
- Yang, L., see He, C. (3) 143–148
- Yildiz, N., see Sarsan, A. (3) 193–199
- Yilmaz, F., F. Sahin, B. Dogu, A. Ozmaden and B. Kuran, Reliability and validity of the Turkish version of the mini Osteoporosis Quality of Life Questionnaire (2) 89–94
- Yılmaz, Ö.T., see Acar, B. (4) 261–267
- Yoo, W.-G., see Lee, J.-H. (3) 187–191
- Yoon, J.Y., W.T. Lim and J.S. Oh, Influence of the strap-length on the trunk motion and gait symmetry in Korean women carrying a single-strap bag (4) 269–274
- Zekavat, H., see Javadian, Y. (3) 149–155
- Zhai, H., see Shi, D. (4) 291–297
- Zhou, X.-Z., see Zhu, H. (4) 235–238
- Zhu, H., X.-Z. Zhou, M.-H. Cheng, Z.-P. Lou and H.-Z. Ai, Coblation nucleoplasty for adjacent segment degeneration after posterolateral fusion surgery: A case report (4) 235–238
- Zusman, M., A note to the musculoskeletal physiotherapist (2) 103–107