

Author Index Volume 19 (2011)

The issue number is given in front of the page numbers.

- Adam, N., see He, X. (3) 453– 484
- Alomair, B., L. Lazos and R. Poovendran, Securing low-cost RFID systems: An unconditionally secure approach (2) 229– 257
- Atluri, V., Preface (3) 365
- Atluri, V., see Shin, H. (3) 607– 637
- Atluri, V., see Shin, H. (5) 795– 833
- Avoine, G., M.A. Bingöl, S. Kardaş, C. Lauradoux and B. Martin, A framework for analyzing RFID distance bounding protocols (2) 289– 317
- Barber, K.S., see DeAngelis, D. (1) 57– 99
- Basin, D., see Köpf, B. (1) 1– 31
- Bingöl, M.A., see Avoine, G. (2) 289– 317
- Biskup, J., C. Gogolin, J. Seiler and T. Weibert, Inference-proof view update transactions with forwarded refreshments (3) 487– 529
- Chen, H., see Hsu, F. (5) 869– 893
- Chen, Y., see Zhang, C. (6) 1083–1107
- Cho, J.-s., see Shin, H. (3) 607– 637
- Ciriani, V., S. De Capitani di Vimercati, S. Foresti, S. Jajodia, S. Paraboschi and P. Samarati, Selective data outsourcing for enforcing privacy (3) 531– 566
- Curtmola, R., J. Garay, S. Kamara and R. Ostrovsky, Searchable symmetric encryption: Improved definitions and efficient constructions (5) 895– 934
- De Capitani di Vimercati, S., S. Foresti, S. Jajodia, S. Paraboschi and P. Samarati, Authorization enforcement in distributed query evaluation (4) 751– 794
- De Capitani di Vimercati, S., see Ciriani, V. (3) 531– 566
- DeAngelis, D. and K.S. Barber, Security applications of trust in multi-agent systems (1) 57– 99
- Deng, R.H., Y. Li, M. Yung and Y. Zhao, A zero-knowledge based framework for RFID privacy (6) 1109–1146
- Dewri, R., I. Ray, I. Ray and D. Whitley, Exploring privacy versus data quality trade-offs in anonymization techniques using multi-objective optimization (5) 935– 974
- Dong, C., G. Russello and N. Dulay, Shared and searchable encrypted data for untrusted servers (3) 367– 397
- D’Souza, D., R. Holla, K.R. Raghavendra and B. Sprick, Model-checking trace-based information flow properties (1) 101– 138
- Dulay, N., see Dong, C. (3) 367– 397

- Ehlert, S., see Gritzalis, D. (5) 835– 867
- Fitzgerald, W.M., see Foley, S.N. (3) 567– 605
- Foley, S.N. and W.M. Fitzgerald, Management of security policy configuration using a Semantic Threat Graph approach (3) 567– 605
- Foresti, S., see Ciriani, V. (3) 531– 566
- Foresti, S., see De Capitani di Vimercati, S. (4) 751– 794
- Garay, J., see Curtmola, R. (5) 895– 934
- Gogolin, C., see Biskup, J. (3) 487– 529
- Gordon, L.A., M.P. Loeb and L. Zhou, The impact of information security breaches: Has there been a downward shift in costs? (1) 33– 56
- Gritzalis, D., G. Marias, Y. Rebahi, Y. Soupionis and S. Ehlert, SPIDER: A platform for managing SIP-based Spam over Internet Telephony (SPIT) (5) 835– 867
- Gudes, E., see Vaidya, J. (3) 485– 486
- Halevi, S., see Halevi, T. (2) 343– 363
- Halevi, T., N. Saxena and S. Halevi, Tree-based HB protocols for privacy-preserving authentication of RFID tags (2) 343– 363
- Hancke, G.P., Practical eavesdropping and skimming attacks on high-frequency RFID tokens (2) 259– 288
- He, X., H. Lu, J. Vaidya and N. Adam, Secure construction and publication of contingency tables from distributed data (3) 453– 484
- Holla, R., see D'Souza, D. (1) 101– 138
- Holz, T., see Rieck, K. (4) 639– 668
- Hsu, F., H. Chen and S. Machiraju, WebCallerID: Leveraging cellular networks for Web authentication (5) 869– 893
- Jajodia, S., see Ciriani, V. (3) 531– 566
- Jajodia, S., see De Capitani di Vimercati, S. (4) 751– 794
- Kamara, S., see Curtmola, R. (5) 895– 934
- Kamil, A. and G. Lowe, Analysing TLS in the strand spaces model (5) 975– 1025
- Kardaş, S., see Avoine, G. (2) 289– 317
- Köpf, B. and D. Basin, Automatically deriving information-theoretic bounds for adaptive side-channel attacks (1) 1– 31
- Lauradoux, C., see Avoine, G. (2) 289– 317
- Lazos, L., see Alomair, B. (2) 229– 257
- Li, Y. and J. Zhou, Guest editors' preface (2) 227– 228
- Li, Y., see Deng, R.H. (6) 1109– 1146
- Loeb, M.P., see Gordon, L.A. (1) 33– 56
- Lowe, G., see Kamil, A. (5) 975– 1025
- Lu, H., see He, X. (3) 453– 484
- Machiraju, S., see Hsu, F. (5) 869– 893

- Mannan, M. and P.C. van Oorschot, Leveraging personal devices for stronger password authentication from untrusted computers (4) 703– 750
- Marias, G., see Gritzalis, D. (5) 835– 867
- Martin, B., see Avoine, G. (2) 289– 317
- Mu, Y., see Ng, C.Y. (2) 319– 341
- Ng, C.Y., W. Susilo, Y. Mu and R. Safavi-Naini, Practical RFID ownership transfer scheme (2) 319– 341
- Nguyen, L.H. and A.W. Roscoe, Authentication protocols based on low-bandwidth unspoofable channels: A comparative survey (1) 139– 201
- Nithyanand, R., G. Tsudik and E. Uzun, User-aided reader revocation in PKI-based RFID systems (6) 1147–1172
- Ostrovsky, R., see Curtmola, R. (5) 895– 934
- Paraboschi, S., see Ciriani, V. (3) 531– 566
- Paraboschi, S., see De Capitani di Vimercati, S. (4) 751– 794
- Poovendran, R., see Alomair, B. (2) 229– 257
- Raghavendra, K.R., see D'Souza, D. (1) 101– 138
- Ray, I., see Dewri, R. (5) 935– 974
- Ray, I., see Dewri, R. (5) 935– 974
- Ray, I., see Toahchoodee, M. (3) 399– 452
- Rebahi, Y., see Gritzalis, D. (5) 835– 867
- Rieck, K., P. Trinius, C. Willems and T. Holz, Automatic analysis of malware behavior using machine learning (4) 639– 668
- Roscoe, A.W., see Nguyen, L.H. (1) 139– 201
- Russello, G., see Dong, C. (3) 367– 397
- Safavi-Naini, R., see Ng, C.Y. (2) 319– 341
- Samarati, P., see Ciriani, V. (3) 531– 566
- Samarati, P., see De Capitani di Vimercati, S. (4) 751– 794
- Saxena, N., see Halevi, T. (2) 343– 363
- Seiler, J., see Biskup, J. (3) 487– 529
- Shin, H., V. Atluri and J.-s. Cho, Efficiently enforcing spatiotemporal access control under uncertain location information (3) 607– 637
- Shin, H., J. Vaidya and V. Atluri, A profile anonymization model for location-based services (5) 795– 833
- Sinha, A., A survey of system security in contactless electronic passports (1) 203– 226
- Soupiotis, Y., see Gritzalis, D. (5) 835– 867
- Sprick, B., see D'Souza, D. (1) 101– 138
- Susilo, W., see Ng, C.Y. (2) 319– 341
- Terauchi, T., see Yasuoka, H. (6) 1029–1082
- Thorpe, J., see van Oorschot, P.C. (4) 669– 702
- Toahchoodee, M. and I. Ray, On the formalization and analysis of a spatio-temporal role-based access control model (3) 399– 452

- Trinius, P., see Rieck, K. (4) 639– 668
Tsudik, G., see Nithyanand, R. (6) 1147–1172
- Uzun, E., see Nithyanand, R. (6) 1147–1172
- Vaidya, J. and E. Gudes, Introduction (3) 485– 486
Vaidya, J., see He, X. (3) 453– 484
Vaidya, J., see Shin, H. (5) 795– 833
van Oorschot, P.C. and J. Thorpe, Exploiting predictability in click-based graphical passwords (4) 669– 702
van Oorschot, P.C., see Mannan, M. (4) 703– 750
- Wang, T., see Zhang, C. (6) 1083–1107
Wei, T., see Zhang, C. (6) 1083–1107
Weibert, T., see Biskup, J. (3) 487– 529
Whitley, D., see Dewri, R. (5) 935– 974
Willems, C., see Rieck, K. (4) 639– 668
- Yasuoka, H. and T. Terauchi, On bounding problems of quantitative information flow (6) 1029–1082
Yung, M., see Deng, R.H. (6) 1109–1146
- Zhang, C., W. Zou, T. Wang, Y. Chen and T. Wei, Using type analysis in compiler to mitigate integer-overflow-to-buffer-overflow threat (6) 1083–1107
Zhao, Y., see Deng, R.H. (6) 1109–1146
Zhou, J., see Li, Y. (2) 227– 228
Zhou, L., see Gordon, L.A. (1) 33– 56
Zou, W., see Zhang, C. (6) 1083–1107