

Author Index Volume 24 (2016)

The issue number is given in front of the page numbers.

- Ahn, G.-J., see Jing, Y. (4) 405–426
- Almeida Matos, A., see Luo, Z. (1) 91–136
- Athamnah, M., see Le, M. (3) 379–403
- Aviv, A.J., see Sonchack, J. (5) 645–665
- Azevedo de Amorim, A., N. Collins, A. DeHon, D. Demange, C. Hritcu, D. Pichardie, B.C. Pierce, R. Pollack and A. Tolmach, A verified information-flow architecture (6) 689–734
- Baumann, C., see Guanciale, R. (6) 793–837
- Bello, L., see Hedin, D. (2) 181–234
- Bodei, C., P. Degano, L. Galletta and F. Salvatori, Context-aware security: Linguistic mechanisms and static analysis (4) 427–477
- Böhl, F. and D. Unruh, Symbolic universal composability (1) 1– 38
- Butler, K., see Carter, H. (2) 137–180
- Cannady, J., see Taglienti, C. (2) 235–288
- Carter, H., B. Mood, P. Traynor and K. Butler, Secure outsourced garbled circuit evaluation for mobile devices (2) 137–180
- Chen, Y. and Z. Zhang, Publicly evaluable pseudorandom functions and their applications (2) 289–320
- Cho, H., see Jing, Y. (4) 405–426
- Collins, N., see Azevedo de Amorim, A. (6) 689–734
- Cook, D.L., see Di Crescenzo, G. (4) 479–506
- Dam, M., see Guanciale, R. (6) 793–837
- Davidson, M., T. Tassa and E. Gudes, Content sharing schemes in DRM systems with enhanced performance and privacy preservation (6) 667–688
- De Capitani di Vimercati, S., S. Foresti, S. Jajodia, S. Paraboschi and P. Samarati, Efficient integrity checks for join queries in the cloud (3) 347–378
- Degano, P., see Bodei, C. (4) 427–477
- DeHon, A., see Azevedo de Amorim, A. (6) 689–734
- Demange, D., see Azevedo de Amorim, A. (6) 689–734
- Di Crescenzo, G., D.L. Cook, A. McIntosh and E. Panagos, Practical and privacy-preserving information retrieval from a database table (4) 479–506
- D’Souza, D. and K.R. Raghavendra, Model-checking trace-based information flow properties for infinite-state systems (5) 617–643
- Foresti, S., see De Capitani di Vimercati, S. (3) 347–378
- Fragoso Santos, J., see Luo, Z. (1) 91–136
- Galletta, L., see Bodei, C. (4) 427–477

- Guanciale, R., H. Nemati, M. Dam and C. Baumann, Provably secure memory isolation for Linux on ARM (6) 793–837
- Gudes, E., see Davidson, M. (6) 667–688
- Hedin, D., L. Bello and A. Sabelfeld, Information-flow security for JavaScript and its APIs (2) 181–234
- Hrițcu, C., see Azevedo de Amorim, A. (6) 689–734
- Hu, H., see Jing, Y. (4) 405–426
- Jajodia, S., N. Park, E. Serra and V.S. Subrahmanian, Using temporal probabilistic logic for optimal monitoring of security events with limited resources (6) 735–791
- Jajodia, S., see De Capitani di Vimercati, S. (3) 347–378
- Jajodia, S., see Le, M. (3) 379–403
- Jing, Y., G.-J. Ahn, H. Hu, H. Cho and Z. Zhao, TRIPLEMON: A multi-layer security framework for mediating inter-process communication on Android (4) 405–426
- Kant, K., see Le, M. (3) 379–403
- Kar, D., S. Panigrahi and S. Sundararajan, SQLiDDS: SQL injection detection using document similarity measure (4) 507–539
- Kremer, S. and R. Künnemann, Automated analysis of security protocols with global state (5) 583–616
- Künnemann, R., see Kremer, S. (5) 583–616
- Le, M., K. Kant, M. Athamnah and S. Jajodia, Minimum cost rule enforcement for cooperative database access (3) 379–403
- Lester, M., L. Ong and M. Schäfer, Information flow analysis for a dynamically typed language with staged metaprogramming (5) 541–582
- Luo, Z., J. Fragoso Santos, A. Almeida Matos and T. Rezk, Mashic compiler: Mashup sandboxing based on inter-frame communication (1) 91–136
- McIntosh, A., see Di Crescenzo, G. (4) 479–506
- Mood, B., see Carter, H. (2) 137–180
- Nemati, H., see Guanciale, R. (6) 793–837
- Ong, L., see Lester, M. (5) 541–582
- Panagos, E., see Di Crescenzo, G. (4) 479–506
- Panigrahi, S., see Kar, D. (4) 507–539
- Paraboschi, S., see De Capitani di Vimercati, S. (3) 347–378
- Park, N., see Jajodia, S. (6) 735–791
- Petković, M., see Vavilis, S. (3) 321–345
- Pichardie, D., see Azevedo de Amorim, A. (6) 689–734
- Pierce, B.C., see Azevedo de Amorim, A. (6) 689–734
- Pollack, R., see Azevedo de Amorim, A. (6) 689–734
- Rafnsson, W. and A. Sabelfeld, Secure multi-execution: Fine-grained, declassification-aware, and transparent (1) 39– 90
- Raghavendra, K.R., see D’Souza, D. (5) 617–643
- Rezk, T., see Luo, Z. (1) 91–136
- Sabelfeld, A., see Hedin, D. (2) 181–234

- Sabelfeld, A., see Rafnsson, W. (1) 39– 90
Salvatori, F., see Bodei, C. (4) 427–477
Samarati, P., see De Capitani di Vimercati, S. (3) 347–378
Schäfer, M., see Lester, M. (5) 541–582
Serra, E., see Jajodia, S. (6) 735–791
Sonchack, J. and A.J. Aviv, Exploring large scale security system reproducibility with the LESS simulator (5) 645–665
Subrahmanian, V.S., see Jajodia, S. (6) 735–791
Sundararajan, S., see Kar, D. (4) 507–539
- Taglienti, C. and J. Cannady, The user attribution problem and the challenge of persistent surveillance of user activity in complex networks (2) 235–288
Tassa, T., see Davidson, M. (6) 667–688
Tolmach, A., see Azevedo de Amorim, A. (6) 689–734
Traynor, P., see Carter, H. (2) 137–180
- Unruh, D., see Böhl, F. (1) 1– 38
- Vavilis, S., M. Petković and N. Zannone, A severity-based quantification of data leakages in database systems (3) 321–345
- Zannone, N., see Vavilis, S. (3) 321–345
Zhang, Z., see Chen, Y. (2) 289–320
Zhao, Z., see Jing, Y. (4) 405–426