

Author Index Volume 25 (2013)

The issue number is given in front of the pagination

- Abbas, S.E., and W.K. Min, (r, s)-fuzzy minimal structures and (r, s)-fuzzy minimal spaces (3) 627–633
- Abdelsalam, M., see Allam, F. (2) 403–413
- Abdullah, S., M. Aslam, T.A. Khan and M. Naeem, A new type of fuzzy normal subgroups and fuzzy cosets (1) 37–47
- Abraham, A., see Verma, M. (4) 907–918
- Agrell, P.J., see Hatami-Marbini, A. (1) 81–93
- Ahmad, M.N., see Muhammad, M. (3) 535–546
- Ahmadi, A., see Hassani, K. (3) 811–823
- Akbari, M.G., and M. Arefi, Statistical nonparametric test based on the intuitionistic fuzzy data (3) 525–534
- Akyar, E., H. Akyar and S.A. Düzce, Fuzzy risk analysis based on a geometric ranking method for generalized trapezoidal fuzzy numbers (1) 209–217
- Akyar, H., see Akyar, E. (1) 209–217
- Alaqtash, M., see Sarkodie-Gyan, T. (4) 1001–1011
- Al-Araki, M., SWOT analysis revisited through PEAK-framework (3) 615–625
- Albarracin, L.F., see Melgarejo, M.A. (4) 989–999
- Aleksic, A., see Tadic, D. (3) 547–556
- Alizadeh, H., see Meshkini, A. (4) 965–975
- Allam, F., Z. Nossair, H. Gomma, I. Ibrahim and M. Abdelsalam, Blood glucose regulation using a neural network predictor with a fuzzy logic controller (2) 403–413
- Alves, J.M.B., see de Castro, T.N. (2) 389–394
- Aplak, H.S., and O. Türkbey, Fuzzy logic based game theory applications in multi-criteria decision making process (2) 359–371
- Araabi, B.N., see Mahmoudi, M.T. (3) 673–683
- Araújo-Bravo, M.J., see Cano-Izquierdo, J.-M. (2) 335–350
- Arefi, M., see Akbari, M.G. (3) 525–534
- Arslan, A., see Kaya, E. (3) 557–566
- Arsovski, S., see Tadic, D. (3) 547–556
- Ascia, G., see Nuovo, A.D. (2) 493–504
- Aslam, M., see Abdullah, S. (1) 37–47
- Aygün, H., see Aygünoğlu, A. (1) 243–246
- Aygünoğlu, A., V. Çetkin and H. Aygün, On embedding problem of fuzzy number valued continuous functions (1) 243–246
- Babbar, N., A. Kumar and A. Bansal, Linear programming approach to find the solution of fully fuzzy linear systems with arbitrary fuzzy coefficients (3) 747–753
- Bafandeh, A.R., see Mahmoudzadeh, M. (2) 457–461
- Bai, C., see Zhai, J. (2) 303–313
- Balakrishnan, V., M.R. Shakouri and H. Hoodeh, Developing a hybrid predictive system for retinopathy (1) 191–199
- Balasubramaniam, P., see Jeeva Sathya Theesar, S. (1) 177–190
- Balazinska, M., see Ren, Q. (4) 1027–1035
- Bansal, A., see Babbar, N. (3) 747–753
- Barin, A., L.N. Canha, A. da Rosa Abaide, K.F. Magnago, M.A. Matos and R.B. Orling, A novel fuzzy-based expert system for RET selection (2) 325–333
- Baron, L., see Ren, Q. (4) 1027–1035
- Basiri, A., see Rahmany, S. (2) 395–402
- Bastam, M., see Soleymani, S. (2) 271–277
- Behera, D., see Chakraverty, S. (1) 201–207
- Bellaaj, H., R. Ketata and M. Chtourou, A new method for fuzzy rule base reduction (3) 605–613
- Bhatia, N., and A. Kumar, A new method for sensitivity analysis of fuzzy transportation problems (1) 167–175
- Bogale, M.A., see Sarkodie-Gyan, T. (4) 1001–1011
- Borzabadi, A.H., see Rahmany, S. (2) 395–402
- Brower, R., see Sarkodie-Gyan, T. (4) 1001–1011
- Buyamin, S., see Muhammad, M. (3) 535–546

- Canha, L.N., see Barin, A. (2) 325–333
- Cano-Izquierdo, J.-M., M. Pinzolas, E. Gómez-Sánchez, M.J. Araúzo-Bravo and J. Ibarrola, How well Fuzzy ARTMAP approximates functions? (2) 335–350
- Çelik, Y.H., see Özek, C. (2) 379–388
- Çetkin, V., see Aygünoğlu, A. (1) 243–246
- Chakraverty, S., and D. Behera, Fuzzy system of linear equations with crisp coefficients (1) 201–207
- Chen, C.-J., S.-M. Yang and C.-Y. Chen, Development of a rule selection mechanism by using neuro-fuzzy methodology for structural vibration suppression (4) 881–892
- Chen, C.-Y., see Chen, C.-J. (4) 881–892
- Chen, X., see Yao, K. (3) 825–832
- Chen, X.-h., see Wang, J.-q. (3) 567–576
- Chen, Z.-Y., see Tsai, C.-F. (3) 755–770
- Chik, Z., see Islam, S.M.T. (2) 351–357
- Chtourou, M., see Bellaaj, H. (3) 605–613
- Chutia, R., S. Mahanta and D. Datta, Uncertainty modelling of atmospheric dispersion model using fuzzy set and imprecise probability (3) 737–746
- da Rosa Abaide, A., see Barin, A. (2) 325–333
- da Silva, W.R.L., and P. Štemberk, Shooting-inspired fuzzy logic expert system for ready-mixed concrete plants (2) 481–491
- Daher, S., see de Castro, T.N. (2) 389–394
- Datta, S., see Nandi, A.K. (2) 259–270
- Datta, D., see Chutia, R. (3) 737–746
- Davvaz, B., see Ersoy, B.A. (2) 463–470
- de Castro, T.N., F. Souza, J.M.B. Alves, R.S.T. Pontes, L.L.N. dos Reis and S. Daher, Neo-fuzzy neuron model for seasonal rainfall forecast: A case study of Ceara's eight homogenous regions (2) 389–394
- Deb, K., see Nandi, A.K. (2) 259–270
- Deheshvar, A., see Yousefli, A. (4) 853–858
- Ding, I.-J., Speech recognition using variable-length frame overlaps by intelligent fuzzy control (1) 49–56
- dos Reis, L.L.N., see de Castro, T.N. (2) 389–394
- Dukovska, S.C., see Sarkanjac, S.J. (4) 941–952
- Dutta, H., see Reddy, B.S. (1) 95–102
- Düzce, S.A., see Akyar, E. (1) 209–217
- Ekmekçioğlu, M., see Kutlu, A.C. (3) 659–671
- Emrouznejad, A., see Hatami-Marbini, A. (1) 81–93
- Ersoy, B.A., and B. Davvaz, Atanassov's intuitionistic fuzzy Γ -hyperideals of Γ -semihypergroups (2) 463–470
- Eslamipoor, R., M.J. Haji and A. Sepehriar, Proposing a revised method for ranking fuzzy numbers (2) 373–378
- Farahani, H., see Rahmany, S. (2) 395–402
- Fateh, M.M., and S. Fateh, Fine-tuning fuzzy control of robots (4) 977–987
- Fateh, S., see Fateh, M.M. (4) 977–987
- Fodor, J., see Precup, R.-E. (1) 145–155
- Gai, S., G. Yang and S. Zhang, New feature extraction approach for bank note classification using Quaternion Wavelets (3) 685–694
- Garg, H., and S.P. Sharma, Predicting uncertain behavior of the press unit in a paper mill using PSOBLT technique (1) 231–242
- Ge, J., see Qin, B. (4) 1067–1083
- Gildeh, B.S., see Jamkhaneh, E.B. (3) 785–791
- Giuseppe, A., see Scalia, G.L. (3) 517–524
- Gómez-Sánchez, E., see Cano-Izquierdo, J.-M. (2) 335–350
- Gomma, H., see Allam, F. (2) 403–413
- Goudarzi, P., An evolutionary-based fuzzy resource assignment strategy for elastic traffic (2) 291–302
- Gumus, A.T., see Tadic, D. (3) 547–556
- Habibi, K., see Meshkini, A. (4) 965–975
- Haddadnia, J., see Talab, H.S. (1) 103–116
- Haji, M.J., see Eslamipoor, R. (2) 373–378
- Hashemi, M.S., An efficient algorithm to determine M -matrix membership degree of fuzzy matrices (1) 17–22
- Hashemi, M.S., and J. Malekinagad, Series solution of fuzzy wave-like equations with variable coefficients (2) 415–428
- Hassan, N., see Varnamkhasti, M.J. (3) 793–796
- Hassani, K., A. Nahvi and A. Ahmadi, Architectural design and implementation of intelligent embodied conversational agents using fuzzy knowledge base (3) 811–823
- Hatami-Marbini, A., M. Tavana, S. Saati and F. Kangi, A fuzzy group linear programming technique for multidimensional analysis of preference (3) 723–735
- Hatami-Marbini, A., P.J. Agrell, M. Tavana and A. Emrouznejad, A stepwise fuzzy linear programming model with possibility and necessity relations (1) 81–93
- Hazarika, B., Lacunary difference ideal convergent sequence spaces of fuzzy numbers (1) 157–166

- Hazarika, B., On fuzzy real valued generalized difference I -convergent sequence spaces defined by Musielak-Orlicz function (1) 9–15
- He, L.-P., H.-Z. Huang, Y. Pang, Y. Li and Y. Liu, Importance identification for fault trees based on possibilistic information measurements (4) 1013–1026
- He, X., Y. Li and K. Qin, On the associative property of fuzzy Xor connectives (1) 1–7
- Hedayati, H., On filters of R_0 -algebras connected to intuitionistic fuzzy sets (3) 587–593
- Hoodeh, H., see Balakrishnan, V. (1) 191–199
- Hsu, Y.-C., see Hung, P.-C. (1) 129–143
- Huang, H.-Z., see He, L.-P. (4) 1013–1026
- Huang, K., see Zhao, X. (4) 1053–1066
- Hung, P.-C., S.-F. Lin and Y.-C. Hsu, Using multiple-strategy evolutionary neural fuzzy network to automatically identify disorientation problems: A Web-based system application (1) 129–143
- Ibarrola, J., see Cano-Izquierdo, J.-M. (2) 335–350
- Ibrahim, I., see Allam, F. (2) 403–413
- Iqbal, K., see Mughal, A.M. (1) 247–258
- Islam, S.M.T., Z. Chik, M.M. Mustafa and H. Sanusi, Model with artificial neural network to predict the relationship between the soil resistivity and dry density of compacted soil (2) 351–357
- Izadikhah, M., Deriving fuzzy weights of criteria from inconsistent fuzzy comparison matrices by using goal programming method (1) 69–80
- Jamkhaneh, E.B., and B.S. Gildeh, Sequential sampling plan using fuzzy SPRT (3) 785–791
- Jeeva Sathya Theesar, S., and P. Balasubramaniam, Output tracking H_∞ fuzzy control of nonlinear time-delay systems via Fuzzy Performance Evaluator (1) 177–190
- Jemielniak, K., see Ren, Q. (4) 1027–1035
- Jiménez, F., G. Sánchez and P. Vasant, A multi-objective evolutionary approach for fuzzy optimization in production planning (2) 441–455
- Jun, Y.B., see Khan, A. (1) 57–68
- Kahraman, C., see Kutlu, A.C. (3) 659–671
- Kalaichelvi, V., R. Karthikeyan and D. Sivakumar, Analysis of gas metal arc welding process using GA tuned fuzzy rule based system (2) 429–440
- Kangi, F., see Hatami-Marbini, A. (3) 723–735
- Karthikeyan, R., see Kalaichelvi, V. (2) 429–440
- Kaya, E., B. Koçer and A. Arslan, A single-objective genetic-fuzzy approach for multi-objective fuzzy problems (3) 557–566
- Ketata, R., see Bellaaj, H. (3) 605–613
- Khan, A., Y.B. Jun and M. Shabir, Ordered semigroups characterized by interval valued $(\epsilon, \epsilon \vee q)$ -fuzzy bi-ideals (1) 57–68
- Khan, M.F., see Mursaleen, M. (4) 1043–1051
- Khan, T.A., see Abdullah, S. (1) 37–47
- Koçer, B., see Kaya, E. (3) 557–566
- Komijani, T., see Yousefi, A. (4) 853–858
- Kumar, A., see Babbar, N. (3) 747–753
- Kumar, A., see Bhatia, N. (1) 167–175
- Kumar, A., see Verma, M. (4) 907–918
- Kutlu, A.C., M. Ekmekçioglu and C. Kahraman, A fuzzy multi-criteria approach to point-factor method for job evaluation (3) 659–671
- Lee, M.H., H.J. Sadai and Suhartono, Introducing polynomial fuzzy time series (1) 117–128
- Li, F., see Qin, B. (4) 1067–1083
- Li, J., J. Li and Z. Xia, Delay-dependent generalized H_2 fuzzy static-output-feedback control for discrete T-S fuzzy bilinear stochastic systems with mixed delays (4) 863–880
- Li, J., see Li, J. (4) 863–880
- Li, K.-j., see Wang, J.-q. (3) 567–576
- Li, Y., see He, L.-P. (4) 1013–1026
- Li, Y., see He, X. (1) 1–7
- Liang, T.-F., Imprecise multi-objective production/distribution planning decisions using possibilistic programming method (1) 219–230
- Lin, S.-F., see Hung, P.-C. (1) 129–143
- Liu, H.-T., An integrated fuzzy decision approach for product design and evaluation (3) 709–721
- Liu, X., see Wang, W. (2) 279–290
- Liu, Y., see He, L.-P. (4) 1013–1026
- Lohani, Q.M.D., see Mursaleen, M. (4) 1043–1051
- Luo, H., see Wu, Y. (4) 893–905
- Magnago, K.F., see Barin, A. (2) 325–333
- Mahanta, S., see Chutia, R. (3) 737–746
- Mahmoudi, M.T., F. Taghiyareh and B.N. Araabi, A neuro-fuzzy immune inspired classifier for task-oriented texts (3) 673–683
- Mahmoudzadeh, M., and A.R. Bafandeh, A new method for consistency test in fuzzy AHP (2) 457–461
- Makui, A., see Sadi-Nezhad, S. (4) 845–852
- Malekinagad, J., see Hashemi, M.S. (2) 415–428
- Manan, M.R., M.N. Mansor, M.H.F. Rahiman, R.A. Rahim and S. Yaacob, A study of a two phases medium in pipe vessel using gaussian filter method and k -NN classifier (3) 635–641
- Mansor, M.N., see Manan, M.R. (3) 635–641

- Mario, E., see Scalia, G.L. (3) 517–524
- Mashinchi, M., see Parchami, A. (3) 577–585
- Matos, M.A., see Barin, A. (2) 325–333
- Melgarejo, M.A., and L.F. Albarracin, Channel equalization using quasi type-2 fuzzy strategies (4) 989–999
- Meng, F., J. Zhao and Q. Zhang, The Shapley function for fuzzy games with fuzzy characteristic functions (1) 23–35
- Merigó, J.M., see Xu, Y. (3) 833–843
- Meshkini, A., K. Habibi and H. Alizadeh, Using fuzzy logic and GIS tools for seismic vulnerability of old fabric in Iranian cities (Case study: Zanjan city) (4) 965–975
- Min, W.K., see Abbas, S.E. (3) 627–633
- Mohammadkhani, H., see Talab, H.S. (1) 103–116
- Mohiuddine, S.A., see Mursaleen, M. (4) 1043–1051
- Moody, J., see Sarkodie-Gyan, T. (4) 1001–1011
- Mozafari, B., see Soleymani, S. (2) 271–277
- Mughal, A.M., and K. Iqbal, Fuzzy optimal control of sit-to-stand movement in a biomechanical model (1) 247–258
- Muhammad, M., S. Buyamin, M.N. Ahmad and S.W. Nawawi, Takagi-Sugeno fuzzy modeling of a two-wheeled inverted pendulum robot (3) 535–546
- Mursaleen, M., S.A. Mohiuddine, Q.M.D. Lohani and M.F. Khan, Nonlinear operators on fuzzy 2-normed spaces and Fréchet derivative (4) 1043–1051
- Mustafa, M.M., see Islam, S.M.T. (2) 351–357
- Naeem, M., see Abdullah, S. (1) 37–47
- Nahvi, A., see Hassani, K. (3) 811–823
- Nandi, A.K., K. Deb, S. Datta and J. Orkas, A genetic fuzzy based modeling of effective thermal conductivity for polymer composites (2) 259–270
- Nawawi, S.W., see Muhammad, M. (3) 535–546
- Ngo, L.T., General type-2 fuzzy logic systems based on refinement constraint triangulated irregular network (3) 771–784
- Noroozi-yadak, A., see Sadi-Nezhad, S. (4) 845–852
- Nossair, Z., see Allam, F. (2) 403–413
- Nuovo, A.D., and G. Ascia, A fuzzy system index to preserve interpretability in deep tuning of fuzzy rule based classifiers (2) 493–504
- Oliveira, F.L.C., see Souza, R.C. (3) 649–657
- Orkas, J., see Nandi, A.K. (2) 259–270
- Orling, R.B., see Barin, A. (2) 325–333
- Özek, C., Y.H. Çelik and M.B. Özek, A fuzzy logic model to determine the effects of die/blank holder angle and punch radius on drawing ratio in angular deep drawing dies (2) 379–388
- Özek, M.B., see Özek, C. (2) 379–388
- Öztürk, V., Selection of appropriate software development life cycle using fuzzy logic (3) 797–810
- Pang, Y., see He, L.-P. (4) 1013–1026
- Parappagoudar, M.B., see Surekha, B. (3) 595–604
- Parchami, A., and M. Mashinchi, Confidence interval of generalized Taguchi index (3) 577–585
- Pessanha, J.F.M., see Souza, R.C. (3) 649–657
- Petriu, E.M., see Precup, R.-E. (1) 145–155
- Pinzolas, M., see Cano-Izquierdo, J.-M. (2) 335–350
- Pontes, R.S.T., see de Castro, T.N. (2) 389–394
- Pozna, C., see Precup, R.-E. (1) 145–155
- Precup, R.-E., M.L. Tomescu, S. Preitl, E.M. Petriu, J. Fodor and C. Pozna, Stability analysis and design of a class of MIMO fuzzy control systems (1) 145–155
- Preitl, S., see Precup, R.-E. (1) 145–155
- Qin, B., Y. Xia, F. Li and J. Ge, EMU: An expectation maximization based approach for clustering uncertain data (4) 1067–1083
- Qin, K., see He, X. (1) 1–7
- Rahim, R.A., see Manan, M.R. (3) 635–641
- Rahiman, M.H.F., see Manan, M.R. (3) 635–641
- Rahmani, A., and M. Yousefikhoshbakht, Capacitated Facility Location Problem in random fuzzy environment: Using (α, β) -cost minimization model under the Hurwicz criterion (4) 953–964
- Rahmany, S., A. Basiri, H. Farahani and A.H. Borzabadi, A Gröbner basis approach for finding positive solution of fully fuzzy polynomial equations systems (2) 395–402
- Ramakrishnan, T.V., see Sebastian, S. (4) 859–862
- Rao, D.H., see Surekha, B. (3) 595–604
- Rao, G.K.M., see Surekha, B. (3) 595–604
- Reddy, B.S., and H. Dutta, Best simultaneous approximation in fuzzy anti-normed linear spaces (1) 95–102
- Ren, Q., L. Baron, M. Balazinska and K. Jemielniak, Fuzzy cutting force modelling in micro-milling (4) 1027–1035
- Rosa, M., see Scalia, G.L. (3) 517–524
- Saati, S., see Hatami-Marbini, A. (3) 723–735
- Sadaei, H.J., see Lee, M.H. (1) 117–128

- Sadi-Nezhad, S., A. Noroozi-yadak and A. Makui, Fuzzy distance of triangular fuzzy numbers (4) 845–852
- Sánchez, G., see Jiménez, F. (2) 441–455
- Sanusi, H., see Islam, S.M.T. (2) 351–357
- Sarkanjac, S.J., and S.C. Dukovska, Election candidates fuzzy multi-agent recommender system (4) 941–952
- Sarkodie-Gyan, T., H. Yu, M. Alaqtash, M.A. Bogale, J. Moody and R. Brower, Application of fuzzy sets for assisting the physician's model of functional impairments in human locomotion (4) 1001–1011
- Scalia, G.L., M. Rosa, A. Giuseppe and E. Mario, Solving type-2 assembly line balancing problem with fuzzy binary linear programming (3) 517–524
- Sebastian, S., and T.V. Ramakrishnan, Atanassov intuitionistic fuzzy sets generating maps (4) 859–862
- Sen, M., see Tripathy, B.C. (3) 643–647
- Sepehriar, A., see Eslamipoor, R. (2) 373–378
- Shabir, M., see Khan, A. (1) 57–68
- Shakouri, M.R., see Balakrishnan, V. (1) 191–199
- Sharma, S.P., see Garg, H. (1) 231–242
- Shi, F.-G., and L. Wang, Characterizations and applications of M -fuzzifying matroids (4) 919–930
- Shi, P., see Xu, Y. (3) 833–843
- Singh, Y., see Verma, M. (4) 907–918
- Sivakumar, D., see Kalaichelvi, V. (2) 429–440
- Soleymani, S., M. Bastam and B. Mozafari, Fault diagnosis of transmission system based on Wavelet Transform and Neural network (2) 271–277
- Souza, F., see de Castro, T.N. (2) 389–394
- Souza, R.C., J.F.M. Pessanha and F.L.C. Oliveira, A residential consumer payment capability index based on fuzzy logic inference (3) 649–657
- Stefanovic, M., see Tadic, D. (3) 547–556
- Štemberk, P., see da Silva, W.R.L. (2) 481–491
- Suhartono, see Lee, M.H. (1) 117–128
- Sun, S., A novel semantic quantitative description method based on possibilistic logic (4) 931–940
- Surekha, B., D.H. Rao, G.K.M. Rao, P.R. Vundavilli and M.B. Parappagoudar, Prediction of resin bonded sand core properties using fuzzy logic (3) 595–604
- Tadic, D., A.T. Gumus, S. Arsovski, A. Aleksic and M. Stefanovic, An evaluation of quality goals by using fuzzy AHP and fuzzy TOPSIS methodology (3) 547–556
- Taghiyareh, F., see Mahmoudi, M.T. (3) 673–683
- Talab, H.S., H. Mohammadkhani and J. Haddadnia, Controlling multi variable traffic light timing in an isolated intersection using a novel fuzzy algorithm (1) 103–116
- Tang, S., see Zhao, X. (4) 1053–1066
- Tavana, M., see Hatami-Marbini, A. (1) 81–93
- Tavana, M., see Hatami-Marbini, A. (3) 723–735
- Tomescu, M.L., see Precup, R.-E. (1) 145–155
- Tripathy, B.C., and M. Sen, On fuzzy I -convergent difference sequence spaces (3) 643–647
- Tsai, C.-F., and Z.-Y. Chen, Crossing the fuzzy front end chasm: Effective product project concept selection using a 2-tuple fuzzy linguistic approach (3) 755–770
- Türkbey, O., see Aplak, H.S. (2) 359–371
- Varnamkhasti, M.J., and N. Hassan, A hybrid of adaptive neuro-fuzzy inference system and genetic algorithm (3) 793–796
- Vasant, P., see Jiménez, F. (2) 441–455
- Verma, M., A. Kumar, Y. Singh and A. Abraham, Application of the weakest t -norm (T_{ω}) based vague lambda-tau methodology for reliability analysis of gas turbine system (4) 907–918
- Vundavilli, P.R., see Surekha, B. (3) 595–604
- Wang, G., see Zhang, Q. (2) 505–515
- Wang, H., see Xu, Y. (3) 833–843
- Wang, J.-Q. see Yang, W.-E. (2) 315–324
- Wang, J.-q., K.-j. Li, H.-y. Zhang and X.-h. Chen, A score function based on relative entropy and its application in intuitionistic normal fuzzy multiple criteria decision making (3) 567–576
- Wang, L., see Shi, F.-G. (4) 919–930
- Wang, W., and X. Liu, Interval-valued intuitionistic fuzzy hybrid weighted averaging operator based on Einstein operation and its application to decision making (2) 279–290
- Wei, G., Some linguistic power aggregating operators and their application to multiple attribute group decision making (3) 695–707
- Wu, Y., H. Luo and H. Zhang, Stability analysis of discrete-time fuzzy positive systems with time delays (4) 893–905
- Xia, Y., see Qin, B. (4) 1067–1083
- Xia, Z., see Li, J. (4) 863–880
- Xiao, Y., see Zhang, Q. (2) 505–515
- Xu, Y., P. Shi, J.M. Merigó and H. Wang, Some proportional 2-tuple geometric aggregation operators for linguistic decision making (3) 833–843

- Yaacob, S., see Manan, M.R. (3) 635–641
- Yang, G., see Gai, S. (3) 685–694
- Yang, S., see Zhao, X. (4) 1053–1066
- Yang, S.-M., see Chen, C.-J. (4) 881–892
- Yang, W.-E., and J.-Q. Wang, Vague linguistic matrix game approach for multi-criteria decision making with uncertain weights (2) 315–324
- Yao, K., and X. Chen, A numerical method for solving uncertain differential equations (3) 825–832
- Yousefikhoshbakht, M., see Rahmani, A. (4) 953–964
- Yousefli, A., A. Deheshvar and T. Komijani, Ranking vague sets using TOPSIS method (4) 853–858
- Yu, B., and J. Zhan, Falling fuzzy ideals of hemirings (4) 1037–1042
- Yu, D., Decision making based on generalized geometric operator under interval-valued intuitionistic fuzzy environment (2) 471–480
- Yu, H., see Sarkodie-Gyan, T. (4) 1001–1011
- Zhai, J., M. Zhai and C. Bai, An improved algorithm for calculating fuzzy attribute reducts (2) 303–313
- Zhai, M., see Zhai, J. (2) 303–313
- Zhan, J., see Yu, B. (4) 1037–1042
- Zhang, H., see Wu, Y. (4) 893–905
- Zhang, H.-y., see Wang, J.-q. (3) 567–576
- Zhang, Q., see Meng, F. (1) 23–35
- Zhang, Q., Y. Xiao and G. Wang, A new method for measuring fuzziness of vague set (or intuitionistic fuzzy set) (2) 505–515
- Zhang, S., see Gai, S. (3) 685–694
- Zhao, J., see Meng, F. (1) 23–35
- Zhao, X., S. Tang, S. Yang and K. Huang, Extended VIKOR method based on cross-entropy for interval-valued intuitionistic fuzzy multiple criteria group decision making (4) 1053–1066