

Author Index Volume 23 (2015)

The issue number is given in front of the page numbers.

- Adel, M., see Elgebaly, R.H. (4) 453–461
- Agah, K.M., M. Ghoranneviss and A.S. Elahi, Energetic electrons, hard X-ray emission and MHD activity studies in the IR-T1 tokamak (2) 267–274
- Ahmad, S., see Algan, O. (6) 727–736
- Ai, D., see Yang, J. (2) 253–265
- Alejo, A., see Deas, R.M. (6) 791–797
- Algan, O., M. Confer, S. Algan, C. Matthiesen, T. Herman, S. Ahmad and I. Ali, Quantitative evaluation of correlation of dose and FDG-PET uptake value with clinical chest wall complications in patients with lung cancer treated with stereotactic body radiation therapy (6) 727–736
- Algan, S., see Algan, O. (6) 727–736
- AL-Ghorabie, F.H.H., Computer simulation of a backscattered *x*-ray fluorescence system (1) 57– 64
- Ali, I., see Algan, O. (6) 727–736
- Allott, R., see Deas, R.M. (6) 791–797
- Amato, E., see Pontoriero, A. (2) 135–140
- An, J., see Yu, X. (3) 385–400
-
- Bai, J., see Wang, G. (2) 147–156
- Bai, J., see Zhang, X. (4) 463–472
- Bai, Q., see Ding, J. (5) 601–610
- Bao, S., see Wang, L. (1) 83– 99
- Bian, Z., see Hou, Q. (3) 331–348
- Black, P.P., see Deas, R.M. (6) 791–797
- Black, S.E., see Deas, R.M. (6) 791–797
- Boivin, G., see Montagner, F. (2) 201–211
- Borghesi, M., see Deas, R.M. (6) 791–797
- Brau, D., see Montagner, F. (2) 201–211
- Breckon, T.P., see Mouton, A. (5) 531–555
- Brenner, C.M., see Deas, R.M. (6) 791–797
- Bruner, A.P., see Weir, V.J. (3) 373–381
- Bryant, J., see Deas, R.M. (6) 791–797
-
- Cai, A., see Wang, L. (1) 1– 10
- Cai, A., see Wang, L. (1) 83– 99
- Cao, Q., see Ding, J. (5) 601–610
- Chang, H.-J., see Lee, H. (5) 579–592

- Chen, G., see Su, X. (1) 101–109
- Chen, H., see Li, Z. (1) 111–118
- Chen, H.-Y., N.-H. Lu, Y.-H. Huang and T.-B. Chen, Scattering correction algorithm in the PET sinogram using the factorial design of experimental method: A phantom study (2) 243–251
- Chen, J., L. Wang, B. Yan, H. Zhang and G. Cheng, Efficient and robust 3D CT image reconstruction based on total generalized variation regularization using the alternating direction method (6) 683–699
- Chen, J., see Wang, G. (2) 147–156
- Chen, L., see Sun, Z.-Q. (6) 737–744
- Chen, T.-B., see Chen, H.-Y. (2) 243–251
- Chen, W., see Hou, Q. (3) 331–348
- Chen, W.R., see Li, Z. (1) 111–118
- Chen, X., see Wang, Y. (5) 639–646
- Chen, X., see Wang, Y. (5) 639–646
- Chen, X., see Wang, Y. (6) 783–789
- Chen, X., see Wang, Y. (6) 783–789
- Cheng, G., see Chen, J. (6) 683–699
- Cheng, X.-F., see Sun, Z.-Q. (6) 737–744
- Chiewvit, P., see Kaewlek, T. (6) 649–666
- Chighvinadze, T. and S. Pistorius, The impact of the number of projections on image quality in Compton scatter tomography (6) 745–758
- Cho, J.-H., see Kim, S.-C. (3) 321–330
- Chuang, H.-C., H.-Y. Hsu, S.-K. Nieh and D.-C. Tien, The feasibility of the auto tuning respiratory compensation system with ultrasonic image tracking technique (4) 503–516
- Clarke, R.J., see Deas, R.M. (6) 791–797
- Collier, J.C., see Deas, R.M. (6) 791–797
- Confer, M., see Algan, O. (6) 727–736
- Cosman, P., see Karimi, S. (4) 435–451
- Dang, J., L. Ouyang, X. Gu and J. Wang, Deformation vector fields (DVF)-driven image reconstruction for 4D-CBCT (1) 11– 23
- De Man, B., see Yu, H. (5) 627–638
- De Renzis, C., see Pontoriero, A. (2) 135–140
- Deas, R.M., L.A. Wilson, D. Rusby, A. Alejo, R. Allott, P.P. Black, S.E. Black, M. Borghesi, C.M. Brenner, J. Bryant, R.J. Clarke, J.C. Collier, B. Edwards, P. Foster, J. Greenhalgh, C. Hernandez-Gomez, S. Kar, D. Lockley, R.M. Moss, Z. Najmudin, R. Pattathil, D. Symes, M.D. Whittle, J.C. Wood, P. McKenna and D. Neely, A laser driven pulsed x-ray backscatter technique for enhanced penetrative imaging (6) 791–797
- Debatin, M. and J. Hesser, Accurate low-dose iterative CT reconstruction from few projections by Generalized Anisotropic Total Variation minimization for industrial CT (6) 701–726
- Deng, F., see Yang, C. (5) 617–626
- Deng, X., see Wu D. (6) 759–772
- Ding, J., Y. Zhang, Q. Cao, T. Huang, W. Xu, K. Huang, J. Fang, Q. Bai, J. Qi and Y. Huang, Tailored minimally invasive management of complex calculi in horseshoe kidney (5) 601–610

- Ding, Y., see Wang, G. (2) 147–156
- Edwards, B., see Deas, R.M. (6) 791–797
- Elahi, A.S., see Agah, K.M. (2) 267–274
- Elbakri, I., see Ingleby, H. (2) 119–133
- Elgebaly, R.H., M.M. Rageh and M. Adel, Evaluation of varying physical acquisition parameters in gamma camera gated cardiac SPECT (4) 453–461
- Epel, B., see Qiao, Z. (4) 423–433
- Fan, J., see Yang, J. (2) 253–265
- Fan, Y., see Yang, C. (5) 617–626
- Fang, J., see Ding, J. (5) 601–610
- Farlay, D., see Montagner, F. (2) 201–211
- Follet, H., see Montagner, F. (2) 201–211
- Foster, P., see Deas, R.M. (6) 791–797
- Fu, T., see Yang, J. (2) 253–265
- Fujihara, Y., see Misawa, M. (4) 489–502
- Gao, F., see Zhou, Z. (4) 517–529
- Gao, K., see Wang, S. (2) 189–199
- Gao, N., see Li, H.-W. (1) 45–56
- Ge, Y.-X., see Sun, Z.-Q. (6) 737–744
- Ghani, M.U., A. Yan, M.D. Wong, Y. Li, L. Ren, X. Wu and H. Liu, Low dose high energy x-ray in-line phase sensitive imaging prototype: Investigation of optimal geometric conditions and design parameters (6) 667–682
- Ghani, M.U., see Zhou, Z. (4) 517–529
- Ghoranneviss, M., see Agah, K.M. (2) 267–274
- Giannossi, M.L., The optimal choice for stone analysis (3) 401–407
- Gong, X. and Q. Lu, Mechanical design and performance evaluation for plane grating monochromator in a soft X-ray microscopy beamline at SSRF (4) 409–421
- Goumeidane, A.B., N. Nacereddine and M. Khamadja, Computer aided weld defect delineation using statistical parametric active contours in radiographic inspection (3) 289–310
- Greenhalgh, J., see Deas, R.M. (6) 791–797
- Gu, X., see Dang, J. (1) 11–23
- Guan, Y., see Li, M. (2) 229–241
- H. Han, H., see Wang, S. (2) 189–199
- Halpern, H., see Qiao, Z. (4) 423–433
- Hao, T., see Zhou, Z. (4) 517–529
- Hayashi, K., see Misawa, M. (4) 489–502
- He, X., see Su, X. (1) 101–109
- He, Y., see Wang, G. (2) 147–156
- Heo, D.-W., see Jeong, C.-W. (3) 365–372
- Heo, D.-W., see Ryu, J.-H. (4) 473–480
- Herman, T., see Algan, O. (6) 727–736

- Hernandez-Gomez, C., see Deas, R.M. (6) 791–797
- Hesser, J., see Debatin, M. (6) 701–726
- Homma, K., see Misawa, M. (4) 489–502
- Hoshi, K., see Misawa, M. (4) 489–502
- Hou, Q., J. Huang, Z. Bian, W. Chen and J. Ma, PET reconstruction via nonlocal means induced prior (3) 331–348
- Hsieh, J., see Liu, X. (5) 593–600
- Hsu, H.-Y., see Chuang, H.-C. (4) 503–516
- Hu, C., see Ji, D. (3) 311–320
- Hu, G., see Wang, L. (1) 1–10
- Hu, G., see Wang, L. (1) 83–99
- Huang, J., see Hou, Q. (3) 331–348
- Huang, J., see Su, X. (1) 101–109
- Huang, K., see Ding, J. (5) 601–610
- Huang, R., see Liu, T. (6) 773–782
- Huang, S.-M., see Lin, Y.-H. (1) 25–31
- Huang, T., see Ding, J. (5) 601–610
- Huang, T.-C., see Lin, Y.-H. (1) 25–31
- Huang, Y., see Ding, J. (5) 601–610
- Huang, Y.-H., see Chen, H.-Y. (2) 243–251
- Hyodo, K., see Misawa, M. (4) 489–502
- Iatì, G., see Pontoriero, A. (2) 135–140
- Ingleby, H., J. Lippuner, D.W. Rickey, Y. Li and I. Elbakri, Fast analytical scatter estimation using graphics processing units (2) 119–133
- Jeong, C.-W., J.-H. Ryu, S.-C. Joo, H.-Y. Jun, D.-W. Heo, J. Lee, K.-W. Kim and K.-H. Yoon, Performance of mobile digital X-ray fluoroscopy using a novel flat panel detector for intraoperative use (3) 365–372
- Jeong, C.-W., see Ryu, J.-H. (4) 473–480
- Ji, D., C. Hu and H. Yang, Image reconstruction algorithm for in-line phase contrast imaging computed tomography with an improved anisotropic diffusion model (3) 311–320
- Jiang, D., see Zhao, S.-R. (2) 157–188
- Jiang, M., see Yu, H. (5) 627–638
- Jiang, M., see Zhao, Z. (3) 349–364
- Jiang, X., see Wang, G. (2) 147–156
- Jin, L.-F., see Sun, Z.-Q. (6) 737–744
- Joo, S.-C., see Jeong, C.-W. (3) 365–372
- Jun, H.-Y., see Jeong, C.-W. (3) 365–372
- Jun, H.-Y., see Ryu, J.-H. (4) 473–480
- Kaewlek, T., D. Koolpiruck, S. Thongvigitmanee, M. Mongkolsuk, S. Thammakittiphan, S. Tritrakarn and P. Chiewvit, Metal artifact reduction and image quality evaluation of lumbar spine CT images using metal sinogram segmentation (6) 649–666
- Kaftandjian, V., see Montagner, F. (2) 201–211

- Kang, S.-T., see Kwon, O. (1) 33– 44
- Kar, S., see Deas, R.M. (6) 791–797
- Karimi, S., H. Martz and P. Cosman, Metal artifact reduction for CT-based luggage screening (4) 435–451
- Khamadja, M., see Goumeidane, A.B. (3) 289–310
- Kim, K.-W., see Jeong, C.-W. (3) 365–372
- Kim, K.W., see Lee, J. (3) 275–288
- Kim, K.-W., see Ryu, J.-H. (4) 473–480
- Kim, S.-C., H.-K Lee, Y.-S. Lee and J.-H. Cho, Evaluation of automatic exposure control system chamber for the dose optimization when examining pelvic in digital radiography (3) 321–330
- Kim, S.-H., see Kwon, O. (1) 33– 44
- Kim, S. Y., see Lee, J. (3) 275–288
- Kim, T.-H., see Ryu, J.-H. (4) 473–480
- Kim, Y.-H., see Kwon, O. (1) 33– 44
- Kong, H. and H. Yu, Analytic reconstruction approach for parallel translational computed tomography (2) 213–228
- Koolpiruck, D., see Kaewlek, T. (6) 649–666
- Kosaka, R., see Misawa, M. (4) 489–502
- Kuribayashi, S., see Misawa, M. (4) 489–502
- Kwon, O., S.-T. Kang, S.-H. Kim, Y.-H. Kim and Y.-T. Shin, Maximum intensity projection using bidirectional compositing with block skipping (1) 33– 44
- Lee, H., H. Shim and H.-J. Chang, Intensity-vesselness Gaussian mixture model (IVGMM) for 2D+t segmentation of coronary arteries for X-ray angiography image sequences (5) 579–592
- Lee, H.-K., see Kim, S.-C. (3) 321–330
- Lee, J., K.W. Kim, S.Y. Kim, J. Shin, K.J. Park, H.J. Won and Y.M. Shin, Automatic detection method of hepatocellular carcinomas using the non-rigid registration method of multi-phase liver CT images (3) 275–288
- Lee, J., see Jeong, C.-W. (3) 365–372
- Lee, J., see Ryu, J.-H. (4) 473–480
- Lee, Y.-S., see Kim, S.-C. (3) 321–330
- Li, C., see Wang, G. (2) 147–156
- Li, H., see Li, Z. (1) 111–118
- Li, H.-W., X.-W. Wu, B. Liu, W.-D. Liu and N. Gao, Clinical values of of gemstone spectral CT in diagnosing thyroid disease (1) 45– 56
- Li, L., see Wang, L. (1) 1– 10
- Li, L., see Wang, L. (1) 83– 99
- Li, M., J. Zheng, T. Zhang, Y. Guan, P. Xu and M. Sun, A prior-based metal artifact reduction algorithm for x-ray CT (2) 229–241
- Li, P., see Liu, T. (6) 773–782
- Li, Q., see Yang, J. (2) 253–265
- Li, X., T. Liu and L. Wang, Diagnosis of bladder diverticulum: Retrograde cystography CT more valuable (4) 481–487
- Li, Y., see Ghani, M.U. (6) 667–682

- Li, Y., see Ingleby, H. (2) 119–133
- Li, Y., see Wang, L. (1) 1– 10
- Li, Z., H. Chen, H. Li and W.R. Chen, Optical properties of tissues quantified using morphological granulometry from phase-contrast images of thin tissue samples (1) 111–118
- Li, Z., see Zhou, Z. (4) 517–529
- Lifton, J.J., A.A. Malcolm and J.W. McBride, A simulation-based study on the influence of beam hardening in X-ray computed tomography for dimensional metrology (1) 65– 82
- Lin, K.-P., see Lin, Y.-H. (1) 25– 31
- Lin, T.-H., see Lin, Y.-H. (1) 25– 31
- Lin, Y.-H., K.-P. Lin, S.-M. Huang, H.-T. Lu, T.-H. Lin and T.-C. Huang, Left ventricle segmentation in dynamic cardiac CT using random walks method (1) 25– 31
- Lippuner, J., see Ingleby, H. (2) 119–133
- Liu, B., see Li, H.-W. (1) 45– 56
- Liu, F., see Zhang, X. (4) 463–472
- Liu, H., see Ghani, M.U. (6) 667–682
- Liu, H., see Zhou, Z. (4) 517–529
- Liu, T., R. Huang and P. Li, Cone-beam CT reconstruction along any orientation of interest (6) 773–782
- Liu, T., see Li, X. (4) 481–487
- Liu, T., see Yu, X. (3) 385–400
- Liu, W.-D., see Li, H.-W. (1) 45– 56
- Liu, X. and J. Hsieh, Hybrid deterministic-stochastic modeling of x-ray beam bowtie filter scatter on a CT system (5) 593–600
- Lockley, D., see Deas, R.M. (6) 791–797
- Lu, H.-T., see Lin, Y.-H. (1) 25– 31
- Lu, N.-H., see Chen, H.-Y. (2) 243–251
- Lu, Q., see Gong, X. (4) 409–421
- Lu, Y., see Wang, G. (2) 147–156
- Luo, J., see Zhang, X. (4) 463–472
- Ma, J., see Hou, Q. (3) 331–348
- Ma, Q., see Su, X. (1) 101–109
- MacDonald, C.A., see Sun, T. (2) 141–146
- Malcolm, A.A., see Lifton, J.J. (1) 65– 82
- Martz, H., see Karimi, S. (4) 435–451
- Matthiesen, C., see Algan, O. (6) 727–736
- McBride, J.W., see Lifton, J.J. (1) 65– 82
- McKenna, P., see Deas, R.M. (6) 791–797
- Misawa, M., N. Nitta, Y. Shirasaki, K. Hayashi, R. Kosaka, K. Hyodo, T. Numano, K. Homma, S. Kuribayashi, Y. Fujihara and K. Hoshi, Characteristic X-ray absorptiometry applied to the assessment of tissue-engineered cartilage development (4) 489–502
- Mongkolsuk, M., see Kaewlek, T. (6) 649–666
- Montagner, F., V. Kaftandjian, D. Farlay, D. Brau, G. Boivin and H. Follet, Validation of a novel microradiography device for characterization of bone mineralization (2) 201–211
- Moss, R.M., see Deas, R.M. (6) 791–797

- Mouton, A. and T.P. Breckon, A review of automated image understanding within 3D baggage computed tomography security screening (5) 531–555
- Nacereddine, N., see Goumeidane, A.B. (3) 289–310
- Najmudin, Z., see Deas, R.M. (6) 791–797
- Neely, D., see Deas, R.M. (6) 791–797
- Nieh, S.-K., see Chuang, H.-C. (4) 503–516
- Nitta, N., see Misawa, M. (4) 489–502
- Numano, T., see Misawa, M. (4) 489–502
- Ouyang, L., see Dang, J. (1) 11– 23
- Pack, J.D., see Yu, H. (5) 627–638
- Park, K.J., see Lee, J. (3) 275–288
- Pattathil, R., see Deas, R.M. (6) 791–797
- Pergolizzi, S., see Pontoriero, A. (2) 135–140
- Pistorius, S., see Chighvinadze, T. (6) 745–758
- Pontoriero, A., E. Amato, G. Iatì, C. De Renzis and S. Pergolizzi, Evaluation of the dose perturbation around gold and steel fiducial markers in a medical linac through Geant4 Monte Carlo simulation (2) 135–140
- Qi, J., see Ding, J. (5) 601–610
- Qian, Y., see Qiao, Z. (4) 423–433
- Qiao, Z., G. Redler, B. Epel, Y. Qian and H. Halpern, Implementation of GPU-accelerated back projection for EPR imaging (4) 423–433
- Rageh, M.M., see Elgebaly, R.H. (4) 453–461
- Redler, G., see Qiao, Z. (4) 423–433
- Ren, L., see Ghani, M.U. (6) 667–682
- Ren, L., see Zhou, Z. (4) 517–529
- Ren, Q., see Wang, G. (2) 147–156
- Rickey, D.W., see Ingleby, H. (2) 119–133
- Rusby, D., see Deas, R.M. (6) 791–797
- Ryu, J.-H., see Jeong, C.-W. (3) 365–372
- Ryu, J.-H., T.-H. Kim, C.-W. Jeong, H.-Y. Jun, D.-W. Heo, J. Lee, K.-W. Kim and K.-H. Yoon, Dedicated mobile volumetric cone-beam computed tomography for human brain imaging: A phantom study (4) 473–480
- Shi, J., see Wang, G. (2) 147–156
- Shi, Y., see Yu, X. (3) 385–400
- Shim, H., see Lee, H. (5) 579–592
- Shin, J., see Lee, J. (3) 275–288
- Shin, Y.M., see Lee, J. (3) 275–288
- Shin, Y.-T., see Kwon, O. (1) 33– 44
- Shirasaki, Y., see Misawa, M. (4) 489–502

- Su, F., see Su, X. (1) 101–109
- Su, X., K. Zheng, Q. Ma, J. Huang, X. He, G. Chen, W. Wang, F. Su, H. Tang, H. Wu and S. Tong, Effect of local mild hypothermia on regional cerebral blood flow in patients with acute intracerebral hemorrhage assessed by ^{99m}Tc -ECD SPECT imaging (1) 101–109
- Su, Y., see Yu, X. (3) 385–400
- Sun, M., see Li, M. (2) 229–241
- Sun, T. and C.A. MacDonald, Monochromatic X-ray imaging using a combination of doubly curved crystal and polycapillary X-ray lens (2) 141–146
- Sun, Y., see Zhang, H. (5) 567–578
- Sun, Z.-Q., X.-F. Cheng, Y.-X. Ge, L. Chen, J.-G. Yue, L.-F. Jin, Z.-H. Xie, H.-D. Zhang and Y.-H. Xuan, Role of CT perfusion imaging in patients with variously differentiated gastric adenocarcinoma (6) 737–744
- Symes, D., see Deas, R.M. (6) 791–797
- Tang, H., see Su, X. (1) 101–109
- Tang, L., see Zhu, Y. (5) 557–565
- Thammakittiphan, S., see Kaewlek, T. (6) 649–666
- Thongvigitmanee, S., see Kaewlek, T. (6) 649–666
- Tien, D.-C., see Chuang, H.-C. (4) 503–516
- Tong, S., see Su, X. (1) 101–109
- Tritrakarn, S., see Kaewlek, T. (6) 649–666
- Wang, G., B. Zhang, Y. Ding, Y. He, J. Chen, Y. Lu, X. Jiang, J. Shi, J. Bai, Q. Ren and C. Li, A modularly designed fluorescence molecular tomography system for multi-modality imaging (2) 147–156
- Wang, G., see Yu, H. (5) 627–638
- Wang, J., see Dang, J. (1) 11–23
- Wang, L., A. Cai, H. Zhang, B. Yan, L. Li, G. Hu and S. Bao, Distributed CT image reconstruction algorithm based on the alternating direction method (1) 83–99
- Wang, L., H. Zhang, A. Cai, Y. Li, B. Yan, L. Li and G. Hu, System matrix analysis for sparse-view iterative image reconstruction in X-ray CT (1) 1–10
- Wang, L., see Chen, J. (6) 683–699
- Wang, L., see Li, X. (4) 481–487
- Wang, S., H. Han, K. Gao, Z. Wang, C. Zhang, M. Yang, Z. Wu and Z. Wu, A user-friendly LabVIEW software platform for grating based X-ray phase-contrast imaging (2) 189–199
- Wang, W., see Su, X. (1) 101–109
- Wang, Y., see Yang, J. (2) 253–265
- Wang, Y., X. Chen, X. Chen and D. Yu, A time delay correction technique for SS-OCT (6) 783–789
- Wang, Y., X. Chen, X. Chen and D. Yu, Dispersion compensation for FD-OCT using spectrum reconstruction (5) 639–646
- Wang, Z., see Wang, S. (2) 189–199
- Wei, Y., see Zhu, Y. (5) 557–565
- Weir, V.J., J. Zhang and A.P. Bruner, Dosimetric characterization and image quality evaluation of the AIRO mobile CT scanner (3) 373–381
- Whittle, M.D., see Deas, R.M. (6) 791–797

- Wilson, L.A., see Deas, R.M. (6) 791–797
- Won, H.J., see Lee, J. (3) 275–288
- Wong, M.D., see Ghani, M.U. (6) 667–682
- Wood, J.C., see Deas, R.M. (6) 791–797
- Wu, D., L. Zeng and X. Deng, Prior image constrained low-rank matrix decomposition method in limited-angle reverse helical cone-beam CT (6) 759–772
- Wu, H., see Su, X. (1) 101–109
- Wu, X., see Ghani, M.U. (6) 667–682
- Wu, X., see Zheng, L. (5) 611–616
- Wu, X.-W., see Li, H.-W. (1) 45–56
- Wu, Z., see Wang, S. (2) 189–199
- Wu, Z., see Wang, S. (2) 189–199
- Xie, Z.-H., see Sun, Z.-Q. (6) 737–744
- Xu, H., see Zhu, Y. (5) 557–565
- Xu, K., see Yu, X. (3) 385–400
- Xu, P., see Li, M. (2) 229–241
- Xu, W., see Ding, J. (5) 601–610
- Xu, Y., see Zhu, Y. (5) 557–565
- Xuan, Y.-H., see Sun, Z.-Q. (6) 737–744
- Yan, A., see Ghani, M.U. (6) 667–682
- Yan, B., see Chen, J. (6) 683–699
- Yan, B., see Wang, L. (1) 1–10
- Yan, B., see Wang, L. (1) 83–99
- Yang, C., Y. Zhang, Y. Zhang, Y. Fan and F. Deng, Three-dimensional quantification of orthodontic root resorption with time-lapsed imaging of micro-computed tomography in a rodent model (5) 617–626
- Yang, G., see Zhu, Y. (5) 557–565
- Yang, H., see Ji, D. (3) 311–320
- Yang, J., J. Fan, T. Fu, D. Ai, J. Zhu, Q. Li and Y. Wang, Convex hull matching and hierarchical decomposition for multimodality medical image registration (2) 253–265
- Yang, J., see Yu, H. (5) 627–638
- Yang, J., see Zhao, Z. (3) 349–364
- Yang, K., see Zhao, S.-R. (2) 157–188
- Yang, K., see Zhao, S.-R. (2) 157–188
- Yang, M., see Wang, S. (2) 189–199
- Yoon, K.-H., see Jeong, C.-W. (3) 365–372
- Yoon, K.-H., see Ryu, J.-H. (4) 473–480
- Yu, D., see Wang, Y. (5) 639–646
- Yu, D., see Wang, Y. (6) 783–789
- Yu, H., G. Wang, J. Yang, J.D. Pack, M. Jiang and B. De Man, Data consistency condition for truncated projections in fan-beam geometry (5) 627–638
- Yu, H., see Kong, H. (2) 213–228

- Yu, H., see Yu, X. (3) 385–400
- Yu, X., Y. Shi, H. Yu, T. Liu, J. An, L. Zhang, Y. Su and K. Xu, Digital human modeling and its applications: Review and future prospects (3) 385–400
- Yue, J.-G., see Sun, Z.-Q. (6) 737–744
- Zeng, L., see Wu, D. (6) 759–772
- Zhang, B., see Wang, G. (2) 147–156
- Zhang, C., see Wang, S. (2) 189–199
- Zhang, H., L. Zhang, Y. Sun and J. Zhang, Projection domain denoising method based on dictionary learning for low-dose CT image reconstruction (5) 567–578
- Zhang, H., see Chen, J. (6) 683–699
- Zhang, H., see Wang, L. (1) 1–10
- Zhang, H., see Wang, L. (1) 83–99
- Zhang, H.-D., see Sun, Z.-Q. (6) 737–744
- Zhang, J., see Weir, V.J. (3) 373–381
- Zhang, J., see Zhang, H. (5) 567–578
- Zhang, L., see Yu, X. (3) 385–400
- Zhang, L., see Zhang, H. (5) 567–578
- Zhang, L., see Zhou, Z. (4) 517–529
- Zhang, T., see Li, M. (2) 229–241
- Zhang, X., F. Liu, S. Zuo, J. Bai and J. Luo, Image reconstruction for synchronous data acquisition in fluorescence molecular tomography (4) 463–472
- Zhang, Y., see Ding, J. (5) 601–610
- Zhang, Y., see Yang, C. (5) 617–626
- Zhang, Y., see Yang, C. (5) 617–626
- Zhao, H., see Zhou, Z. (4) 517–529
- Zhao, S.-R., D. Jiang, K. Yang and K. Yang, Generalized fourier slice theorem for cone-beam image reconstruction (2) 157–188
- Zhao, Z., J. Yang and M. Jiang, A fast algorithm for high order total variation minimization based interior tomography (3) 349–364
- Zheng, J., see Li, M. (2) 229–241
- Zheng, K., see Su, X. (1) 101–109
- Zheng, L. and X. Wu, Structure study on $\text{SrRu}_{1-x}\text{Mn}_x\text{O}_4$ using the extended X-ray absorption fine structure spectroscopy (5) 611–616
- Zhou, Z., F. Gao, H. Zhao, L. Zhang, L. Ren, Z. Li, M.U. Ghani, T. Hao and H. Liu, Improving the accuracy of MTF measurement at low frequencies based on oversampled edge spread function deconvolution (4) 517–529
- Zhu, J., see Yang, J. (2) 253–265
- Zhu, X., see Zhu, Y. (5) 557–565
- Zhu, Y., H. Xu, X. Zhu, Y. Wei, G. Yang, L. Tang and Y. Xu, Which can predict left ventricular size and systolic function: Cardiothoracic ratio or transverse cardiac diameter (5) 557–565
- Zuo, S., see Zhang, X. (4) 463–472