

Author Index Volume 17 (2003)

- Ahmed, M.J. and Md.S. Alam, A rapid spectrophotometric method for the determination of mercury in environmental, biological, soil and plant samples using diphenylthiocarbazone (1) 45– 52
Alam, Md.S., see Ahmed, M.J.
Alonso, J.C., see Dostál, L.
Arai, M., see Nakao, M.
Auguin, D., V. Catherinot, T.E. Malliavin, J.L. Pons and M.A. Delsuc, Superposition of chemical shifts in NMR spectra can be overcome to determine automatically the structure of a protein (2,3) 559–568
Awad, L.A., see Ke, Y.

Banakar, S., see Thomas, M.A.
Barron, L.D., E.W. Blanch, I.H. McColl, C.D. Syme, L. Hecht and K. Nielsen, Structure and behaviour of proteins, nucleic acids and viruses from vibrational Raman optical activity (2,3) 101–126
Becker, Y., see Bindig, U.
Bertani, R., see Sergi, G.
Berton, A., see Sergi, G.
Bindig, U., I. Gersonde, M. Meinke, Y. Becker and G. Müller, Fibre-optic IR-spectroscopy for biomedical diagnostics (2,3) 323–344
Binesh, N., see Thomas, M.A.
Bisson, I., see Notingher, I.
Blackstock, D., see Macnab, A.J.
Blanch, E.W., see Barron, L.D.
Blandl, T., see Skelton, N.J.
Blank, S.R., see Ke, Y.
Bolaños, B., see Want, E.
Boyar, H., B. Turan and F. Severcan, FTIR spectroscopic investigation of mineral structure of streptozotocin induced diabetic rat femur and tibia (2,3) 627–633
Brakch, N., see Lazar, N.
Brandon Bravo Bruinsma, G.J. and C.J.A. van Echteld, Clinical motivation for ^{31}P MRS studies on the myocardial energy metabolism of brain dead cats (1) 17– 30
Breen, E.J., W.L. Holstein, F.G. Hopwood, P.E. Smith, M.L. Thomas and M.R. Wilkins, Automated Peak Harvesting of MALDI-MS spectra for high throughput proteomics (2,3) 503–510
Burlot, L., J.-C. Cherton, O. Convert, I. Correia and B. Dennetiere, New chaetoglobosins from maize infested by *Phomopsis leptostromiformis* fungi. Production, identification, and semi-synthesis (2,3) 579–595

Calliari, I., see Sergi, G. (4) 725–734
Campbell, G., see Esquieu, D. (2,3) 603–611
Castanho, M.A.R.B., S. Lopes and M. Fernandes, Using UV-Vis. linear dichroism to study the orientation of molecular probes and biomolecules in lipidic membranes (4) 639–645
Catherinot, V., see Auguin, D. (2,3) 377–398
Chance, B., see Miura, H. (2,3) 559–568
(2,3) 549–558

- Chen, W., see Prenni, J.E.
- Cheng, K.-C., see Wang, G.
- Cherton, J.-C., see Burlot, L.
- Ciraulo, D.A., see Ke, Y.
- Cochran, A.G., see Skelton, N.J.
- Cohen, P., see Lazar, N.
- Compton, B., see Want, E.
- Compton, B.J. and G. Siuzdak, Mass spectrometry in nucleic acid, carbohydrate and steroid analysis
- Compton, B.J., see Want, E.
- Convert, O., see Burlot, L.
- Corbalán-García, S., J. García-García, M.S. Sánchez-Carrillo and J.C. Gómez-Fernández, Structural characterization of the C2 domains of classical isozymes of protein kinase C and novel protein kinase C ε by using infrared spectroscopy
- Correia, I., see Burlot, L.
- Cowburn, D., see Goger, M.J.
- Czarnik-Matusewicz, B., see Ozaki, Y.
- de Clercq, E., see Esquieu, D.
- Delsuc, M.A., see Auguin, D.
- de Mareuil, J., see Esquieu, D.
- Dennetiere, B., see Burlot, L.
- Denton, P., see Rhodes, C.J.
- de Oliveira Nunes, L., A.A. Martin, L. Silveira Jr. and M. Zampieri, FT-Raman spectroscopy study for skin cancer diagnosis
- Diaz T., E., see Jankowski, C.K.
- Dong, A., see Huang, P.
- Dostál, L., R. Misselwitz, S. Laettig, J.C. Alonso and H. Welfle, Raman spectroscopy of regulatory protein Omega from *Streptococcus pyogenes* plasmid pSM19035 and complexes with operator DNA
- Dunot, J.-P., see Esquieu, D.
- Edwards, P., see Notingher, I.
- Embanga, P., see Notingher, I.
- Englebienne, P., A. Van Hoonacker and M. Verhas, Surface plasmon resonance: principles, methods and applications in biomedical sciences
- Enzi, G., see Sergi, G.
- Erukhimovitch, V., M. Talyshinsky, Y. Souprun and M. Huleihel, Spectroscopic evaluation of carbohydrate levels in cell line treated with red microalgal polysaccharides
- Erukhimovitch, V., see Huleihel, M.
- Esquieu, D., J.-M. Pélopoune, S. Opi, C. Gregoire, J. de Mareuil, J. Watkins, G. Campbell, J.-P. Dunot, J. Sturgis, M. Witvrouw, C. Panneccouque, E. de Clercq, M. Montembault, V.-T. Giang, M. Villiéras, V. Fargeas, J. Lebreton and E.P. Loret, Discovery of a Tat HIV-1 inhibitor through computer-aided drug design
- Fairbrother, W.J., see Pan, B.
- Fargeas, V., see Esquieu, D.
- Fernandes, M., see Castanho, M.A.R.B.
- Fryer, K.H., see Macnab, A.J.
- (4) 693–698
 (2,3) 511–519
 (4) 725–734
 (2,3) 231–239
 (2,3) 213–230
 (1) 17–30
 (4) 663–680
- (4) 699–713
 (4) 681–691
 (4) 725–734
- (2,3) 399–416
 (4) 725–734
 (2,3) 161–167
 (2,3) 79–100
- (4) 639–645
 (2,3) 559–568
 (4) 639–645
 (4) 725–734
 (4) 753–762
- (2,3) 597–602
 (4) 735–745
 (2,3) 453–467
- (2,3) 435–445
 (4) 639–645
- (2,3) 275–288
 (2,3) 275–288
- (2,3) 255–273
 (2,3) 603–611
- (2,3) 447–451
 (2,3) 469–476
- (4) 639–645
- (2,3) 169–181
 (4) 639–645
 (2,3) 377–398
 (2,3) 289–295

- Gagnon, F., see Macnab, A.J. (2,3) 289–295
 Gagnon, F.A., see Macnab, A.J. (2,3) 477–482
 Gagnon, F.A., see Macnab, A.J. (2,3) 483–490
 Gagnon, R., see Macnab, A.J. (2,3) 289–295
 Gagnon, R.E., see Macnab, A.J. (2,3) 477–482
 Gagnon, R.E., see Macnab, A.J. (2,3) 483–490
 García-García, J., see Corbalán-García, S. (2,3) 399–416
 Gersonde, I., see Bindig, U. (2,3) 323–344
 Giang, V.-T., see Esquieu, D. (4) 639–645
 Goger, M.J., J.M. McDonnell and D. Cowburn, Using cryoprobes to decrease acquisition times of triple-resonance experiments used for protein resonance assignments (2,3) 161–167
 Gohar, G.A., see Habeeb, M.M. (1) 65– 75
 Gómez-Fernández, J.C., see Corbalán-García, S. (2,3) 399–416
 Görlach, M., see Ohlenschläger, O. (2,3) 537–547
 Gregoire, C., see Esquieu, D. (4) 639–645
 Greig, M., see Want, E. (4) 663–680
 Gruber, S.A., see Ke, Y. (2,3) 231–239
- Habeeb, M.M. and G.A. Gohar, FTIR spectroscopic studies and AM1 semi-empirical calculations of some hydrogen-bonded complexes of 2,5-dihydroxy-3,6-dichloro- benzoquinone and anilines (1) 65– 75
 Haris, P.I., Editorial: Second Conference Issue of Spectroscopy (2,3) 77
 Hecht, L., see Barron, L.D. (2,3) 101–126
 Hench, L.L., see Notingher, I. (2,3) 275–288
 Hennen, J., see Ke, Y. (2,3) 231–239
 Herberhold, H., see Panick, G. (2,3) 367–376
 Hirosawa, N., see Yano, K. (2,3) 315–321
 Hock, B., see Kramer, K. (2,3) 355–365
 Hoekstra, F.A., see Wolkers, W.F. (2,3) 297–313
 Hollenbeck, T., see Want, E. (4) 681–691
 Holman, H.-Y.N., M.C. Martin and W.R. McKinney, Tracking chemical changes in a live cell: Biomedical applications of SR-FTIR spectromicroscopy (2,3) 139–159
 Holstein, W.L., see Breen, E.J. (2,3) 579–595
 Hopwood, F.G., see Breen, E.J. (2,3) 579–595
 Hsieh, Y., see Wang, G. (2,3) 511–519
 Huang, P. and A. Dong, Thermal, chemical and chemothermal denaturation of yeast enolase (2,3) 453–467
 Huda, A., see Thomas, M.A. (2,3) 521–527
 Huleihel, M., A. Salman, M. Talyshinsky, Y. Souprun and V. Erukhimovitch, Microspectroscopic investigation of malignant cells from cell culture and leukemic patients (2,3) 469–476
 Huleihel, M., see Erukhimovitch, V. (2,3) 447–451
 Ido, T., see Valdes-Gonzalez, T. (2,3) 241–254
 Ikeda, S., Atomic force microscopy and Raman scattering spectroscopy studies on heat-induced fibrous aggregates of β -lactoglobulin (2,3) 195–202
 Imamoto, Y., see Mano, E. (2,3) 345–353
 Inagawa, J., see Valdes-Gonzalez, T. (2,3) 241–254
 Janes, R.W., see Miles, A.J. (4) 653–661
 Jankowski, C.K., A.B. Laouz, D. Lesage and E. Diaz T., Unusual rearrangement of dihaloclopropanes (4) 735–745

- Jenkins, R.O., see Sherburn, R.E. (1) 31– 38
 Jones, J.R., see Notingher, I. (2,3) 275–288
 Juneau, G., see Zhou, L. (4) 715–724
- Kamagata, K. and K. Kuwajima, Parallel folding pathway of proline-free staphylococcal nucle-
 ase studied by the stopped-flow double-jump method (2,3) 203–212
 Kamikubo, H., see Kataoka, M. (2,3) 529–535
 Kamikubo, H., see Mano, E. (2,3) 345–353
 Kamounah, F.S., see Salman, S.R. (4) 747–752
 Kamounah, F.S., see Shabanova, E. (1) 39– 44
 Kaptan, N., see Severcan, F. (2,3) 569–577
- Kataoka, M., H. Kamikubo, H. Nakagawa, S.F. Parker and J.C. Smith, Neutron inelastic scatter-
 ing as a high-resolution vibrational spectroscopy: New tool for the study of protein dynamics (2,3) 529–535
 Kataoka, M., see Mano, E. (2,3) 345–353
 Katayama, H., see Yano, K. (2,3) 315–321
- Ke, Y., C. Streeter, S. Lowen, L.E. Nassar, A.M. Parow, J. Hennen, D.A. Yurglun-Todd,
 O. Sarid-Segal, L.A. Awad, M. Rendall, S.A. Gruber, A. Nason, M.J. Mudrick, S.R. Blank,
 D.A. Ciraulo and P.F. Renshaw, Increased frontal lobe phosphocreatine levels observed in
 heavy cocaine users after treatment for cocaine dependence – An ^1H MRS T_2 relaxometry
 study (2,3) 231–239
 Kim, H.-E., see Son, W.-S. (2,3) 127–138
 Kim, J.-S., see Son, W.-S. (2,3) 127–138
 Kocisova, E., see Praus, P. (2,3) 429–434
 Korfmacher, W.A., see Wang, G. (2,3) 511–519
 Koshiba, T., see Nakao, M. (2,3) 183–193
- Kramer, K., D. Rau and B. Hock, Comparison of affinity ranking and immunochemical key
 data as measure for molecular antibody evolution (2,3) 355–365
 Kumaido, K., see Yano, K. (2,3) 315–321
 Kuwajima, K., see Kamagata, K. (2,3) 203–212
 Kuwajima, K., see Nakao, M. (2,3) 183–193
- Laettig, S., see Dostál, L. (2,3) 435–445
 Lai, H.W.L., see Zhou, L. (4) 715–724
 Lam, K.-W., see Zhou, L. (4) 715–724
 Laouz, A.B., see Jankowski, C.K. (4) 735–745
- Lazar, N., N. Brakch, M. Panchal, P. Cohen and M. Rholam, Secondary structure as a confor-
 mational determinant in processing of peptide precursors at dibasic amino acids (1) 17– 30
 LeBlanc, J.G., see Macnab, A.J. (2,3) 477–482
 LeBlanc, J.G., see Macnab, A.J. (2,3) 483–490
 Lebreton, J., see Esquieu, D. (4) 639–645
 Lee, B.-J., see Son, W.-S. (2,3) 127–138
 Lees, J.G., see Miles, A.J. (4) 653–661
 Lesage, D., see Jankowski, C.K. (4) 735–745
 Lopes, S., see Castanho, M.A.R.B. (2,3) 377–398
 Loret, E.P., see Esquieu, D. (4) 639–645
 Lowen, S., see Ke, Y. (2,3) 231–239
 Lupoli, L., see Sergi, G. (2,3) 603–611
- Ma, C.-Y., M.K. Rout and D.L. Phillips, Study of thermal aggregation and gelation of oat glob-
 ulin by Raman spectroscopy (2,3) 417–428

- Macnab, A.J., R. Gagnon, F. Gagnon, A.I. Minchinton and K.H. Fryer, Simultaneous pO₂ and HbO₂ measurement to determine absolute HbO₂ concentration for *in vivo* near infrared spectroscopy (2,3) 289–295
- Macnab, A.J., R.E. Gagnon, F.A. Gagnon, D. Blackstock and J.G. LeBlanc, Cardiac bypass pump flow management via NIRS monitoring (2,3) 477–482
- Macnab, A.J., R.E. Gagnon, F.A. Gagnon and J.G. LeBlanc, NIRS monitoring of brain and spinal cord – detection of adverse intraoperative events (2,3) 483–490
- Malliavin, T.E., see Auguin, D. (2,3) 559–568
- Mano, E., H. Kamikubo, Y. Imamoto and M. Kataoka, Comparison of the photochemical reaction of photoactive yellow protein in crystal with reaction in solution (2,3) 345–353
- Martin, A.A., see de Oliveira Nunes, L. (2,3) 597–602
- Martin, M.C., see Holman, H.-Y.N. (2,3) 139–159
- Marumoto, A., see Thomas, M.A. (2,3) 521–527
- McColl, I.H., see Barron, L.D. (2,3) 101–126
- McCullly, K., see Miura, H. (2,3) 549–558
- McDonnell, J.M., see Goger, M.J. (2,3) 161–167
- McKinney, W.R., see Holman, H.-Y.N. (2,3) 139–159
- Meinke, M., see Bindig, U. (2,3) 323–344
- Meyers, A., S. Trauger, W. Webb, N. Reisdorph, C. Wranik, E. Peters and G. Siuzdak, Protein identification and profiling with mass spectrometry (1) 1– 15
- Miles, A.J., F. Wien, J.G. Lees, A. Rodger, R.W. Janes and B.A. Wallace, Calibration and Standardisation of Synchrotron Radiation Circular Dichroism and Conventional Circular Dichroism Spectrophotometers (4) 653–661
- Minchinton, A.I., see Macnab, A.J. (2,3) 289–295
- Minunni, M., Biosensors based on nucleic acid interaction (2,3) 613–625
- Misselwitz, R., see Dostál, L. (2,3) 435–445
- Miura, H., K. McCullly and B. Chance, Application of multiple NIRS imaging device to the exercising muscle metabolism (2,3) 549–558
- Montembault, M., see Esquieu, D. (4) 639–645
- Morris, H., see Rhodes, C.J. (4) 753–762
- Mudrick, M.J., see Ke, Y. (2,3) 231–239
- Müller, G., see Bindig, U. (2,3) 323–344
- Murayama, K., see Ozaki, Y. (2,3) 79–100
- Nakagawa, H., see Kataoka, M. (2,3) 529–535
- Nakao, M., M. Arai, T. Koshiba, K. Nitta and K. Kuwajima, Folding mechanism of canine milk lysozyme studied by circular dichroism and fluorescence spectroscopy (2,3) 183–193
- Nason, A., see Ke, Y. (2,3) 231–239
- Nassar, L.E., see Ke, Y. (2,3) 231–239
- Ng, K., see Wang, G. (2,3) 511–519
- Nielsen, K., see Barron, L.D. (2,3) 101–126
- Nitta, K., see Nakao, M. (2,3) 183–193
- Notinger, I., J.R. Jones, S. Verrier, I. Bisson, P. Embanga, P. Edwards, J.M. Polak and L.L. Hench, Application of FTIR and Raman spectroscopy to characterisation of bioactive materials and living cells (2,3) 275–288
- Ohlenschläger, O., J. Wöhner, R. Ramachandran, C. Sich and M. Görlach, Nuclear magnetic resonance studies of ribonucleic acids (2,3) 537–547
- Opi, S., see Esquieu, D. (4) 639–645

- Ozaki, Y., K. Murayama, Y. Wu and B. Czarnik-Matusewicz, Two-dimensional infrared correlation spectroscopy studies on secondary structures and hydrogen bondings of side chains of proteins (2,3) 79–100
- Pan, B. and W.J. Fairbrother, NMR structural analysis of vascular endothelial growth factor in complex with a phage-derived peptide antagonist (2,3) 169–181
- Panchal, M., see Lazar, N. (1) 17– 30
- Panick, G., H. Herberhold, Z. Sun and R. Winter, Heat, cold and pressure induced denaturation of proteins (2,3) 367–376
- Pannecouque, C., see Esquieu, D. (4) 639–645
- Park, S.-H., see Son, W.-S. (2,3) 127–138
- Parker, S.F., see Kataoka, M. (2,3) 529–535
- Parow, A.M., see Ke, Y. (2,3) 231–239
- Péloponèse, J.-M., see Esquieu, D. (4) 639–645
- Peters, E., see Meyers, A. (1) 1– 15
- Phillips, D.L., see Ma, C.-Y. (2,3) 417–428
- Polak, J.M., see Notingher, I. (2,3) 275–288
- Pons, J.L., see Auguin, D. (2,3) 559–568
- Praus, P., F. Sureau, E. Kocisova, I. Rosenberg, J. Stepanek and P.-Y. Turpin, A frequency domain phase/modulation technique for intracellular multicomponent fluorescence analysis: Technical approach and pharmacological applications (2,3) 429–434
- Prenni, J.E., Z. Shen, S. Trauger, W. Chen and G. Siuzdak, Protein characterization using Liquid Chromatography Desorption Ionization on Silicon Mass Spectrometry (LC-DIOS-MS) (4) 693–698
- Ramachandran, R., see Ohlenschläger, O. (2,3) 537–547
- Raman, S., see Thomas, M.A. (2,3) 521–527
- Rau, D., see Kramer, K. (2,3) 355–365
- Reisdorff, N., see Meyers, A. (1) 1– 15
- Rendall, M., see Ke, Y. (2,3) 231–239
- Renshaw, P.F., see Ke, Y. (2,3) 231–239
- Rhodes, C.J., T.T. Tran, P. Denton and H. Morris, Rationalisation of the activities of phenolic (vitamin E-type) antioxidants (4) 753–762
- Rholam, M., see Lazar, N. (1) 17– 30
- Rodger, A., see Miles, A.J. (4) 653–661
- Rosenberg, I., see Praus, P. (2,3) 429–434
- Rout, M.K., see Ma, C.-Y. (2,3) 417–428
- Russell, S.J., see Skelton, N.J. (2,3) 213–230
- Sakamoto, Y., see Yano, K. (2,3) 315–321
- Salman, A., see Huleihel, M. (2,3) 469–476
- Salman, S.R. and F.S. Kamounah, Tautomerism in 1-hydroxy-2-naphthaldehyde Schiff bases: Calculation of tautomeric isomers using carbon-13 NMR (4) 747–752
- Sánchez-Carrillo, M.S., see Corbalán-García, S. (2,3) 399–416
- Sarid-Segal, O., see Ke, Y. (2,3) 231–239
- Satomi, A., see Yano, K. (2,3) 315–321
- Schaumburg, K., see Shabanova, E. (1) 39– 44
- Sergi, G., R. Bertani, I. Calliari, L. Lupoli, A. Berton, S. Volpato and G. Enzi, Total body water and extracellular water measurements through *in vivo* dilution of D₂O and bromide as tracers (2,3) 603–611
- Serrano, L., see Ventura, S. (4) 647–652

- Severcan, F., N. Kaptan and B. Turan, Fourier transform infrared spectroscopic studies of diabetic rat heart crude membranes (2,3) 569–577
- Severcan, F., see Boyar, H.
- Shabanova, E., K. Schaumburg and F.S. Kamounah, Solid state ^{13}C and ^1H MAS NMR investigations of $\text{C}_{60}(\text{ferrocene}-\text{d}_{10})_2$ complex (2,3) 627–633
- Shen, Z., see Prenni, J.E.
- Sherburn, R.E. and R.O. Jenkins, A novel and rapid approach to yeast differentiation using matrix-assisted laser desorption/ionisation time-of-flight mass spectrometry (1) 39– 44
(4) 693–698
- Sich, C., see Ohlenschläger, O.
- Silveira Jr., L., see de Oliveira Nunes, L.
- Siuzdak, G., see Compton, B.J.
- Siuzdak, G., see Meyers, A.
- Siuzdak, G., see Prenni, J.E.
- Siuzdak, G., see Want, E.
- Siuzdak, G., see Want, E.
- Skelton, N.J., T. Blandl, S.J. Russell, M.A. Starovasnik and A.G. Cochran, β -hairpin polypeptides by design and selection (1) 31– 38
(2,3) 537–547
- Smith, J.C., see Kataoka, M.
- Smith, P.E., see Breen, E.J.
- Son, W.-S., J.-S. Kim, H.-E. Kim, S.-H. Park and B.-J. Lee, Structural studies on the antimicrobial peptide Brevinin 1E by spectroscopic methods (2,3) 597–602
(4) 699–713
- Souprun, Y., see Erukhimovitch, V.
- Souprun, Y., see Huleihel, M.
- Starovasnik, M.A., see Skelton, N.J.
- Stepanek, J., see Praus, P.
- Streeter, C., see Ke, Y.
- Sturgis, J., see Esquieu, D.
- Sun, Z., see Panick, G.
- Sureau, F., see Praus, P.
- Syme, C.D., see Barron, L.D.
- Taiwo, F.A., Electron paramagnetic resonance spectroscopic studies of iron and copper proteins (1) 127–138
(2,3) 447–451
- Talyshinsky, M., see Erukhimovitch, V.
- Talyshinsky, M., see Huleihel, M.
- Thomas, M.A., N. Binesh, K. Yue, S. Banakar, N. Wyckoff, A. Huda, A. Marumoto and S. Raman, Adding a new spectral dimension to localized ^1H MR spectroscopy of human prostates using an endorectal coil (2,3) 213–230
(2,3) 429–434
- Thomas, M.L., see Breen, E.J.
- Tonooka, S., see Yano, K.
- Tran, T.T., see Rhodes, C.J.
- Trauger, S., see Meyers, A.
- Trauger, S., see Prenni, J.E.
- Turan, B., see Boyar, H.
- Turan, B., see Severcan, F.
- Turpin, P.-Y., see Praus, P.
- Valdes-Gonzalez, T., J. Inagawa and T. Ido, Characterization of the interactions of β -amyloid peptides with glycolipid receptors by surface plasmon resonance (2,3) 231–239
(4) 639–645
- van Echteld, C.J.A., see Brandon Bravo Bruinsma, G.J.
- (2,3) 367–376
(2,3) 429–434
(2,3) 101–126
- (1) 53– 63
(2,3) 447–451
(2,3) 469–476
- (2,3) 521–527
(2,3) 579–595
(2,3) 315–321
(4) 753–762
(1) 1– 15
(4) 693–698
- (2,3) 627–633
(2,3) 569–577
(2,3) 429–434
- (2,3) 241–254
(2,3) 503–510

- Van Hoonacker, A., see Englebienne, P. (2,3) 255–273
 Ventura, S. and L. Serrano, Spectroscopic analysis of amyloid fibril formation in SH3-domains (4) 647–652
 Verhas, M., see Englebienne, P. (2,3) 255–273
 Verrier, S., see Notinger, I. (2,3) 275–288
 Villéras, M., see Esquieu, D. (4) 639–645
 Volpati, S., see Sergi, G. (2,3) 603–611
- Wallace, B.A., see Miles, A.J. (4) 653–661
 Wang, G., Y. Hsieh, K.-C. Cheng, K. Ng and W.A. Korfmacher, High-throughput cassette assay for drug stability measurement in plasma using direct HPLC-MS/MS (2,3) 511–519
- Want, E., B.J. Compton, T. Hollenbeck and G. Siuzdak, The application of mass spectrometry in pharmacokinetics studies (4) 681–691
- Want, E., M. Greig, B. Compton, B. Bolaños and G. Siuzdak, Mass spectrometry in high throughput analysis (4) 663–680
- Watkins, J., see Esquieu, D. (4) 639–645
- Webb, W., see Meyers, A. (1) 1– 15
- Welfle, H., see Dostál, L. (2,3) 435–445
- Wien, F., see Miles, A.J. (4) 653–661
- Wilkins, M.R., see Breen, E.J. (2,3) 579–595
- Winter, R., see Panick, G. (2,3) 367–376
- Witvrouw, M., see Esquieu, D. (4) 639–645
- Wöhnert, J., see Ohlenschläger, O. (2,3) 537–547
- Wolkers, W.F. and F.A. Hoekstra, *In situ* FTIR assessment of desiccation-tolerant tissues (2,3) 297–313
- Wranik, C., see Meyers, A. (1) 1– 15
- Wu, Y., see Ozaki, Y. (2,3) 79–100
- Wyckoff, N., see Thomas, M.A. (2,3) 521–527
- Xiong, X., see Zhou, L. (4) 715–724
- Yano, K., Y. Sakamoto, N. Hirosawa, S. Tonooka, H. Katayama, K. Kumaido and A. Satomi, Applications of Fourier transform infrared spectroscopy, Fourier transform infrared microscopy and near-infrared spectroscopy to cancer research (2,3) 315–321
- Yew, D.T., see Zhou, L. (4) 715–724
- Yue, K., see Thomas, M.A. (2,3) 521–527
- Yurglun-Todd, D.A., see Ke, Y. (2,3) 231–239
- Zampieri, M., see de Oliveira Nunes, L. (2,3) 597–602
- Zhang, Z.-Y., LC/MS/MS warfarin assay – An emerging tool for the early detection of cytochrome P450-associated drug–drug interactions in drug discovery (2,3) 491–502
- Zhou, L., G. Juneau, X. Xiong, H.W.L. Lai, D.T. Yew and K.-W. Lam, Chemical characterization of a new carbohydrate metabolite in the vitreous of Black Moor goldfish by liquid chromatography-electrospray mass spectrometry and nuclear magnetic resonance (4) 715–724